

Jla **ibqSY** Kiguli 15 tde[”] qvix 2004 Zwi[”]L Abj[”]Z 228Zg mfv[”] Kih[”]ei Yx

“” I ciwei Kj iY gSYij tqi mPe Rbve G, Gd, Gg, mi lqvi Kvgij Gi mfv*CW*ZtZi Jla ibqSY Kiguli 228Zg mfv MZ 15 tde[”] qvix 2004 Zwi[”]L mKij 11:00 NUKiq gSYij tqi mfv Kt[”] Abj[”]Z nq/

mfv[”] ibaq[”] LZ m[”] m[”] MY Dc[”] Z w[”] tjb t

- 01/ cldmi Wt tgvt gixRbibi ingib, gnvcwi Pij K, “” Aia`Bi /
 02/ Wt tmij bv Avnmib, hMmPe (Rb “” I wek[”] “”), “” I ciwei Kj iY gSYij q/
 03/ Wt tgvt myZib gnwib, cwi Pij K (m[”]c[”] Y), ct[”] gnv-cwi Pij K, c[”] m[”]Aia`Bi /
 04/ cldmi Wt Gg G nv[”], Dc[”]Pv[”]e[”] e[”] e[”] UztkL gyRe tgwtKj wekje `ij q/
 05/ Aa[”]cK Wt gwe[”] Lvb, tKvIva[”], e[”] e[”] e[”] UztkL gyRe tgwtKj wekje `ij q/
 06/ Aa[”]cK W. b[”] b bwni ingib, d[”]tgf[”] m[”] f[”] f[”] M, XvKv wekje `ij q, XvKv/
 07/ Aa[”]cK Wt G m[”] fBq[”], nvDR bs-42, tivW bs-4, G avbg[”] A/G, XvKv/
 08/ অধ্যাপক (ডাঃ) মুহম্মদ শহীদ উল্বাহ, চর্ম ও মৌন রোগ বিশেষজ্ঞ, স্যার সলিমুল্লাহ মেডিকেল কলেজ, ঢাকা।
 09/ Wt myZibv Rvnib, mnthwMx Aa[”]cK, MBBx GU Aem[”] tUJ[”] m[”] f[”] M, XvKv tgwtKj Ktj R/
 10/ Wt mRb[”] Aviv teMg, mnthwMx Aa[”]cK, d[”]g[”]Kij R m[”] f[”] M, XvKv tgwtKj Ktj R/
 11/ Rbve Gm Gg kwdD[”]gib, mfv*CW*Z, evsj vt[”] k Jla ik[”] mgiZ, XvKv/
 12/ Wt tgwtgbjy nK, Dct[”] óv, evsj vt[”] k Jla ik[”] mgiZ Ges e[”] e[”] vcbv cwi Pij K, tRbvtij d[”]g[”]mD[”]UK[”]ij m[”] ej t/
 13/ Rbve Ave[”] jy g[”]wi i, m[”] m[”], Kih[”]be[”] cwi l[”], evsj vt[”] k Jla ik[”] mgiZ Ges
 e[”] e[”] vcbv cwi Pij K, BbtmPv d[”]g[”]mD[”]UK[”]ij m[”] ej t/
 14/ cldmi Wt Ave[”] jy Mib, cwi Pij K, Jla ckmb cwi`Bi, XvKv/

সভাপতি মহোদয় উপস্থিত সকলকে স্বাগত জানাইয়া সভার কার্যক্রম শুরু করেন।

mfv[”] ibaq[”] we[”] -w[”] Z Avtj[”] Pbv Kiv nq t

- 1/ m[”] MZ 27 M[”] m[”] 2003 Zwi[”]L Abj[”]Z Jla ibqSY Kiguli 227 Zg mfv[”] Kih[”]ei Yx Abj[”]g[”] b c[”] h[”] t[”] /
 2/ tUKibK[”]ij m[”] ve-Kiguli 19-01-2004 I 09-02-2004 Zwi[”]L Abj[”]Z 45 Zg mfv[”] we[”] tPZ we[”] q mgn[”] c[”] h[”] t[”] /
 3/ Jltai Avg`vbx t[”]Rt[”] kb c[”]utb FSC M[”]Y m[”]ukZ e[”]g[”]v b[”] Zgij v cwi eZ[”]bi Rb[”] evsj vt[”] k tgwtKj I
 d[”]g[”]mD[”]UK[”]ij m[”] Bt[”]uvUv[”] Gtmwmtqkb Gi c[”] Avtj[”] Pbv c[”] h[”] t[”] /
 4/ we[”] e[”] m[”] Zf[”]t[”] t[”]Rt[”] kb c[”] B we[”] kx Jltai Zwj Kiq A[”]SZf[”] f[”] Kumb R[”]Zq Jltai t[”]Rt[”] kb beqY I Avg`vbx
 Abj[”]g[”] b c[”] h[”] t[”] /

mfv[”] Dc[”] m[”] t[”] we[”] -Zwi[”] Z Avtj[”] Pbv Kiv qv ibaq[”] we[”] m[”] x[”] SZ mgn[”] MpxZ nq t

- 1/ m[”] MZ 27 M[”] m[”] 2003 Zwi[”]L Abj[”]Z Jla ibqSY Kiguli 227 Zg mfv[”] Kih[”]ei Yx ib[”] Z Kiv nq/
 2/ tUKibK[”]ij m[”] ve-Kiguli 19-01-2004 I 09-02-2004 Zwi[”]L Abj[”]Z 45 Zg mfv[”] we[”] tPZ we[”] q mgn[”] c[”] h[”] t[”] we[”] -Zwi[”] Z
 Avtj[”] Pbv ce[”] ibaq[”] LZ Jla ,ij i c[”]tk[”]ew[”] Z mgn[”] k MpxZ nq t

2 (K) Local (New Molecule)

bs	c [”] ZKvitKi big	Jltai big I tRbibi K big	ib [”] Rbv	tUKibK [”] ij m [”] ve-Kiguli 45Zg mfv [”] g [”] g [”] Z	mfv [”] m [”] x [”] S-
01.	M/s. General Pharmaceuticals Ltd.	a)	Methylphenidate HCl 5mg Tablet Methylphenidate Hydrochloride USP 5mg	Treatment of attention deficit hyper activity disorder (ADHD) and narcolepsy.	c [”] q [”] Rb b [”] weaq Avtj [”] b br g [”] Y Kiv hiB [”] Z c [”] i
		b)	Methylphenidate HCl 10mg Tablet Methylphenidate Hydrochloride 10mg	-do-	c [”] q [”] Rb b [”] weaq Avtj [”] b br g [”] Y Kiv hiB [”] Z c [”] i
02.	M/s. Navana Pharmaceuticals Ltd.	a)	Clonidine HCl 0.3mg Tablet Clonidine HCl USP 0.3mg	Treatment of hypertension. It may be employed alone or concomitantly with other anti-hypertensive agents. Panic disorder.	c [”] q [”] Rb b [”] weaq Avtj [”] b br g [”] Y Kiv hiB [”] Z c [”] i

<i>bs</i>	<i>cōZKvijKi big</i>	<i>Ji:jai big I iRbuiK big</i>	<i>ibt̄ Rbv</i>	<i>tUKbK'j̄ me-Kugli 45Zg mfvi gZigZ</i>	<i>mfvi m̄x̄s-</i>
M/s. Navana Pharmaceuticals Ltd.		b) Clonidine HCl 0.1mg Tablet Clonidine HCl USP 0.1mg	Treatment of hypertension. It may be employed alone or concomitantly with other anti-hypertensive agents. Panic disorder.	<i>cōqjRb biB meaq Aite`b br gĀy Kiv hiBtZ c̄ti /</i>	<i>Aite`b br gĀy i mḡni k সম্পর্কে সুনির্দিষ্ট কারণ উল্লেখ করা হচ্ছে। ceK cieZiññiq Dc `ic̄bi Rb ejv nBj /</i>
		c) Naltrexone HCl 25mg Tablet Naltrexone HCl USP 25mg	Alcohol dependence and for the blocked of the effects of exogenously administered opiacoids.	<i>Abfḡb Kiv hiBtZ c̄ti /</i>	<i>Abfḡb Kiv nBj /</i>
		d) Naltrexone HCl 50mg Tablet Naltrexone HCl USP 50mg	-do-	<i>Abfḡb Kiv hiBtZ c̄ti /</i>	<i>Abfḡb Kiv nBj /</i>
03.	M/s. Ambee Pharmaceuticals Ltd.	a) Temazepam 10mg Tablet Temazepam BP 10mg	Used as hypnotic in the short management of insomnia.	<i>cōqjRb biB meaq Aite`b br gĀy Kiv hiBtZ c̄ti /</i>	<i>Aite`b br gĀy i mḡni k সম্পর্কে সুনির্দিষ্ট কারণ উল্লেখ করা হচ্ছে। ceK cieZiññiq Dc `ic̄bi Rb ejv nBj /</i>
04.	M/s. Incepta Pharmaceuticals Ltd. M/s.Beximco Pharma Ltd. M/s. Orion Lab. Ltd. M/s. Renata Ltd. M/s. Aristopharma Ltd. M/s. Square Pharmaceuticals Ltd.	a) Gatifloxacin 200mg Tablet Gatifloxacin INN 200mg	Acute bacterial exacerbation of chronic bronchitis, Acute Sinusitis community acquired pneumonia uncomplicated and complicated urinary tract infection.	<i>Abfḡb Kiv hiBtZ c̄ti /</i>	<i>Abfḡb Kiv nBj /</i>
		b) Gatifloxacin 400mg Tablet Gatifloxacin INN 400mg	-do-	<i>Abfḡb Kiv hiBtZ c̄ti /</i>	<i>Abfḡb Kiv nBj /</i>
05.	M/s. Alco Pharma Ltd.	a) Telithromycin 400mg Tablet Telithromycin INN 400mg	Community acquired pneumonia; exacerbation of chronic bronchitis, sinusitis, streptococcal pharyngitis or tonsillitis when beta-lactam antibiotic are inappropriate.	<i>Aii I ch̄B Z_ cōv̄bi Rb ejv hiBtZ c̄ti /</i>	<i>Aii I me-ZiññZ Z_ cōv̄bi Rb ejv hiBtZ c̄ti /</i>
		b) Escitalopram Oxalate 10mg Tablet Escitalopram Oxalate INN 10mg	Treatment of Major depressive disorder	<i>cōqjRb biB meaq Aite`b br gĀy Kiv hiBtZ c̄ti /</i>	<i>Aite`b br gĀy i mḡni k সম্পর্কে সুনির্দিষ্ট কারণ উল্লেখ করা হচ্ছে। ceK cieZiññiq Dc `ic̄bi Rb ejv nBj /</i>
06.	M/s. Beximco Pharmaceuticals Ltd.	a) Mosapride Citrate 5mg Tablet Mosapride Citrate Dihydrate Granules Ph. Grad 600mg (eq. to Mosapride Citrate 5mg)	Impaired Gastric motility, Gastroesophageal Reflux Disease, Non-ulcer dyspepsia	<i>iekt̄t̄Ai gZigZ ibl qv hiBtZ c̄ti /</i>	<i>iekt̄t̄Ai gZigZ M̄t̄Yi Rb ejv nBj /</i>
		b) Mosapride Citrate 2.5mg Tablet Mosapride Citrate Dihydrate Granules Ph. Grad 300mg (eq. to Mosapride Citrate 2.5mg)	-do-	<i>-H-</i>	<i>-H-</i>
		c) Diclofenac Sodium 75mg Misoprostol 200mcg Tablet Diclofenac Sodium BP 75mg Misoprostol INN 200mcg	Treatment of the Sings and Symptoms of osteoarthritis or rheumatoid arthritis in patients at high risk of developing NSAID induced gastric & duodenal ulcers and their complications.	<i>Abfḡb Kiv hiBtZ c̄ti /</i>	<i>Abfḡb Kiv nBj /</i>

<i>bs</i>	<i>cōZKvijKi big</i>	<i>Jīai big I iRbuiK big</i>	<i>ib̄t Rbv</i>	<i>tUKbK'j̄ me-Kgjli 45Zg mfvi gZigZ</i>	<i>mfvi m̄x̄iS-</i>
M/s. Beximco Pharmaceuticals Ltd.		d) Diclofenac Sodium 50mg + Misoprostol 200mcg Tablet Diclofenac Sodium BP 50mg Misoprostol INN 200mcg	Treatment of the Sings and Symptoms of osteoarthritis or rheumatoid arthritis in patients at high risk of developing NSAID induced gastric & duodenal ulcers and their complications.	<i>Ab̄gr̄ b Kiv hiBtZ c̄ti </i>	<i>Ab̄gr̄ b Kiv nBj </i>
		e) Bupropion HCl 150mg Sustained Release Tablet Bupropion HCl INN 172.84mg eq. to 150mg Bupropion	Depressive illness.	<i>c̄q̄Rb biB meaq Ait̄ b br̄ gĀy Kiv hiBtZ c̄ti </i>	<i>Ait̄ b br̄ gĀy i mḡmi k m̄ut̄K সুনির্দিষ্ট কারণ উল্লেখ কৰ ceK cieZ̄mfq Dc̄ lct̄bi Rb̄ ejv nBj </i>
		f) Losartan Potassium 50mg and Hydrochlorothiazide 12.5mg Tablet Losartan Potassium INN 50mg, Hydrochlorothiazide BP 12.50mg	Hypertension. This fixed dose combination is not indicated for initial therapy.	<i>Ab̄gr̄ b Kiv hiBtZ c̄ti </i>	<i>Ab̄gr̄ b Kiv nBj </i>
		g) Vitamin & Minerals Tablet Vitamin-A (as Vitamin A Acetate) USP 2667 IU(8mg) Vitamin C (As ascorbic Acid) USP 60mg, Vitamin D (as colecalciferol) USP 400IU (10mcg), Calcium (as Calcium Carbonate) USP 40mg & Potassium Iodide (anhydrous) USP 130mcg	Routine dietary supplementation for nursing mothers and for old aged patients.	<i>Ab̄gr̄ b Kiv hiBtZ c̄ti </i>	<i>Ab̄gr̄ b Kiv nBj </i>
		h) Levocarnitine 330mg Tablet Levodarnitine USP 330mg	Treatment of Primary carnitine deficiency, syndromes of systemic myopathic carnitine deficiency.	<i>nē Z̄niZ Z_ c̄v̄bi Rb̄ ejv hiBtZ c̄ti </i>	<i>Avi I nē Z̄niZ Z_ c̄v̄bi Rb̄ ejv nBj </i>
06.	M/s. Techno Drugs	a) Regrow 2% Scalp lotion 60ml Minoxidil BP 2gm/100ml	Treatment of alopecia	<i>Ab̄gr̄ b Kiv hiBtZ c̄ti </i>	<i>Ab̄gr̄ b Kiv nBj </i>
		b) Regrow 5% Scalp lotion 60ml Minoxidil 5gm/100ml	-do-	<i>Ab̄gr̄ b Kiv hiBtZ c̄ti </i>	<i>Ab̄gr̄ b Kiv nBj </i>
07.	M/s. Orion Laboratories Ltd. M/s. Square Pharmaceuticals Ltd.	a) Cefdinir Powder for Suspension 125mg/5ml Cefdinir INN 2.5gm/100ml	Pneumonia, pharyngitis,	<i>Ab̄gr̄ b Kiv hiBtZ c̄ti </i>	<i>Ab̄gr̄ b Kiv nBj </i>
		b) Cefdinir 300mg Capsule Cefdinir INN 300mg	-do-	<i>Ab̄gr̄ b Kiv hiBtZ c̄ti </i>	<i>Ab̄gr̄ b Kiv nBj </i>
08	M/s. Orion Laboratories Ltd.	a) Clopidogrel 75mg and Aspirin 75mg Tablet Clopidogrel Bisulfate INN 100mg eq. to 75mg Clopidogrel and Aspirin USP 75mg	Prevention of ischaemic events, myocardial infarction, stroke and cardiovascular death in patients with acute coronary syndrome.	<i>Ab̄gr̄ b Kiv hiBtZ c̄ti </i>	<i>Ab̄gr̄ b Kiv nBj </i>
		b) Fluoride 1mg Tablet Sodium Fluoride INN 2.2mg (eq.to Fluride 1mg)	Prevention of Dental Carries, to Desensitize exposed root of teeth.	<i>Ab̄gr̄ b Kiv hiBtZ c̄ti </i>	<i>Ab̄gr̄ b Kiv nBj </i>
		c) Telithromycin 400mg Tablet Telithromycin INN 400mg	Community acquired pneumonia, Exacerbation of Chronic bronchitis, sinusitis, Beta-haemolytic streptococcal pharyngitis or tonsillitis when beta-lactam antibiotics are inappropriate.	<i>Avi I nē Z̄niZ Z_ c̄v̄bi Rb̄ ejv hiBtZ c̄ti </i>	<i>Avi I nē Z̄niZ Z_ c̄v̄bi Rb̄ ejv nBj </i>
		d) Acetaminophen 500mg and Diphenhydramine HCl 12.5mg Tablet Acetaminophen USP 500mg and Diphenhydramine HCl USP 12.5mg	For the temporary relief of itchy watery eyes, running nose, sneezing, sore or scratchy throat and itching of the nose or throat due to hay fever, respiratory allergies.	<i>c̄q̄Rb biB meaq Ait̄ b br̄ gĀy Kiv hiBtZ c̄ti </i>	<i>Ait̄ b br̄ gĀy i mḡmi k সম্পর্কে সুনির্দিষ্ট কারণ উল্লেখ কৰ ceK cieZ̄mfq Dc̄ lct̄bi Rb̄ ejv nBj </i>

<i>bs</i>	<i>cōZKvijKi big</i>	<i>Jitai big I iRbuiK big</i>	<i>ibt Rbv</i>	<i>tUKibK'jy mve-KigUj 45Zg mfvi gZgZ</i>	<i>mfvi m̄x̄s-</i>
09.	M/s. Renata Ltd.	a) Ursodeoxycholic acid 150mg tablet Ursodeoxycholic Acid USP 150mg	Carolis Syndrom, Gallstone Dissolution Chronic Hepatitis , Dyspepsia	<i>c̄q̄Rb b̄B m̄aq Āte`b b̄ ḡȳ Kiv h̄B̄Z c̄ti </i>	<i>t̄Kib t̄Kib m̄ m̄ c̄ w̄ Ab̄gr̄tbi c̄t̄l ḡz c̄k̄k̄ Kiq ēl q̄l t̄UKibK'jy mve- KigUjZ c̄t̄l m̄ePb̄i Rb̄ ej̄v nBj </i>
		b) Ursodeoxycholic acid 300mg tablet Ursodeoxycholic Acid USP 300mg	-do-	<i>c̄q̄Rb b̄B m̄aq Āte`b b̄ ḡȳ Kiv h̄B̄Z c̄ti </i>	-H-
		c) Ursodeoxycholic acid 250mg Capsule Ursodeoxycholic Acid USP 250mg	-do-	<i>c̄q̄Rb b̄B m̄aq Āte`b b̄ ḡȳ Kiv h̄B̄Z c̄ti </i>	-H-
		d) Ursodeoxycholic acid suspension 250mg/5ml Ursodeoxycholic Acid USP 5000mg/100ml	-do-	<i>c̄q̄Rb b̄B m̄aq Āte`b b̄ ḡȳ Kiv h̄B̄Z c̄ti </i>	-H-
10.	M/s. Square Pharmaceuticals Ltd.	a) Ambroxol HCl Paediatric Drops Ambroxol HCl Ph. Eur. 0.09gm/15ml	Mucolytic therapy in Chronic bronchitis, asthmatoïd bronchitis, bronchiectasis, laryngitis and sinusitis	<i>Ab̄gr̄b Kiv h̄B̄Z c̄ti </i>	<i>Ab̄gr̄b Kiv nBj </i>
		b) Ambroxol HCl Syrup Ambroxol HCl BP 0.300gm/100ml	-do-	<i>Ab̄gr̄b Kiv h̄B̄Z c̄ti </i>	<i>Ab̄gr̄b Kiv nBj </i>
		c) Ambroxol HCl Sustained Release 75mg Capsule Ambroxol HCl SR Pellets Ph. Grade 272.628mg (27.51% w/w eq. to 75mg Ambroxol HCl)	-do-	<i>c̄q̄Rb b̄B m̄aq Āte`b b̄ ḡȳ Kiv h̄B̄Z c̄ti </i>	<i>Āte`b b̄ ḡȳ i mḡm̄ k সম্পর্কে সুনির্দিষ্ট কারণ উল্লেখ কৰ ceK cieZ̄m̄f̄q Dc̄ v̄ctb̄i Rb̄ ej̄v nBj </i>
		d) Etoricoxib 60mg Tablet Etoricoxib INN 60mg	Osteoarthritis, rheumatoid arthritis and in other chronic musculoskeletal disorders, acute gout, pain of dysmenorrhoea, dental surgery	<i>c̄q̄Rb b̄B m̄aq Āte`b b̄ ḡȳ Kiv h̄B̄Z c̄ti </i>	<i>Āte`b b̄ ḡȳ i mḡm̄ k সম্পর্কে সুনির্দিষ্ট কারণ উল্লেখ কৰ ceK cieZ̄m̄f̄q Dc̄ v̄ctb̄i Rb̄ ej̄v nBj </i>
		e) Etoricoxib 90mg Tablet Etoricoxib INN 90mg	Osteoarthritis, rheumatoid arthritis and in other chronic musculoskeletal disorders, acute gout, pain of dysmenorrhoea, dental surgery	<i>c̄q̄Rb b̄B m̄aq Āte`b b̄ ḡȳ Kiv h̄B̄Z c̄ti </i>	<i>Āte`b b̄ ḡȳ i mḡm̄ k সম্পর্কে সুনির্দিষ্ট কারণ উল্লেখ কৰ ceK cieZ̄m̄f̄q Dc̄ v̄ctb̄i Rb̄ ej̄v nBj </i>
		f) Etoricoxib 120mg Tablet Etoricoxib INN 120mg	-do-	<i>c̄q̄Rb b̄B m̄aq Āte`b b̄ ḡȳ Kiv h̄B̄Z c̄ti </i>	<i>Āte`b b̄ ḡȳ i mḡm̄ k সম্পর্কে সুনির্দিষ্ট কারণ উল্লেখ কৰ ceK cieZ̄m̄f̄q Dc̄ v̄ctb̄i Rb̄ ej̄v nBj </i>
		g) Sodium Cromoglicate 2% + Xylometazoline HCl 0.025% Nasal Spray Sodium Cromoglicate BP 2.6mg and Xylometazoline HCl 0.0325mg/Spray	For the prophylaxis and treatment of allergic rhinitis accompanied by nasal congestion.	<i>Ab̄gr̄b Kiv h̄B̄Z c̄ti </i>	<i>Ab̄gr̄b Kiv nBj </i>
11.	M/s. Square Pharmaceuticals Ltd. M/s. Beximco Pharmaceuticals Ltd.	a) Loratadin 5mg & Pseudoephedrin 120mg extended release tablet Loratadin INN 5mg Pseudoephedrine Sulphate USP 120mg	Relief of Symptoms of Seasonal allergic rhinitis	<i>Ab̄gr̄b Kiv h̄B̄Z c̄ti </i>	<i>Ab̄gr̄b Kiv nBj </i>
		b) Loratadine 10mg & Pseudoephedrine 240mg extended release tablet Loratadine INN 10mg pseudoephedrine Sulphate USP 240mg	-do-	<i>Ab̄gr̄b Kiv h̄B̄Z c̄ti </i>	<i>Ab̄gr̄b Kiv nBj </i>
12.	M/s. Incepta Pharmaceuticals Ltd.	a) Testosterone 1% Tropical Gel Testosterone BP 1gm/100gm	Indicated for use in treating men with low testosterone levels.	<i>c̄q̄Rb b̄B m̄aq Āte`b b̄ ḡȳ Kiv h̄B̄Z c̄ti </i>	<i>Ab̄gr̄b Kiv nBj </i>
		b) Osartil 25 Plus Tablet Losartan Potassium INN 25mg + Hydrochlorothiazide BP 12.5mg	Hypertension	<i>Ab̄gr̄b Kiv h̄B̄Z c̄ti </i>	<i>Ab̄gr̄b Kiv nBj </i>
		c) Osartil 50 Plus Tablet Losartan Potassium INN 50mg Hydrochlorothiazide BP 12.5mg	-do-	<i>Ab̄gr̄b Kiv h̄B̄Z c̄ti </i>	<i>Ab̄gr̄b Kiv nBj </i>

bs	cōZKvītKi big	Jītai big I tRbūiK big	ibt̄ Rbv	tUKbK'j̄ me-Kigdi 45Zg mfvi gZgZ	mfvi m̄x̄s-
M/s. Incepta Pharmaceuticals Ltd.	d)	Amlotab 25 Plus Tablet Amlodipine Besilate BP 6.94mg (eq. to 5mg of Amlodipine + Atenolol BP 25mg)	Hypertension not controlled by monotherapy, angina pectoris and hypertension as co-existing diseases. In post Myocardial infarction.	Abfḡ b Kiv hiBtZ c̄ti	Abfḡ b Kiv nBj
		Amlotab 50 Plus Tablet Amlodipine Besilate BP 6.94mg (eq. to Amlodipine 5mg) Atenolol BP 50mg	Hypertension not controlled by monotherapy, angina pectoris and hypertension as co-existing diseases. In post Myocardial infarction.	Abfḡ b Kiv hiBtZ c̄ti	Abfḡ b Kiv nBj
13.	M/s. Novartis Bangladesh Ltd.	a)	Sinceord 50mg Tablet Butamirate Citrate BP 50mg	Acute cough of any etiology, pre and post operative cough, sedation for surgical procedures.	Abfḡ b Kiv hiBtZ c̄ti
14.	M/s. Drug International Ltd.	a)	Ziprasidone 20mg Capsule Ziprasidone INN 20mg	Schizophrenia	Abfḡ b Kiv hiBtZ c̄ti
		b)	Ziprasidone 40mg Capsule Ziprasidone INN 40mg	-do-	Abfḡ b Kiv hiBtZ c̄ti
		c)	Ziprasidone 60mg Capsule Ziprasidone INN 60mg	-do-	Abfḡ b Kiv hiBtZ c̄ti
		d)	Ziprasidone 80mg Capsule Ziprasidone INN 80mg	-do-	Abfḡ b Kiv hiBtZ c̄ti
15.	M/s. Aristopharma Ltd.	a)	Cefprozil Tablet 500mg Cefprozil Monohydrate USP 523.123mg (eq. to Cefprozil 500mg)	Treatment of Skin and Skin structure, upper and lower respiratory tract infections, Otitis media including acute and chronic bronchitis and pneumonia.	c̄q̄Rb b̄B m̄aq Āte`b br gĀy Kiv hiBtZ c̄ti
		b)	Cefprozil Powder for Suspension Cefprozil Monohydrate USP 5.231mg (eq. to Cefprozil 5gm/100ml)	-do-	c̄q̄Rb b̄B m̄aq Āte`b br gĀy Kiv hiBtZ c̄ti
		c)	Epalrestat Tablet 50mg Epalrestat INN 50mg	Improvement of subjective symptoms eg. Numbness & pain, change in abnormal heart beat associated with diabetic peripheral neuropathy.	c̄q̄Rb b̄B m̄aq Āte`b br gĀy Kiv hiBtZ c̄ti
16.	M/s. Acme Laboratories Ltd.	a)	Azelaic Acid Cream 20% Azelaic Acid (Micro) INN 20gm/100gm	Mild to moderate inflammatory acne vulgaris	Abfḡ b Kiv hiBtZ c̄ti
		b)	Ticonazole Cream 1% Ticonazole BP 1gm/100gm	Anti-fungal with a broad spectrum activity against dermatophytes, <i>Melassezia furfur</i> and <i>candida albicans</i> , It is also active in-vitro against some Gram Positive bacteria.	Abfḡ b Kiv hiBtZ c̄ti
		c)	Ticonazole Vaginal Suppository 300mg/Stick Ticonazole BP 0.300gm	-do-	Abfḡ b Kiv hiBtZ c̄ti

2 (L) Arḡvbx t̄lR̄t̄k̄bi Āte`bKZ.c̄ iPKrmvi m̄ān̄Z JI amḡt̄ni c̄tk̄c̄i m̄ū Āta`B̄t̄i m̄ḡw̄t̄ki m̄f̄t̄Z gZgZ c̄vb Kiv nBj t

bs	cōZKvītKi big	Jītai big I tRbūiK big	ibt̄ Rbv	KmU'Ae Ām̄Rb	tUKbK'j̄ me- Kigdi 45Zg mfvi gZgZ	gZgZ
M/s. Shinil Chemical and Livestock Co. Ltd., Korea (Pharma & Firm, 3/2, City Heart Building, 67, Naya Paltan, Dhaka)	a)	SI Chlor-T Tablet (Vet) Sodium Dichloroisocyanurate (NaDCE) 6.6gm	Disinfection and sterilization of viruses, fungus, pathogen forming spore, yeast etc.	Korea	Abfḡ b Kiv hiBtZ c̄ti	Abfḡ b Kiv nBj
		Superkiller-F Emulsion (Vet) Cypermethrin USP 200gm/L	Extermination of insect like various kind of flies and mosquitoes	Korea	Abfḡ b Kiv hiBtZ c̄ti	Abfḡ b Kiv nBj

<i>bs</i>	<i>cñZKri#Ki big</i>	<i>Ji#ai big I tRbiwK big</i>	<i>ibt Rbv</i>	<i>KwU'Ae Aw#Rb</i>	<i>tUKbKij me-KigDi 45Zg mfvi gZigZ</i>	<i>gZigZ</i>
	M/s. Shinil Chemical and Livestock Co. Ltd., Korea (Pharma & Firm, 3/2, City Heart Building, 67, Naya Paltan, Dhaka)	c) Norfloxacin Inj. (Vet) Norfloxacin 500mg/ml	Treatment of respiratory diseases, digestive infection, enteritis and salmonellosis in cattle, calf, pig, and piglet.	Korea	<i>Ari l chib Z_ cñvbi Rb ejv hiBtZ ci i /</i>	<i>Ari l e "Zmi Z_ cñvbi Rb ejv nBj /</i>
		d) Cipryl Inj. (Vet) Ciprofloxacin HCl 50mg/ml	Bacterial respiratory disease caused by Pasteurella Spp. Mycoplasma Spp. Diarrhea caused by E Coli, Salmonella Spp.	Korea	<i>Abigr b Kiv hBtZ ci i /</i>	<i>Abigr b Kiv nBj /</i>
		e) K.C.N.D. Inj. Solution (Vet) Kanamycin Sulphate USP 50mg Neomycin sulphate USP 50mg, Colistin Sulphate 100.000 IU Dexamehtasone Sodium Phosphate USP 0.5mg/ml	All infections disease caused by gram-positive & gram-negative bacteria. in all classes of animals, but especially, enteritis, septicemia, salmonellosis, pasteurellosis, colioinfections, metritis, peritonitis and innng infection.	Korea	<i>cñqRb bvB neaq Aite`b bv gÄy Kiv hiBtZ ci i /</i>	<i>Aite`b bv gÄy i mgwi k m¤utK° সুনির্ণিত কারণ উলেশ্চা ceK cieZifmfig Dc`ictbi Rb ejv nBj /</i>
		f) Coccine-stop powder (Vet) Amprolium 200 170gm Sulfaquinoxaline sodium 170gm Vitamin K 1gm/kg	Prevention and treatment of acute & chronic coccidiosis in poultry.	Korea	<i>Abigr b Kiv hBtZ ci i /</i>	<i>Abigr b Kiv nBj /</i>
02.	M/s. Intervet International B.V. The Netherland (Organon Bd. Ltd.)	a) Metricure Suspension for Intra uterin administration Cefapirine Benzathine 0.64gm (eq. to Cefaprine 500mg/Syringe)	A broad Spectrum antibiotic with bactericidal action against gram-positive and gram-negative bacteria. Indicated for the treatment of subacute and chronic endometritis caused by bacteria sensitive to cephalopirin.	Netherlands	<i>Abigr b Kiv hBtZ ci i /</i>	<i>Abigr b Kiv nBj /</i>
03.	M/s. Eagle Vet Tech Co. Ltd., Korea (Vet Care Organization)	a) Iron-D Injection (Vet) Iron Dextran USP 100mg/ml	Preventions and treatment of the ferrous deficiency anemia in piglet and other animal	Korea	<i>ietkItAi gZigZ MBY Kiv hBtZ ci i /</i>	<i>ietkItAi gZigZ MBY Kiv Rb ejv nBj /</i>
04.	M/s. Merial S.A.S. France (Advance Animal Science Co. Ltd.)	a) Eurican DHPP12 Vaccine (Vet) Attenuated distemper virus $\geq 10^{4.0}$ CCID50 Attenuated canine adenovirus (CAV2..... $\geq 10^{2.5}$ CCID50 Attenuated canine parvovirus $\geq 10^{4.9}$ CCID-50 Attenuated Parainfluenza Virus Type-2 $\geq 10^{4.7}$ CCID _{50ml}	Active immunization against distemper, adenoviroses, parvovirosis and parainfluenza type-2 respiratory infections.	France	<i>Abigr b Kiv hBtZ ci i /</i>	<i>Abigr b Kiv nBj /</i>
		b) Biodyl Injectable Solution Sodium Selenite 0.1090gm Cyanocobalamine 0.050gm Potassium aspartate semihydrate 1gm Magnesium aspartate tetrahydrate 1.5gm/100ml	Treatment of Debility, convalescence and Myopathies in cattle, calves, horse dogs & cats.	France	<i>cñqRb bvB neaq Aite`b bv gÄy Kiv hiBtZ ci i /</i>	<i>Aite`b bv gÄy i mgwi k m¤utK° সুনির্ণিত কারণ উলেশ্চা ceK cieZifmfig Dc`ictbi Rb ejv nBj /</i>
		Ampron 12% Solution Ampron Hydrochloride 12gm/100ml	Prevention & treatment of coccidiosis in Poultry	France	<i>cñqRb bvB neaq Aite`b bv gÄy Kiv hiBtZ ci i /</i>	<i>Aite`b bv gÄy i mgwi k m¤utK° সুনির্ণিত কারণ উলেশ্চা ceK cieZifmfig Dc`ictbi Rb ejv nBj /</i>
05.	FATRO S.P.A- Pharmaceutical Veterinary Industry 40064, Ozzano Emilia-Bologna-Italy-Via Emilia, 225 (Speed Care Limited Dhaka)	a) BIO-MAREK HVT Vaccine Freez-dried HVT-126 strain of turkey herpesvirus Eur. Pharma (Vet) (Titre: not less then 1500PFU/dose)	BIO-MAREK HVT is indicated in prophylactic immunization against Mareks Disease in chickens.	Italy Poland,	<i>Abigr b Kiv hBtZ ci i /</i>	<i>Abigr b Kiv nBj /</i>

<i>bs</i>	<i>cTZKri#Ki big</i>	<i>Ji#ai big I tR#bi K big</i>	<i>#t R#v</i>	<i>KwU'Ae AwiRb</i>	<i>tUKbKij me- Kigdi 45Zg mfw gZigZ</i>	<i>gZigZ</i>
	FATRO S.P.A- Pharmaceutical Veterinary Industry 40064, Ozzano Emilia- Bologna- Italy -Via Emilia.225 (Speed Care Limited Dhaka)	b) BIO-VAC B1 Vaccine Attenuated live B1 Hitchner strain of the Newcastle disease virus Eur. Pharma (Vet) (Titre: not less than $10^{6.5}$ EID 50 /dose)	BIO-VAC B1 is indicated in prophylaxis, by immunization via eye-drops and or drinking water, of Newcastle disease in poultry.	Italy,	<i>Abtgr b Kiv hBtZ citi /</i>	<i>Abtgr b Kiv nBj /</i>
		c) BIO-VAC LA SOTA Vaccine Newcastle disease virus, strain LaSota Eur. Pharma (Vet) (Titre: not less than $10^{6.5}$ EID 50/dose)	BIO-VAC LaSota is indicated in the prophylactic immunization against Newcastle disease in poultry. Administration by oral route (drinking water).	Italy, Korea	<i>Abtgr b Kiv hBtZ citi /</i>	<i>Abtgr b Kiv nBj /</i>
		d) BIO VAC LS-H120 Vaccine Combination of i) Freeze-dried live attenuated LaSota strain of Newcastle disease virus (Titre: not less than $10^{6.5}$ EID50) ii) Freeze-dried live attenuated Massachusetts H 120 strain of Avian Infectious Bronchitis virus (Titre: not less than $10^{6.5}$ EID50)	- Vaccination against Newcastle disease - Protection against Infectious bronchitis	Italy	<i>Abtgr b Kiv hBtZ citi /</i>	<i>Abtgr b Kiv nBj /</i>
		e) BIO-VAC NDV6/10 Vaccine Live Attenuated Newcastle Disease virus, NDV Strain Eur. Pharma (Vet) (Titre: not less than $10^{6.5}$ EID 50/dose)	BIO-VAC NDV6/10 is indicated in prophylactic immunization against Newcastle Disease in chickens.	Italy	<i>Abtgr b Kiv hBtZ citi /</i>	<i>Abtgr b Kiv nBj /</i>
		f) B1 VAC 1° Vaccine Infectious Avian Bronchitis virus Strain H 120 (NLT 10^{6} EID 50) -Biological origin	B1 VAC 1° is indicated in the prophylactic immunization, by oral route drink water, against Infectious Avian Bronchitis in poultry.	Italy, Czech Republic	<i>Abtgr b Kiv hBtZ citi /</i>	<i>Abtgr b Kiv nBj /</i>
		g) IBA-VAC Vaccine Live attenuated virus of Gumboro Disease, 1/65/PV Strain. (NLT 10^{3} EID 50/ Dose)	IBA-VAC is indicated for the prophylactic immunization of Gumboro disease in chickens, by oral route (via-drink water).	Italy, Poland	<i>Abtgr b Kiv hBtZ citi /</i>	<i>Abtgr b Kiv nBj /</i>
	FATRO S.P.A- Pharmaceutical Veterinary Industry 40064, Ozzano Emilia- Bologna- Italy - Via Emilia.225 (Speed Care Limited Dhaka)	h) GUMB- VAC Vaccine Inactivated Infectious Bursal Disease virus NLT $10^{5.5}$ EID 50/dose	GUMB- VAC induces a good protection against Infection Bursal Disease	Italy	<i>Abtgr b Kiv hBtZ citi /</i>	<i>Abtgr b Kiv nBj /</i>
		i) HG GEL- VAC 3 Vaccine Inactivated Haemophilus Paragallinarum (serotype A,B,C) (NLT3.10 ⁶ CFU of each serotype)	HG GEL- VAC 3 works against infectious coryza.	Italy	<i>Abtgr b Kiv hBtZ citi /</i>	<i>Abtgr b Kiv nBj /</i>
		j) MAC-VAC Vaccine Inactivated Mycoplasma gallisepticum Eur. Pharma (Vet) (Titre: not less than 3×10^{10} C.F.U)	MAC-VAC is indicated in prophylaxis by immunization of checken against Mycoplasma gallisepticum infection.	Italy, Poland	<i>Abtgr b Kiv hBtZ citi /</i>	<i>Abtgr b Kiv nBj /</i>
		k) OL-VAC Vaccine Inactivated virus of Newcastle disease Eur. Pharma (Vet) Titre: not less than 100 DP50/dose (Protective dose 50 %)	OL-VAC is indicated in prophylaxis by immunization via subcutaneous inoculation in the neck of breeders and layers. It is also indicated as a booster vaccination in broiler in cases where it is necessary to induce strong immunity to Newcastle disease.	Italy	<i>Abtgr b Kiv hBtZ citi /</i>	<i>Abtgr b Kiv nBj /</i>

<i>bs</i>	<i>cÙZKvitKi big</i>	<i>JlÙai big I fRtbÙK big</i>	<i>mbÙRbv</i>	<i>KmÙAe AmÙRb</i>	<i>tÙKÙbK yj me-KgÙUi 45Zg mfÙi gZigZ</i>	<i>gZigZ</i>
	<p>i) OLVAC B+G Vaccine Combination of</p> <ul style="list-style-type: none"> i) Inactivated Newcastle disease virus BP(Vel) (Titre: not less than $80^{8.5}$EID50) ii) Inactivate Infectious Bronchitis virus, BP(Vet) not less than $3.10^{7.5}$EID50 (Titre:$10^{7.5}$EID50 each strain) iii) Inactivate Infectious Bursal Disease virus BP(Vet) (Titre: not less than $10^{8.5}$EID50) 	Vaccination of one-day chicks against Newcastle disease using inactivate oil adjuvant vaccine and / or live vaccine. Protection of laying lens against Infectious bronchitis with inactivated emulsion vaccine Maternal antibody and effect on Infection Brusal disease immunization	Italy, Korea	<i>AbÙgv b Kiv hiÙZ cÙi /</i>	<i>AbÙgv b Kiv nÙj /</i>	
	<p>m) SET-VAC Vaccine Salmonella enteritidis, Inactivated culture of (NLT 10^9 CFU) Salmonella typhimurium,Inactivated culture of (NLT 10^9 CFU)</p>	SET-VAC is indicated in the prophylaxis by immunization of chickens against <i>Salmonella enteritidis</i> and <i>Salmonella typhimurium</i> infections.	Italy	<i>AbÙgv b Kiv hiÙZ cÙi /</i>	<i>AbÙgv b Kiv nÙj /</i>	
	<p>n) VAIOL-VAC Vaccine Live attenuated Fowl poxvirus, HP2 Strain Eur. Pharma (Vet) (Titre: not less than 10^4EID 50 per dose)</p>	VAIOL-VAC is indicated in prophylaxis of Fowl pox by injection in the wing.	Italy, Korea, Poland	<i>AbÙgv b Kiv hiÙZ cÙi /</i>	<i>AbÙgv b Kiv nÙj /</i>	

2 (M) Local (New Molecule)

<i>bs</i>	<i>cÜZKvitKi bug</i>	<i>Jitai bug I tRibwiK bug</i>	<i>ibt Rbv</i>	<i>tUKubKij me-Kigüi 45Zg mfvi gZigZ</i>	<i>mfvi mxiS-</i>
1.	(i) M/s. Square Pharmaceuticals Ltd. (ii) M/s. Beximco Pharmaceuticals Ltd (iii) M/s. Incepta Pharmaceuticals Ltd. (iv) M/s. Drug International Ltd. (v) The Acme Laboratories Ltd.	a) Multivitamin and Multimineral A-Z Tablet & Soft Gelatin Capsule Vitamin A (as Beta Carotene & Vitamin A Palmitate) BP 5000 IU Vitamin C (Ascorbic Acid) BP 60mg Vitamin D3 BP 400 IU Vitamin E (as E Acetate) BP 30 IU Vitamin K BP 25 mcg Thiamin (as Mononitrate) BP 1.5mg Riboflavin BP 1.7mg Niacin USP 20mg Vitamin B6 (Pyridoxine HCl) BP 2mg Folic Acid BP 400 mcg Vitamin B12 BP 6 mcg Biotin BP 30 mcg Pantothenic Acid (as Calcium Pantothenate) BP 10 mg Calcium (Calcium Carbonate) BP 162mg Iron (Ferrous Sulphate) BP 18 mg Phosphorous (Calcium Phosphate) BP 109 mg Iodine (Potassium Iodide) BP 150 mcg Magnesium (Magnesium Oxide) BP 100mg Zinc (oxide) 15mg Selenium (Sodium Selenate) BP 20mcg Copper (cupric oxide) BP 2.0mg Manganese (Sulphate) BP 2.0mg Chromium (Chloride) 120 mcg Molybdenum (Sodium Molybdate) BP 75mcg Chloride (Sodium Chloride) BP 72 mg Potassium (Chloride) BP 80 mg Boron (Boron Citrate) Ph. Gr. 150 mcg Nickel (Nickelous Sulphate) Ph. Gr. 5 mcg Silicon (Dioxide) BP 2 mg Tin (Stannous Fluoride) USP 10 mcg Vanadium (Sodium Metavandate) Ph. Gr. 10 mcg Lutein (Marigold Extract) Ph. Gr. 250mcg	Improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers.	Jia ibqşy Kigüi 225 Zg mfvi c`üi 1 ermi tgqi x ÷ wej iU WU cü ibi Rb ej v nBqoJ / cüZöib yj 1 ermi tgqi x ÷ wej iU WU cü ib Kii qitQ neaq Abgi` ibi Rb mgwi k Ki v nBj /	Abgi` b Ki v nBj /

<i>bs</i>	<i>cōZKvītKi big</i>	<i>Jl̄ai big I R̄biw̄K big</i>	<i>ib̄t R̄bv</i>	<i>tUKbK'j me-KigJi 45Zg m̄vi ḡZgZ</i>	<i>m̄vi m̄x̄s-</i>
(i) M/s. Square Pharmaceuticals Ltd. (ii) M/s. Beximco Pharmaceuticals Ltd (iii) M/s. Incepta Pharmaceuticals Ltd. (iv) M/s. Drug International Ltd. (v) The Acme Laboratories Ltd.	b)	Multivitamin and Multimineral A-Z Tablet for people over 45 years of age and Soft Gelatin Capsule Vitamin A (as Beta Carotene & Vitamin A Palmitate) BP 5000 IU Vitamin C (Ascorbic Acid) BP 60mg Vitamin D BP 400 IU Vitamin E (as E Acetate) BP 45 IU Vitamin K BP 10 mcg Thiamin (as Mononitrate) BP 1.5mg Riboflavin BP 1.7mg Niacin USP 20mg Vitamin B6 (Pyridoxine HCl) BP 3mg Folic Acid BP 400 mcg Vitamin B12 BP 25 mcg Biotin BP 30 mcg Pantothenic Acid (as Calcium Pantothenate) BP 10 mg Calcium (Calcium Carbonate) BP 200 mg Phosphorous (Calcium Phosphate) BP 48 mg Iodine (Potassium Iodide) BP 150 mcg Magnesium (Magnesium Oxide) BP 100mg Zinc (oxide) 15mg Selenium (Sodium Selenate) BP 20mcg Copper (Copper Lysinate) Ph. Gr. 2mg Manganese (Glycinate) BP/Ph.Gr 2mg Chromium (Chloride) Ph. Gr. 150mcg Molybdenum (Sodium Molybdate) BP 75 mcg Chloride (Sodium Chloride) BP 72 mg Potassium (Chloride) BP 80 mg Boron (Boron Citrate) Ph. Gr. 150 mcg Nickel (Nickelous Sulphate) Ph. Gr. 5 mcg Silicon (Dioxide) BP 2 mg Vanadium (Sodium Metavandate) Ph. Gr. 10 mcg Lutein (Marigold extract) Ph. Gr. 250 mcg	Improving the nutritional status of older people.	Jla ibq̄S̄ KigJi 225 Zg m̄viq c̄ iUi 1 ermi tḡv'x ÷ wej̄ iU W̄U c̄v̄bi R̄b̄ ej̄ v nBq̄W̄j c̄Zōb̄, ij̄ 1 ermi tḡv'x ÷ wej̄ iU W̄U c̄v̄b Kai q̄tQ weaq̄ Ab̄gī tbi R̄b̄ mḡm̄k Kiv nBj	Ab̄gī b Kiv nBj

2 (N) Local (New Strength & New Dosage Forms

<i>bs</i>	<i>cōZKvītKi big</i>	<i>Jl̄ai big I R̄biw̄K big</i>	<i>ib̄t R̄bv</i>	<i>Existing</i>	<i>tUKbK'j me-KigJi 45Zg m̄vi ḡZgZ</i>	<i>m̄vi m̄x̄s-</i>	
01.	M/s. Ambee Pharmaceuticals Ltd.	a)	Haloperidol Decanoate 5mg/ml Inj. Haloperidol Decanoate BP 5mg/ml	Acute & Chronic schizophrenia, acute mania & hypomania, anxiety disorders, Agitation in Psychotic illness	Haloperidol 50mg/5ml	Ar̄tēr Z gr̄v (Dose) Ab̄gī b thM̄ bq̄ weaq̄ Ar̄tē b br̄ ḡĀy Kiv hiB̄Z cīt̄	Ar̄tēr Z gr̄v (Dose) Ab̄gī b thM̄ bq̄ weaq̄ Ar̄tē b br̄ ḡĀy Kiv nBj
02.	M/s. Sonear Laboratories Ltd.	a)	Ciprocap 250mg Capsule Ciprofloxacin HCl USP 291.11mg (eq. to 250mg of Ciprofloxacin)	Enteric fever, infections, diarrhoea, complicated intra-abdominal and urinary tract infection.	Ciprofloxacin 250mg, 500mg & 750mg Tab.	Ab̄gī b Kiv hiB̄Z cīt̄	Ab̄gī b Kiv nBj
		b)	Ciprocap 500mg Capsule Ciprofloxacin HCl USP 582.2mg (eq. to 500mg of Ciprofloxacin)	-do-	-do-	Ab̄gī b Kiv hiB̄Z cīt̄	Ab̄gī b Kiv nBj
03.	M/s. Eskayef Bangladesh Ltd.	a)	Ascorbic Acid 250mg SR. Capsule Ascorbic Acid 250mg	Deficiencies of Vitamin C	Ascorbic Acid 500mg SR Capsule.	Ab̄gī b Kiv hiB̄Z cīt̄	Ab̄gī b Kiv nBj

bs	cōZKvītKī bg	Jl̄ai bg I iRbvi K bg	ib̄ Rbv	Existing	tUKbK'j me-Kgūlī 45Zg mfvī gZigZ	mfvī m̄x̄s-
	M/s. Eskayef Bangladesh Ltd.	b) Carbonyl Iron, Folic Acid, Thiamin Mononitrate, Riboflavin, Pyridoxine HCl, Nicotinamide & Ascorbic Acid Blended Pellets Capsule Elemental Iron (as Carbonyl Iron) INN 50mg, Folic Acid USP 0.500mg, Thiamine Mononitrate USP 2mg, Riboflavin USP 2mg, Pyridoxine HCl USP 1mg, Nicotinamide USP 10mg & Ascorbic Acid USP 50mg	Prevention of anemia and or a tendency to develop anemia.	Ferrous Sulphate TR Folic Acid, Vitamin B-Complex & Ascorbic Acid Capsule	Abfgv' b Kiv hBtZ cītī /	Abfgv' b Kiv nBj /
04.	M/s. Alco Pharma Ltd.	a) Zolpidem 10mg Tablet Zolpidem INN 10mg	Short-term treatment of insomnia	Zolpidem 5mg & 2.5mg Tablet	Abfgv' b Kiv hBtZ cītī /	Abfgv' b Kiv nBj /
05.	The Acme Laboratories Ltd.	a) Don-A Suppository 15mg Domperidone BP 15mg b) Glucosamine HCl 250mg and Chondroitin Sulphate 200mg Tablet Glucosamine HCl USP 250mg + Chondroitin Sulphate USP 200mg c) Cipro-A XR Tablet 500mg Ciprofloxacin HCl USP 582.25mg (eq. to. 500mg of Ciprofloxacin)	Dyspeptic symptom complex, Acute nausea & vomiting. Treatment of arthritic conditions of the joints and acts as a cartilage matrix enhancer.	Domperidone 10mg Tablet, Syrup & Suspension & 30mg & 60 mg Suppository Glucosamine Sulphate USP 250mg + Chondroitin Sulphate USP 200mg.	Abfgv' b Kiv hBtZ cītī /	Abfgv' b Kiv nBj /
06.	M/s. Beximco Pharmaceuticals Ltd.	a) Neofloxacin XR 500mg Tablet Ciprofloxacin HCl USP 582.25mg (eq. to. 500mg of Ciprofloxacin) b) Paracetamol BP 500mg Suppository Paracetamol BP 500mg	Uncomplicated Urinary tract infections, acute cystitis.	Ciprofloxacin 250mg, 500mg & 750mg Tab.	Abfgv' b Kiv hBtZ cītī /	Abfgv' b Kiv nBj /
07.	M/s. Square Pharmaceuticals Ltd.	a) Bacitracine Zinc 400 Unit Neomycin Sulphate 3.5mg Polymyxin B-Sulphate 500Unit Ointment/gm Bactracin Zinc BP 54.054mg, Neomycin Sulphate BP 35mg and Polymyxin-B Sulphate BP 5.9502mg/10gm	Prevention of infection in minor cuts, scraps and burns.	Bacitracin Zinc 0.04 million IU/100gm, Neomycin Sulphate 0.5%, Polymyxin B Sulphate 0.5 million IU/100gm	Abfgv' b Kiv hBtZ cītī /	Abfgv' b Kiv nBj /
08.	M/s. Incepta Pharmaceuticals Ltd.	a) Alneed Plus Capsule TR Pellets Ferrous Sulphate (dried) TR Pellets BP 150mg, Folic Acid BP 0.5mg, Thiamine Mononitrate USP 2mg, Riboflavin USP 2mg, Pyridoxine HCl BP 1mg, Nicotinamide BP 10mg, Ascorbic Acid USP 50mg and Zinc Sulphate Monohydrate BP 61.80mg (Eq. to. Zinc 22.5mg)	This Supplement is indicated to prevent anemia and or tendency to developing anemia	Ferrous Sulphate 150mg, Folic Acid 0.50mg, Thiamin Mononitrate 2mg, Riboflavin 2mg, Pyridoxine 1mg, Nicotinamide 10mg and Ascorbic Acid 50mg Pellets Cap.	Abfgv' b Kiv hBtZ cītī /	Abfgv' b Kiv nBj /

bs	cōZKvītī big	Jītai big I tRtbiī K big	ibī Rbv	Existing	tUKbK yj me-Kgūlī 45Zg mfvī gZigZ	mfvī m×iš-	
	M/s. Incepta Pharmaceuticals Ltd.	b)	Cavic-C Plus Tablet Calcium Carbonate USP 327mg Calcium Gluconate USP 578mg Calcium Lactate USP 422mg (as calcium Lactogluconate 1gm) Ascorbic Acid (Vit C) USP 500mg Colecalciferol (Vit-D) BP 400IU	Calcium deficiency, Vit. C deficiency and as an adjunct in colds and influenza	Calcium Carbonate 327mg, Calcium Gluconate 578mg, Calcium Lactate 422mg, Ascorbic Acid 500mg, Effervescent Tablet.	Abīgrī b Kiv hBīZ cītī /	Abīgrī b Kiv nBj /
		c)	Prednisolone 20mg Tablet Prednisolone BP 20mg	Suppression of inflammatory and allergic disorders and in the treatment of asthma	Prednisolone 10mg and 5mg Tablet	Abīgrī b Kiv hBīZ cītī /	Abīgrī b Kiv nBj /
09.	M/s. Drug International Ltd.	a)	Novirax 400mg Tablet Acyclovir BP 400mg	Viral infections due to herpes simplex virus (type I and II) and Varicella Zoster Virus, herpes simplex virus infections of the Skin and mucous membranes including initial and recurrent genital herpes.	200mg & 800mg Tablet	Abīgrī b Kiv hBīZ cītī /	Abīgrī b Kiv nBj /
		b)	Zosin-2 Soft Gelatin Capsule Terazosin HCl INN 2.374mg (eq. to 2mg of Terazosin)	Symptomatic benign prostatic hyperplasia (BPH) and also mild to moderate hypertension	Terazosin 2mg and 5mg Tablet, 1mg & 5mg Soft Capsule	Abīgrī b Kiv hBīZ cītī /	Abīgrī b Kiv nBj /
		c)	Digoxin 0.05mg Soft Gelatin Capsule Digoxin USP 0.05mg	Mild to moderate heart failure, control of ventricular response rate in patients with chronic arterial fibrillation	Digoxin 0.1mg & 0.25mg Tablet	Abīgrī b Kiv hBīZ cītī /	Abīgrī b Kiv nBj /
		d)	Digoxin 0.1mg Soft Gelatin Capsule Digoxin USP 0.1mg	-do-	-do-	Abīgrī b Kiv hBīZ cītī /	Abīgrī b Kiv nBj /
		e)	Digoxin 0.2mg Soft Gelatin Capsule Digoxin USP 0.2mg	-do-	-do-	Abīgrī b Kiv hBīZ cītī /	Abīgrī b Kiv nBj /
10.	M/s. Aristopharma Ltd.	a)	Levofloxacin Hemihydrate Eye Drops Levofloxacin Mehihydrate INN 0.512gm (eq. to 0.50gm/100ml)	Infections including conjunctivitis caused by aerobic Gram positive and aerobic Gram-Negative micro-organisms	Levofloxacin 500mg & 250mg Tablet	Abīgrī b Kiv hBīZ cītī /	Abīgrī b Kiv nBj /
11.	M/s. Gonoshasthaya Pharmaceuticals Ltd.	a)	G-Morphine Tablet SR 15mg Morphine Sulphate BP 15mg	Relief of moderate to severe pain	Morphine 10mg, 30mg & 60mg SR Capsule	Abīgrī b Kiv hBīZ cītī /	Abīgrī b Kiv nBj /
12.	Libra Infusion Ltd.	a)	Libracin 400 IV Infusion Ciprofloxacin Lactate USP 508mg eq. to Ciprofloxacin 400mg	Uncomplicated Urinary tract infections, acute cystitis.	Ciprofloxacin 200mg/100ml IV Infusion	Abīgrī b Kiv hBīZ cītī /	Abīgrī b Kiv nBj /

2 (0) Import (New Molecule)

bs	cūZKvitKi bīg	Jītai bīg I tRtbūK bīg	ibt Rbv	Wdīmīj mūlēitku (FSC & Others)	tUKubKij me- Kigñi 45Zg mfvi gZigZ	mfvī mnxvš-
01.	M/s. E. R. Squibb & Sons Ltd. UK (Kapricorn Enterprise Ltd. 21/2 Purana Paltan, Dhaka)	a) Hydrea capsule 500mg Hydroxyurea USP 500mg	Indicated in melanoma, resistant chronic myelogenous leukemia, recurrent metastatic or inoperable carcinoma of the ovary	UK & Italy	Abfgi`b Kiv hiBz cti	Abfgi`b Kiv nBj /
02.	M/s. Bristol-Myers Squibb GmbH, Germany (Kapricorn Enterprise Ltd. 21/2, Purana Paltan, Dhaka)	a) Megace Tablet 160mg Megestrol acetate USP 160mg	Treatment of certain hormone dependent neoplasms, such as a endometrial or breast cancer	Germany and UK	Abfgi`b Kiv hiBz cti	Abfgi`b Kiv nBj /
03.	M/s. Novartis Pharma AG, Switzerland (Novartis (Bd) Ltd.)	a) Co-Diovan Tablet Valsartan INN 160mg Hydrochlorothiazide (Micronized) USP 25mg	Hypertension in patients whose blood pressure is not adequately controlled by monotherapy. These fixed dose combination should be used as second line therapy.	Switzerland & USA	ieGbGd-এ উন্নেস্চ biB Ges t' kq tKipñubx tñZMñ nBzZ ctii neaq Arite`b br gAý Kiv hiBz ctii	ieGbGd-এ উন্নেস্চ biB Ges t' kq tKipñubx tñZMñ nBzZ ctii neaq Arite`b br gAý Kiv nBj
	M/s. Novartis Pharma AG, Switzerland (Novartis (Bd) Ltd.)	b) Co-Diovan Tablet Valsartan INN 80mg + Hydrochlorothiazine (Micro) USP 12.5mg	-do-	Switzerland & Germany	ieGbGd-এ উন্নেস্চ biB Ges t' kq tKipñubx tñZMñ nBzZ ctii neaq Arite`b br gAý Kiv hiBz ctii	ieGbGd-� উন্নেস্চ biB Ges t' kq tKipñubx tñZMñ nBzZ ctii neaq Arite`b br gAý Kiv nBj
04.	M/s. Ivex Pharmaceuticals Ltd., UK (SN Medical Care, 2/6, Darus Salam, Mirpur, Dhaka)	a) Volplex Solution for Infusion 4% 500ml Succinylated Gelatin 4gm/100ml	It is a plasma substitute indicated for the initial management of hypovolaemic shock caused by haemorrhage, acute trauma or surgery, burns, sepsis, peritonitis, pancreatitis or crush injury.	UK	Abfgi`b Kiv hiBz cti	Abfgi`b Kiv nBj /
05.	M/s. Ferring GmbH, Germany (Interhealth and Devices Ltd. House No. 24, Road No. 34, Sector-7, Uttala, Dhaka)	a) Decapeptyl Depot. 3.75mg Powder for injection/ml Triptorelin Acetate 4.12mg Corresponding to triptorelin 3.75mg/Powder/ml	Advanced prostate carcinoma in women leiomyoma uterina.	Germany & Netherlands	Abfgi`b Kiv hiBz cti	Abfgi`b Kiv nBj /
		b) Decapeptyl 0.1mg/ml Solution for Inj. Triptorelin Acetate 105mcg eq. to 95.6mcg Triptorelin/ml	-do-	-do-	Abfgi`b Kiv hiBz cti	Abfgi`b Kiv nBj /
06.	M/s. Industria Pharmaceutica, Italy (Janata Traders)	a) Ovidrel 250mcg Inj. Choriogonadotropin alfa 285mcg to ensure delivery of a 250mcg/vial	Fertility problems, an ovulation.	European Union & USA	Abfgi`b Kiv hiBz cti	Abfgi`b Kiv nBj /

bs	cūZKvitKi big	Jitai big I tRbiwK big	ibf Rbv	udimj muUdIKU (FSC & Others)	tUKbK'j me- Kvgti 45Zg mfvi gZigZ	mfvi mxvš-
07.	M/s. Fresenius Kabi GmbH, Germany (Hyeimpex Int. (Pvt.) Ltd.)	a) Ketosteril 800mg Tablet (DL)-3 methyl-2-oxovaleric acid (a-ketoanalogue to DL-isoleucine, calcium salt) 67mg 4-methyl-2-oxovaleric acid (a-ketoanalogue to leucine, calcium salt) 101mg 2-oxo-3-phenyl propionic acid (a-ketoanalogue to phenylalanin, salt) 68mg 3-methyl-2-oxobutyric acid (a-ketoanalogue to valine, Calcium salt) 86mg (DL)2-Hydroxy-4-methylthio butyric acid (a-hydroxyanalogue to DL-methionine, calcium salt) 59mg L-lysine monoacetate 105mg (=75mg L-lysine) L-threonine 53mg L-tryptophan 23mg L-histidine 38mg L-tyrosin 30mg	It is used as a substitute for essential amino acid in chronic renal insufficiency.	Germany, Austria, Switzerland	cūdmi Rvnvxi, tbdiij R÷, uKwbx Bbw=UD-Gi gZigZ MBy Kiv hBtZ cti /	cūdmi Rvnvxi, tbdiij R÷, uKwbx Bbw=UD-Gi gZigZ MBy Kivi Rb̄ ej / nBj /
08.	M/s. Egis Pharmaceuticals Ltd., Hungary (City Overseas)	a) Grandaxin 50mg Tabelt Tofisopam INN 50mg	In Psychotic diseases.	Hungary Russia Federation	Australia, France, Germany, Japan, Switzerland, UK Ges USA-Gi th tKib GKu t̄ tki udimj muUdIKU cūb Kiv nBtj cieZtZ n̄tePbr Kiv hBtZ ct̄i /	Australia, France, Germany, Japan, Switzerland, UK Ges USA-Gi th tKib GKu t̄ tki udimj muUdIKU cūb Kiv nBtj cieZtZ n̄tePbr Kiv nBtē /
09.	M/s. Parkedale Pharmaceuticals Inc., USA for Novartis Ophthalmics AG, Switzerland	a) Visudyne Injection Verteportin INN 15mg/Vial	Treatment of age related macular degeneration in patients with predominantly classic subfoveal choroidal neovascularization.	USA Australia	ibf Rbv (Indication) Gi -ct̄i cūqRbiq Z_ cūtbi ci n̄tePbr Kiv hBtZ ct̄i /	ibf Rbv (Indication) Gi -ct̄i cūqRbiq Z_ cūtbi ci n̄tePbr Kiv hBtZ ct̄i /

Import (New Strength/New Dosage Form)

bs	cūZKvitKi big	Jitai big I tRbiwK big	ibf Rbv	Existing	udimj muUdIKU (FSC & Others)	tUKbK'j me- Kvgti 42Zg mfvi gZigZ	mfvi mxvš-
01.	M/s. Fresenius Kabi, India Pvt. Ltd. (Hyeimpex Pvt. Ltd.)	a) Haes-steril 3% I.V. Solution for Infusion 500ml Hydroxyethyl starch (200/0.5) 3.0gm in Sodium Chloride 0.9gm/100ml	Therapy and prophylaxis of volume deficiency and shock in connection with surgery, injuries, infections & burns	Hydroxyethyl starch 10% and 6%	India	cūqRbiq udimj muUdIKU br_ikq Arte`b br_gAy Kiv hBtZ ct̄i /	cūqRbiq udimj muUdIKU br_ikq Arte`b br_gAy Kiv nBj /
02.	M/s. Industria Pharmaceutica, Italy (Janata Traders)	a) Gonal-F 1050IU/1.75ml Powder and Solvant for Solution for Inj. Vial with prefilled Syringe Follitropin alfa INN 87.36mcg in order to deliver 77.0mcg eq., to 1050 IU/vial	An ovulation (including polycystic ovarian disease PCOD)	Follitropin. 100IU/150IU, 75IU, 40IU, 1200IU	European Union	Abigr`b Kiv hBtZ ct̄i /	Abigr`b Kiv nBj /

bs	cÜZKvi <i>Ki bug</i>	Jl <i>tai big I tRtbüK bug</i>		ibt Rbv	Existing	icdmj mudhëtKU (FSC & Others)	tUKibK yj me- Kujdi 42Zg mfv gZigZ	mfv iñx-iS-
		b)	Gonal-F 450IU(33mcg/0.75ml) Powder and Solvent for Solution for Inj. Follitropin alfa INN 43.68 mcg. in order to deliver 33mcg eq. to 450 IU/33mcg/vial	-do-	-do-	-do-	Abfgv b Kiv hBz ci i /	Abfgv b Kiv nBj /
		c)	Saizen Inj. 8mg Powder and Solvant for Injection Somatropin recombinant Ph. Eur. 26.4IU (8.8mg) eq. to Somatropin/Vial	Growth failure caused by decreased or absent secretion of eudogenous growth hormone	Somatropin 36IU/ml & 16IU/ml, 10IU & 4IU	Italy & Switzerland	Abfgv b Kiv hBz ci i /	Abfgv b Kiv nBj /
03.	M/s. Novartis Pharma AG, Switzerland (Novartis Bd. Ltd.)	a)	Myfortic 180mg Tablet Mycophenolate Sodium INN 192.40mg eq. to Mycophenolate acid 180mcg	Indicated in combination with cyclosporin and corticosteroids for the prophylaxis of acute transplant rejection in patients receiving allogenic renal transplantation.	Mycophenolate Mofetil 250mg Cap.	Switzerland	cldmi mij ig, tbdti ij iR nefM, neGmGgGgBD-Gi gZigZ MhY Kui evi ci nefePbv Kiv hBz ci i /	Abfgv b Kiv nBj /
		b)	Myfortic 360mg Tablet Mycophenolate Sodium INN 384.80mg eq. to Mycophenolate Acid 360mg	-do-	-do-	-do-	cldmi mij ig, tbdti ij iR nefM, neGmGgGgBD-Gi gZigZ MhY Kui evi ci nefePbv Kiv hBz ci i /	Abfgv b Kiv nBj /

4/ Hepavax Gene (Hepatitis B Vaccine, Recombinant) 10mcg/0.5ml Vial (DAR No. 221-2832-96) Ges 20mcg/1.0ml (DAR No. 221-2832-96) c/*ZKvi* K M/s. Green Cross Corporation, Korea Avg`ybx*Kvi* K tgmmv*ZRvi* Z G*Uvi*c*BR*, X*Kvi* c`*DU* Drm t`*tki* w*dtmj* m*vi**Udtk**Tk**Ui* i*flfE**Z* m*gqjK* t*inRt**/kb* (c*ifk**bij*) 3 (i*Zb*) g*m* t*gqj**t* i*Rb**c**v**b* K*iv* n*qj* c*ieZ**FZ* w*ek**t**-r**-ms**-vi* t*U**/* i*tcitUP* i*flfE**Z* c`*2Uj* i*ubqj**Z* t*inRt**/kb* c*v**b* K*iv* n*qj* / Z*nii* e*Azv* 13-03-2001 G D*EY**Ntqj*01

c 2uIi tñRt-kb beqb I nij bvMv KitYi ibgjE BzCvtc©Jia ctkvmb cwi-Bi nbTz c©qvRbxq id^{et}mj mnUdtkU c©vtbi Rb ejr
nBti c©ZorbiU (tZRvi Z tñj tKavi avtKb) c©qvRbxq id^{et}mj mnUdtkU c©vtb e © nBavt0/

GB cmititit Z c' 2Ui ti|Rt÷kb bevqb I Avg vbx Abfgv'tbi Ait'e`b mfvq we~ZwiZ Aitj vPbv ceR c' 2Ui ti|Rt÷kb bevqb I
*আমদানী অন্তর্মাদন যোগ্য নথি বলিয়া সুপারিশ করা হয়। উলেচত্ব্য যে, উষ্ণ নিয়ন্ত্রণ কমিটির ২২৩ তম সভায় উ^৩ c' 2Ui e'cvit GKB aitYi
*imxvS Cvb Kiv nBqWQj /**

mfvq Avi tKvb Avtj vP' weI q bv _vKvq mfvciIZ qtni' q mKj tK ab'ev` Ávcb Kwiqv mfvq mgvB tNvI Yv Ktib/

(c̄ d̄ m̄ W̄ Ā ē j̄ M̄)
 c̄ w̄ P̄ ȳ K̄
 J̄ l̄ ā c̄ k̄ m̄ b̄ c̄ w̄ b̄ ī
 I
 m̄ m̄ - m̄ P̄ ē
 J̄ l̄ ā b̄ ā Š̄ K̄ l̄ ā Ū

(*G, Gd, Gg, mi I qui Kuguj*)
miPe
 -*r-* *I ciI evi Kj iY gŠyj q*
I
m ficiZ
J ja ibaŠy KiraU