

## Jla ibqSY KigUji 28 M̄m̄t 2005 ZwiłL Abj̄Z 232 Zg mfvi Kih̄eeiYx

“” I c̄i evi Kj “” gšyj tqi m̄Pe Rbve Aveȳgyt gib “” 3/4vgib Lvb Gi mfvcwZtZj Jla ibqSY KigUji 232Zg mfvi MZ 28 M̄m̄t 2005 ZwiłL tej v 12:00 NUKvq gšyj tqi mfvi Kt̄l Abj̄Z nq/

### mfq ibaqiLZ m̄m̄MY Dcw̄Z w̄tjb t

- 01/ AācK Wt tḡt kvn̄` Z tn̄tmb, gn̄cwi Pij K, “” Awa`Bi /
- 02/ Rbve tḡt kwdKj̄ Bmj vg, hM̄m̄Pe (Rb “” I wek̄ “”), “” I c̄i evi Kj “” gšyj q/
- 03/ c̄dmi Wt Gg G n̄x, DciPih̄e e%eÜz̄KL gȳRe tḡw̄tKj̄ wek̄e `ij q/
- 04/ AācK Wt ḡeb Lvb, t̄KvI vāl, e%eÜz̄KL gȳRe tḡw̄tKj̄ wek̄e `ij q/
- 05/ AācK Wt G tRW Gg Rwn̄` tn̄tmb, Wwb, iPiKrmv Abj̄, XvKv wek̄e `ij q I gnv-m̄Pe, evsj vt̄` k tḡw̄tKj̄ Gtm̄m̄tqkb
- 06/ AācK Wt G we fBq, nwDR bs-42, tiwL bs-4, G arbgiU Aw/G, XvKv /
- 07/ Wt G Gd Gg m̄m̄ Kx, AācK, tḡw̄tmb wef̄M, XvKv tḡw̄tKj̄ Kt̄j R /
- 08/ AācK m̄tqiv AvLzvi, c̄Zubia, MvBbx GU Aem̄ XvKv tḡw̄tKj̄ Kt̄j R /
- 09/ Wt Rbve Aviv teMg, AācK, dvḡtKj̄ R wef̄M, XvKv tḡw̄tKj̄ Kt̄j R /
- 10/ Rbve Gm Gg kwdD3/4vgib, mfvcwZ, evsj vt̄` k Jla w̄kí m̄ḡwZ, XvKv /
- 11/ Rbve Ave `j̄ gȳw i, m̄m̄, Kvh̄beññ c̄i l̄, evsj vt̄` k Jla w̄kí m̄ḡwZ Ges ēe `rcbvi c̄i Pij K, Bbt̄mPv dvḡmDwUKij̄ m̄ w̄t /
- 12/ Avj nwR̄nñKg tḡt BDmḡ nvi “” b fBq, c̄Zubia, evsj vt̄` k BDbvbx I Avqjē K tevW̄
- 13/ Kweir k̄ Kò.KvS-, c̄Zubia, evsj vt̄` k BDbvbx I Avqjē K tevW̄
- 14/ c̄dmi W. tḡt nwœej̄ i ngib, c̄i Pij K, Jla c̄kmb c̄i `Bi, XvKv /

সভাপতি মহোদয় উপস্থিত সকলকে স্বাগত জানাইয়া সভার কার্যক্রম শুরু করেন।

### mfq ibaqiLZ weitq we -w̄iZ Autj̄Pbv Kiv nq t

- 1/ weMZ 25-06-2005 ZwiłL Abj̄Z Jla ibqSY KigUji 231 Zg mfvi Kih̄eeiYx Abj̄gr̄`b c̄ht̄½ /
- 2/ tUKibKij̄ m̄e-KigUji MZ 09-10-2005 ZwiłL Abj̄Z 49Zg mfq mḡwi kKZ weIqmḡ weIePbv c̄ht̄½ /

### mfq Dcm̄D3 weitq we -ZwiZ Autj̄Pbv Kiv qv ibgenW̄Z m̄xvS- m̄gn̄ MpxZ nq t

- 1/ weMZ 25-06-2005 ZwiłL Abj̄Z Jla ibqSY KigUji 231 Zg mfvi Kih̄eeiYx ibqZ Kiv nq /
- 2/ tUKibKij̄ m̄e-KigUji 09-10-2005 ZwiłL Abj̄Z 49 Zg mfq weIePbv weIq mḡn̄ c̄ht̄½ we -w̄iZ Autj̄Pbv ceR̄ ibgenW̄Z Jla, w̄j̄ i c̄t̄k̄ewYZ mḡwi k MpxZ nq t

#### 1. K) Local (New Molecule)

| bs  | c̄ZKvi tKi big          | Jltai big I tRbvi K big   | ibt̄Rbv   | tUKibKij̄ m̄e-KigUji 49Zg mfvi gZgZ   | gZgZ  |
|-----|-------------------------|---|---|---|---|
| 01. | Eskayef Bangladesh Ltd. | a) Alginic Acid 200 mg & Aluminum Hydroxide 80 mg Chewable Tablet<br><br>Alginic Acid BP 200 mg<br>Dried Aluminium Hydroxide BP 80 mg   | Heartburn & reflux esophagitis associated with gastric acid reflux.                                 | Kīt̄bkb Ac̄lq̄Rbq̄ Ges FDA Ges BNF-G Aš-f̄ b q̄ weavq Avte`b bv gĀy Kiv h̄BtZ c̄t̄i / | Kīt̄bkb Ac̄lq̄Rbq̄ Ges FDA Ges BNF-G Aš-f̄ b q̄ weavq Avte`b bv gĀy Kiv h̄BtZ c̄t̄i / |
|     |                         | b) Alginic Acid 400 mg + Aluminum Hydroxide 160 mg Chewable Tablet<br><br>Alginic Acid BP 400 mg<br>Dried Aluminium Hydroxide BP 160 mg | -do-  | Kīt̄bkb Ac̄lq̄Rbq̄ Ges FDA Ges BNF-G Aš-f̄ b q̄ weavq Avte`b bv gĀy Kiv h̄BtZ c̄t̄i / | Kīt̄bkb Ac̄lq̄Rbq̄ Ges FDA Ges BNF-G Aš-f̄ b q̄ weavq Avte`b bv gĀy Kiv h̄BtZ c̄t̄i / |
|     |                         | c) Strontium Renelate 2gm/Sachet<br><br>Strontium Renelate INN 2 gm/Sachet  | For the treatment of Postmenopausal Osteoporosis to reduce the risk of vertebral and hip fractures. | Abj̄gr̄`b Kiv h̄BtZ c̄t̄i /   | Abj̄gr̄`b Kiv h̄BtZ c̄t̄i /   |

| bs  | cūZKvi tKi big                                 | Jltai big I tRubi K big   | ibt` Rbi  | tUKbK'j me-Kugli 49Zg<br>mfvi gZigZ   | gZigZ   |
|-----|--|---|---|---|---|
|     | Eskayef Bangladesh Ltd.                        | <b>d) Diphenhydramine HCl 1% and Zinc Acetate 0.1% Ointment</b><br>Diphenhydramine HCl USP 1 gm<br>Zinc Acetate Dihydrate USP 0.120 gm (eq. to 1 gm of Zinc Acetate)  | Temporarily relieves pain and itching associated with insect bites, minor burns, sunburn, rashes.   | Kirfkbk AcIqVRbiq Ges<br>FDA Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kiv hBtZ cüti       | Kirfkbk AcIqVRbiq Ges FDA<br>Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj       |
|     |  | <b>e) Alendronate 10 mg + Vitamin D<sub>3</sub> 400 IU Tablet</b><br>Alendronate Sodium Trihydrate INN 13.050 mg (eq. to Alendronic Acid 10 mg)<br>Vitamin D <sub>3</sub> (Cholecalciferol) USP 10 mcg (400IU)        | Osteoporosis in postmenopausal women, osteoporosis in men   | Abfgi`b Kiv hBtZ cüti   | Kirfkbk AcIqVRbiq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj                                     |
|     |  | <b>f) Darifenacin 7.5 mg Extended Release Tablet</b><br>Danfenacin HCl INN 8.921 mg (eq. to Danfenacin 7.5 mg)  | Over active bladder   | FDA G tZ GB gñv (dose) Abfgw` Z bq Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kiv hBtZ cüti | FDA G tZ GB gñv (dose) Abfgw` Z bq Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj |
|     |  | <b>g) Darifenacin 15 mg Extended Release Tablet</b><br>Danfenacin HCl INN 17.842 mg (eq. to Danfenacin 15 mg)   | -do-  | FDA Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kiv hBtZ cüti                                | FDA Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj                                |
|     |  | <b>h) Acetaminophen 250 mg + Aspirin 250 mg + Caffeine 65 mg Tablet</b><br>Acetaminophen USP 250 mg<br>Aspirin USP 250 mg<br>Caffeine USP 65 mg   | Common cold related headache  | Kirfkbk AcIqVRbiq neaq Arte` b bv gÄy Kiv hBtZ cüti                                     | Kirfkbk AcIqVRbiq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj                                     |
|     |  | <b>i) Acetaminophen 300 mg + Codeine Phosphate 60 mg Tablet</b><br>Acetaminophen USP 300 mg<br>Codeine Phosphate USP 60 mg  | Strong analgesic  | Kirfkbk AcIqVRbiq neaq Arte` b bv gÄy Kiv hBtZ cüti                                     | Kirfkbk AcIqVRbiq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj                                     |
|     |  | <b>j) Acetaminophen 300 mg + Codeine Phosphate 30 mg Tablet</b><br>Acetaminophen USP 300 mg<br>Codeine Phosphate USP 30 mg  | -do-  | Kirfkbk AcIqVRbiq neaq Arte` b bv gÄy Kiv hBtZ cüti                                     | Kirfkbk AcIqVRbiq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj                                     |
|     |  | <b>k) Oxiracetam 800 mg Tablet</b><br>Oxiracetam INN 800 mg   | Mental disturbance in elderly, dementia   | FDA Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kiv hBtZ cüti                                | FDA Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj                                |
|     |  | <b>l) Dehydrated Garlic Powder 300 mg + Vitamin A 560 mcg + Ascorbic Acid 80 mg &amp; Vitamin E 20 mg Tablet</b><br>Powdered Garlic USP 300 mg<br>Vitamin A USP 560 mcg<br>Vitamin C USP 80 mg<br>Vitamin E USP 20 mg | To treat infections, promote wound healing, prevent common colds and influenza, hyperlipidaemia, hypertension, peripheral arterial occlusive disease and acts as an important agent to prevent cancer | Kirfkbk AcIqVRbiq Ges<br>FDA Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kiv hBtZ cüti       | Kirfkbk AcIqVRbiq Ges FDA<br>Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj       |
|     |  | <b>m) Dehydrate Garlic 300 mg Tablet</b><br>Powdered Garlic USP 300 mg  | -do-  | FDA Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kiv hBtZ cüti                                | FDA Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj                                |
| 02. | Eskayef Bangladesh Ltd.<br>Beximco Pharma Ltd. | <b>a) Calcium Carbonate 1000 mg + Simethicone 60 mg Chewable Tablet</b><br>Calcium Carbonate USP 1000 mg<br>Simethicone USP 60 mg   | Antacid and antiflatulence  | Kirfkbk AcIqVRbiq Ges<br>FDA Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kiv hBtZ cüti       | Kirfkbk AcIqVRbiq Ges FDA<br>Ges BNF-G Aš-fø bq neaq Arte` b bv gÄy Kii evi mgwii k Kiv nBj       |

| bs  | cūZKvi tKi big               | Jl̄ai big I tRubi K big  | ib̄t̄ Rbi  | tUkibK'ij me-Kigilj 49Zg<br>m̄vi gZigZ   | gZigZ   |
|-----|------------------------------|--|--|--|---|
| 03. | Opsonin Pharma Ltd.          | a) <b>Piperacillin 2 gm &amp; Tazobactam 250 mg Inj. Vial</b><br><br>Tazobactam Sodium & Piperacillin Sodium (Sterile lyophilized Powder) INN 2.358 gm eq. to Tazobatam INN 250 mg & Piperacillin BP 2 gm/vial | Abdominal infection. Appendicitis complicated by a burst appendix in children.   | Abt̄gv̄`b Kiv h̄Bt̄Z cv̄ti   | ArcZZt -MZ iwlqv c`iU<br>Abt̄gv̄`b i wl̄q Av̄t̄v i ne -wi Z<br>আলেচনাক্রমে মতামত পদনের জন্য<br>cbyiq tUkibK'ij me-Kigilj Z<br>tc̄t̄Yi mḡni k Kiv nBj |
|     |                              | b) <b>Piperacillin 4 gm &amp; Tazobactam 500 mg Vial</b><br><br>Tazobactam Sodium & Piperacillin Sodium (Sterile lyophilized Powder) INN 4.716 gm eq. to Tazobatam INN 500 mg & Piperacillin BP 4 gm/vial      | -do-   | Abt̄gv̄`b Kiv h̄Bt̄Z cv̄ti   | ArcZZt -MZ iwlqv c`iU<br>Abt̄gv̄`b i wl̄q Av̄t̄v i ne -wi Z<br>আলেচনাক্রমে মতামত পদনের জন্য<br>cbyiq tUkibK'ij me-Kigilj Z<br>tc̄t̄Yi mḡni k Kiv nBj |
|     |                              | c) <b>Rilmenidine 1 mg Tablet</b><br><br>Rilmenidine dihydrogen phosphate BP 1.54 mg (eq. to Rilmenidine 1 mg)   | Hypertension   | FDA Ges BNF-G Aš-f̄ b q<br>neaq Av̄t̄`b bv gÄy Kiv h̄Bt̄Z cv̄ti                          | FDA Ges BNF-G Aš-f̄ b q<br>neaq Av̄t̄`b bv gÄy Kiv evi<br>mḡni k Kiv nBj   |
| 04. | General Pharmaceuticals Ltd. | a) <b>Potassium Citrate 1080 mg Tablet</b><br><br>Potassium Citrate BP 1080 mg   | Management of renal tubular acidosis with calcium stones.  | Abt̄gv̄`b Kiv h̄Bt̄Z cv̄ti   | Abt̄gv̄`b i mḡni k Kiv nBj   |
| 05. | Alco Pharma Ltd.             | a) <b>Sulindac 100 mg Tablet</b><br><br>Sulindac INN 100 mg  | Osteoarthritis, rheumatoid arthritis   | Abt̄gv̄`b Kiv h̄Bt̄Z cv̄ti   | Abt̄gv̄`b i mḡni k Kiv nBj   |
|     |                              | b) <b>Nimodipine 30 mg Capsule</b><br><br>Nimodipine INN 30 mg   | Neurological outcome by reducing the incidence and severity of ischemic deficits in patient with subarachnoid haemorrhage for recplared congenital aneurism. | Abt̄gv̄`b Kiv h̄Bt̄Z cv̄ti   | Abt̄gv̄`b i mḡni k Kiv nBj   |
| 06. | Square Pharmaceuticals Ltd.  | a) <b>Bisoprolol Fumerate 2.5 mg + Hydrochlorothiazide 6.25 mg Tablet</b><br><br>Bisoprolol Fumarate INN 2.5 mg Hydrochlorothiazide BP 6.25 mg   | Management of Hypertension   | BNF-G Aš-f̄ b q Ges<br>Combination<br>Ac̄qRbq neaq Av̄t̄`b<br>bv gÄy Kiv h̄Bt̄Z cv̄ti    | BNF-G Aš-f̄ b q Ges<br>Combination Ac̄qRbq<br>neaq Av̄t̄`b bv gÄy Kiv evi<br>mḡni k Kiv nBj  |
|     |                              | b) <b>Bisoprolol Fumerate 5 mg + Hydrochlorothiazide 6.25 mg Tablet</b><br><br>Bisoprolol Fumarate INN 5 mg Hydrochlorothiazide BP 6.25 mg   | -do-   | BNF-G Aš-f̄ b q Ges<br>Combination<br>Ac̄qRbq neaq Av̄t̄`b<br>bv gÄy Kiv h̄Bt̄Z cv̄ti    | BNF-G Aš-f̄ b q Ges<br>Combination Ac̄qRbq<br>neaq Av̄t̄`b bv gÄy Kiv evi<br>mḡni k Kiv nBj  |
|     |                              | c) <b>Bisoprolol Fumerate 10 mg + Hydrochlorothiazide 6.25 mg</b><br><br>Bisoprolol Fumarate INN 10 mg Hydrochlorothiazide BP 6.25 mg  | -do-   | BNF-G Aš-f̄ b q Ges<br>Combination<br>Ac̄qRbq neaq Av̄t̄`b<br>bv gÄy Kiv h̄Bt̄Z cv̄ti    | BNF-G Aš-f̄ b q Ges<br>Combination Ac̄qRbq<br>neaq Av̄t̄`b bv gÄy Kiv evi<br>mḡni k Kiv nBj  |
|     |                              | d) <b>Oxazepam 10 mg Tablet</b><br><br>Oxazepam BP 10 mg   | Treatment of anxiety disorders including anxiety associated with depression  | Abt̄gv̄`b Kiv h̄Bt̄Z cv̄ti   | Abt̄gv̄`b i mḡni k Kiv nBj   |
|     |                              | e) <b>Oxazepam 20 mg Tablet</b><br><br>Oxazepam BP 20 mg   | -do-   | GB gr̄v (Strength) BNF<br>Ges FDA Abt̄gv̄`b q<br>neaq Av̄t̄`b bv gÄy Kiv<br>h̄Bt̄Z cv̄ti | GB gr̄v (Strength) BNF Ges<br>FDA Abt̄gv̄`b q neaq<br>Av̄t̄`b bv gÄy Kiv evi<br>mḡni k Kiv nBj   |
|     |                              | f) <b>Oxazepam 30 mg Tablet</b><br><br>Oxazepam BP 30 mg   | -do-   | GB gr̄v (Strength)<br>c̄qRb bvB neaq Av̄t̄`b<br>bv gÄy Kiv h̄Bt̄Z cv̄ti                  | GB gr̄v (Strength) c̄qRb<br>bvB neaq Av̄t̄`b bv gÄy<br>Kiv evi mḡni k Kiv nBj  |
|     |                              | g) <b>Ascorbic Acid 1000 mg + Zinc Sulphate Monohydrate 10 mg Effervescent Tablet</b><br><br>Ascorbic Acid BP 1000 mg + Zinc Sulphate Monohydrate USP 27.45 mg (eq. to 10 mg of elemental zinc)                | The combination is a powerful double action formula designed to help maintain body's immune system   | K̄t̄bkb Ac̄qRbq Ges<br>FDA Ges BNF-G Aš-f̄ b q<br>neaq Av̄t̄`b bv gÄy Kiv h̄Bt̄Z cv̄ti   | K̄t̄bkb Ac̄qRbq Ges FDA<br>Ges BNF-G Aš-f̄ b q neaq<br>Av̄t̄`b bv gÄy Kiv evi<br>mḡni k Kiv nBj  |

| bs  | citZKvi tKi big  | Jltai big I tRbii K big   | ibt` Rbv   | tUKbK'j me-Kugli 49Zg mfi gZigZ   | gZigZ  |
|-----|--|---|--|---|--|
|     | Square Pharmaceuticals Ltd.  | <b>h)Dihydroartemisinin 40 mg+ Piperaquine 320mg Tablet</b><br>Dihydroartemisinin BP 40 mg+ Piperaquine Phosphate BP 597.17 mg (eq. to 320 mg Piperaquine)  | Indicated for the treatment of all kinds of malaria  | FDA Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv hBtZ cti /                             | FDA Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv evi mgmik Kiv nBj /                             |
| 07. | Square Pharmaceuticals Ltd.<br>Beximco Pharma Ltd.                                 | <b>a) Ropinirole 0.25 mg Tablet</b><br><br>Ropinirole HCl INN 0.285 mg (eq. to 0.25 mg Ropinirole )   | Parkinson's disease, restless legs syndrome  | <i>Abtgv`b Kiv hBtZ cti /</i>   | <i>Abtgv`tbi mgmik Kiv nBj /</i>   |
|     |  | <b>b) Ropinirole 2 mg Coated Tablet</b><br><br>Ropinirole HCl INN 2.28 mg (eq. to 2 mg Ropinirole)  | Parkinson's disease, restless legs syndrome  | <i>Abtgv`b Kiv hBtZ cti /</i>   | <i>Abtgv`tbi mgmik Kiv nBj /</i>   |
|     |  | <b>c) Valacyclovir 500 mg Tablet</b><br><br>Valacyclovir INN 500 mg   | Prevention of cytomegalovirus disease following renal transplantation  | <i>Abtgv`b Kiv hBtZ cti /</i>   | <i>Abtgv`tbi mgmik Kiv nBj /</i>   |
| 08. | Square Pharmaceuticals Ltd.<br>Incepta Pharmaceuticals Ltd.                        | <b>a) Glucosamine Sulphate Potassium Chloride 500 mg + Chondroitin Sulphate 400 mg+ MSM 350 mg Tablet</b><br><br>Glucosamine Sulphate Potassium Chloride USP 500 mg + Chondroitin Sulphate USP 400 mg+ Methyl Sulfonyl Methane INN 350 mg               | For the management and treatment of Osteoarthritis   | <i>Kirfbkb AcilqRbq Ges FDA Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv hBtZ cti /</i> | <i>Kirfbkb AcilqRbq Ges FDA Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv evi mgmik Kiv nBj /</i> |
|     |  | <b>b) Glucosamine Sulphate Potassium Chloride 250 mg + Chondroitin Sulphate Sodium 200 mg+ MSM 175 mg Tablet</b><br><br>Glucosamine Sulphate Potassium Chloride USP 250 mg + Chondroitin Sulphate Sodium USP 200 mg+ Methyl Sulfonyl Methane INN 175 mg | -do-   | <i>Kirfbkb AcilqRbq Ges FDA Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv hBtZ cti /</i> | <i>Kirfbkb AcilqRbq Ges FDA Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv evi mgmik Kiv nBj /</i> |
|     |  | <b>c) Nitazoxanide Suspension</b><br><br>Nitazoxanide INN 2gm/100ml   | Nitazoxanide for Oral Suspension is indicated for the treatment of diarrhea caused by Cryptosporidium parvum and Giardia lamblia in pediatric patients 1 through 11 years of age.            | <i>Abtgv`b Kiv hBtZ cti /</i>   | <i>Abtgv`tbi mgmik Kiv nBj /</i>   |
| 09. | Square Pharmaceuticals Ltd.<br>Incepta Pharmaceuticals Ltd.<br>Beximco Pharma Ltd. | <b>a) Losartan Potassium 25 mg + Amlodipine 2.5 mg Tablet</b><br><br>Losartan Potassium INN 25 mg Amlodipine Besilate BP 3.5 mg (eq. to 2.5 mg Amlodipine)  | Mild to moderate hypertension  | <i>Kirfbkb AcilqRbq Ges FDA Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv hBtZ cti /</i> | <i>Kirfbkb AcilqRbq Ges FDA Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv evi mgmik Kiv nBj /</i> |
|     |  | <b>b) Losartan Potassium 50 mg + Amlodipine 5 mg Tablet</b><br><br>Losartan Potassium INN 50 mg + Amlodipine Besilate BP 7 mg (eq. to 5 mg of Amlodipine)   | Mild to moderate hypertension  | <i>Kirfbkb AcilqRbq Ges FDA Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv hBtZ cti /</i> | <i>Kirfbkb AcilqRbq Ges FDA Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv evi mgmik Kiv nBj /</i> |
| 10. | Incepta Pharmaceuticals Ltd.   | <b>a) Atenolol 100mg+ Chlorthalidone 25mg Tablet</b><br><br>Atenolol BP 100mg and Chlorthalidone USP 25mg   | Indicated in the treatment of hypertension   | <i>Abtgv`b Kiv hBtZ cti /</i>   | <i>Abtgv`tbi mgmik Kiv nBj /</i>   |
|     |  | <b>b) Atenolol 50mg+ Chlorthalidone 25mg Tablet</b><br><br>Atenolol BP 50mg and Chlorthalidone USP 25mg   | -do-   | <i>Abtgv`b Kiv hBtZ cti /</i>   | <i>Abtgv`tbi mgmik Kiv nBj /</i>   |
|     |  | <b>c) Diphenhydramine HCl 1% and Zinc Acetate 0.1% Cream</b><br><br>Diphenhydramine HCl BP 1gm and Zinc Acetate BP 0.1g/100g  | Indicated for the treatment of insect bites, minor burns, sunburn, minor skin irritations, minor cuts, scrapes. This preparation has both antihistaminic, antiseptic, astringent activities. | <i>Kirfbkb AcilqRbq Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv hBtZ cti /</i>         | <i>Kirfbkb AcilqRbq Ges BNF-G AŠ-fš bq neaq Avte` b bv gÄy Kiv evi mgmik Kiv nBj /</i>         |

| <i>bs</i>                                 | <i>cīZKvītKi big</i> | <i>Jītai big I tRūbi K big</i>   | <i>ibt̄ Rb̄</i>  | <i>tūkibK'j̄ me-Kugli 49Zg<br/>mfvi gZigZ</i>  | <i>gZigZ</i>  |
|---|----------------------|--|--|--|---|
| Incepta Pharmaceuticals Ltd.              |                      | <b>d) Sodium Sulfacetamide 10% and Sulphur 5% External Use Cream</b><br><br>Sodium Sulfacetamide USP 10g and Sulphur BP 5g/100g  | Indicated in the topical control of acne vulgaris, acne rosacea and seborrhic dermatitis.  | <i>Abt̄gv̄`b Kiv hBt̄Z cv̄ti /</i>   | <i>Abt̄gv̄`tbi mḡmik Kiv nBj /</i>   |
|   |                      | <b>e) Nedocromil Sodium 2% Eye Drops</b><br><br>Nedocromil Sodium INN 2g/100ml   | Indicated for the prevention, relief and treatment of allergic conjunctivitis, including seasonal allergic conjunctivitis, and vernal keratoconjunctivitis.  | <i>Abt̄gv̄`b Kiv hBt̄Z cv̄ti /</i>   | <i>Abt̄gv̄`tbi mḡmik Kiv nBj /</i>   |
| 11. UniMed & UniHealth Manufacturers Ltd. |                      | <b>a) Eplerenone 25 mg Tablet</b><br><br>Eplerenone INN 25 mg  | Treatment of hypertension  | <i>Abt̄gv̄`b Kiv hBt̄Z cv̄ti /</i>   | <i>Abt̄gv̄`tbi mḡmik Kiv nBj /</i>   |
|   |                      | <b>b) Eplerenone 50 mg Tablet</b><br><br>Eplerenone INN 50 mg  | Treatment of hypertension  | <i>Abt̄gv̄`b Kiv hBt̄Z cv̄ti /</i>   | <i>Abt̄gv̄`tbi mḡmik Kiv nBj /</i>   |
| 12. Beximco Pharmaceuticals Ltd.          |                      | <b>a) Nevirapine 1gm/100ml Oral Suspension</b><br><br>Nevirapine INN 50 mg/5ml Oral Suspension   | HIV & AIDS   | <i>Abt̄gv̄`b Kiv hBt̄Z cv̄ti /</i>   | <i>Abt̄gv̄`tbi mḡmik Kiv nBj /</i>   |
| 13. Renata Ltd.                           |                      | <b>a) Iron + Zinc + Vitamin A + Folic Acid + Vitamin C/Sachet</b><br><br>Iron (as Fumarate) BP 12.50 mg<br>Zinc (as Gluconate) USP 5 mg<br>Vitamin A (as Acetate) USP 0.300 mg<br>Folic Acid USP 0.160 mg<br>Vitamin C (as Ascorbic Acid) USP 30mg/Sachet                  | Iron, Zinc and Vitamin deficiency  | <i>cīq̄Rb b̄B neaq Avte`b<br/>b̄v gĀy Kiv hBt̄Z cv̄ti /</i>  | <i>Abt̄gv̄`tbi mḡmik Kiv nBj /</i>   |
| 14. Ziska Pharmaceuticals Ltd.            |                      | <b>a) Urea + Papein Ointment</b><br><br>Urea 10% w/w Papein eq. to 8.3 x 10 <sup>5</sup> USP 10gm/100gm  | Indicated for Debridement of necrotic tissue and liquefaction of slough in acute and chronic lesions such as pressure ulcers, varicose and diabetic ulcers, burns, postoperative wounds, pilonidal cyst wounds, carbuncles and miscellaneous traumatic or infected wounds. | <i>Kīt̄bkb Acīq̄Rb̄q Ges<br/>FDA Ges BNF-G Aš-f̄<br/>b̄q neaq Avte`b b̄v<br/>gĀy Kiv hBt̄Z cv̄ti /</i> | <i>Kīt̄bkb Acīq̄Rb̄q Ges FDA<br/>Ges BNF-G Aš-f̄<br/>b̄q neaq Avte`b b̄v<br/>gĀy Kiv evi mḡmik Kiv nBj /</i> |
|   |                      | <b>b) Butenafin HCl 1% Cream</b><br><br>Butenafin HCl INN 1.0 gm/100gm   | Indicated for Interdigital tinea pedis, tinea corporis and tinea cruris due to E. floccosum, T. rubrum, and T. tonsurans.  | <i>BNF-G Aš-f̄<br/>b̄q Ges<br/>cīq̄Rb b̄B neaq Avte`b<br/>b̄v gĀy Kiv hBt̄Z cv̄ti /</i>                | <i>BNF-G Aš-f̄<br/>b̄q Ges<br/>cīq̄Rb b̄B neaq Avte`b b̄v<br/>gĀy Kiv evi mḡmik Kiv nBj /</i>                |
|   |                      | <b>c) Betamethasone Dipropionate 0.064% + Gentamycin 0.1% Cream</b><br><br>Betamethasone Dipropionate BP 0.064 gm (eq. to Betamethasone 0.05%)<br>Gentamycin BP 0.10gm/100gm   | Treatment of infected inflammatory dermatoses such as atopic eczema, seborrhoeic eczema, psoriasis eczema, contact dermatitis, other inflammatory skin lesion.   | <i>Kīt̄bkb Acīq̄Rb̄q Ges<br/>FDA Ges BNF-G Aš-f̄<br/>b̄q neaq Avte`b b̄v<br/>gĀy Kiv hBt̄Z cv̄ti /</i> | <i>Kīt̄bkb Acīq̄Rb̄q Ges FDA<br/>Ges BNF-G Aš-f̄<br/>b̄q neaq Avte`b b̄v<br/>gĀy Kiv evi mḡmik Kiv nBj /</i> |
|   |                      | <b>d) Silver Sulphadiazine 1% + Metronidazole 1% + Chlorhexidine Gluconate Solution 0.2% + Zinc Oxide 2.5% Cream</b><br><br>Silver Sulphadiazine BP 1 gm, Metronidazole 1 gm, Chlorhexidine Gluconate Solution BP 0.2 gm (eq. to Chlorhexidine 0.2%), Zinc Oxide BP 2.5 gm | Treatment of infections in severe burns of all degrees & extents. It is also indicated for leg ulcers, where infection may prevent healing and for the prophylaxis of infection in skin grafting   | <i>Kīt̄bkb Acīq̄Rb̄q Ges<br/>FDA Ges BNF-G Aš-f̄<br/>b̄q neaq Avte`b b̄v<br/>gĀy Kiv hBt̄Z cv̄ti /</i> | <i>Kīt̄bkb Acīq̄Rb̄q Ges FDA<br/>Ges BNF-G Aš-f̄<br/>b̄q neaq Avte`b b̄v<br/>gĀy Kiv evi mḡmik Kiv nBj /</i> |

| <i>bs</i> | <i>cīZKii tKi big</i>  | <i>Jl̄ai big I tRbii K big</i>  | <i>ib̄t Rbi</i>  | <i>tUKbK'j me-Kgjli 49Zg<br/>mfi gZigZ</i>  | <i>gZigZ</i>  |
|-----------|--|---|--|---|---|
|           | Ziska Pharmaceuticals Ltd.                                   | <p><b>e) Silver Sulphadiazine 1% + Chlorhexidine 0.20% Cream</b><br/>Silver Sulphadiazine BP 1 gm, Chlorhexidine Gluconate Solution BP 0.20 gm/100gm</p> <p><b>f) Povidone Iodine 5% + Metronidazole 1% Ointment</b><br/>Povidone Iodine BP 5 gm Metronidazole BP 1 gm/100gm</p>  | Treatment of infections in severe burns of all digress & extents. It is also indicated for leg ulcers, where infection may prevent healing and for the prophylaxis of infection in skin grafting | <i>Kir̄t bkb Ac̄q Rbiq Ges FDA Ges BNF-G AŠ-f̄ bq meaq Avte`b bv gĀy Kiv h̄BtZ c̄ti  </i> | <i>Kir̄t bkb Ac̄q Rbiq Ges FDA Ges BNF-G AŠ-f̄ bq meaq Avte`b bv gĀy Kiv h̄BtZ c̄ti  </i> |
|           |  | <p><b>g) Momentasone Furoate 1% Cream</b><br/>Momentasone Furoate USP gm/100gm</p> <p><b>h) Glycerine 15% Cream</b><br/>Glycerine BP 15 gm/100gm</p>  | Treatment of contaminated wounds, traumatic injury and pre-operative preparation of the skin and mucus membranes as well as for the disinfections of equipments.                                 | <i>Kir̄t bkb Ac̄q Rbiq Ges FDA Ges BNF-G AŠ-f̄ bq meaq Avte`b bv gĀy Kiv h̄BtZ c̄ti  </i> | <i>Kir̄t bkb Ac̄q Rbiq Ges FDA Ges BNF-G AŠ-f̄ bq meaq Avte`b bv gĀy Kiv h̄BtZ c̄ti  </i> |
|           |  | <p><b>i) Diclofenac Sodium 1gm + Oleum Lini 3% + Methyl Salicylate 8% + Menthol 2% Cream</b><br/>Diclofenac Diethylamine BP 1.16 gm (eq. to Diclofenac Sodium 1gm), Oleum Lini 3% Methyl Salicylate BP 3 gm, Menthol BP 2 gm</p>  | Relief of the inflammatory and pruritic manifestations of corticosteroid responsive dermatoses such as atopic dermatitis, seborhoeic dermatitis, scalp psoriasis and psoriasis vulgaris.         | <i>FDA Ges BNF-G AŠ-f̄ bq meaq Avte`b bv gĀy Kiv h̄BtZ c̄ti  </i>                         | <i>FDA Ges BNF-G AŠ-f̄ bq meaq Avte`b bv gĀy Kiv h̄BtZ c̄ti  </i>                         |
| 15.       | Healthcare Pharmaceuticals Ltd.                              | <b>a) Eszopiclone 2 mg Tablet</b><br>Eszopiclone INN 2 mg   | Treatment of insomnia  | <i>BNF-G AŠ-f̄ bq Ges c̄q Rb bvB meaq Avte`b bv gĀy Kiv h̄BtZ c̄ti  </i>                  | <i>BNF-G AŠ-f̄ bq Ges c̄q Rb bvB meaq Avte`b bv gĀy Kiv h̄BtZ c̄ti  </i>                  |
| 16.       | Incepta Pharmaceuticals Ltd.<br>Beximco Pharmaceuticals Ltd. | <p><b>a) Dexibuprofen (S- Ibuprofen) 200mg Tablet</b><br/>Dexibuprofen (S- Ibuprofen) INN 200mg</p> <p><b>b) Dexibuprofen (S- Ibuprofen) 300mg Tablet</b><br/>Dexibuprofen (S- Ibuprofen) INN 300mg</p> <p><b>c) Dexibuprofen (S- Ibuprofen) 400mg Tablet</b><br/>Dexibuprofen (S- Ibuprofen) INN 400mg</p> <p><b>d) Tazarotene 0.10% Cream</b><br/>Tazarotene INN 0.10g/100g</p> <p><b>e) Zinc Oxide 40% Ointment</b><br/>Zinc Oxide BP 40g/100g</p> | Rheumatoid arthritis, osteoarthritis, mild to moderate pain, primary dysmenorrhoea.  | <i>Ab̄gv`b Kiv h̄BtZ c̄ti  </i>   | <i>Ab̄gv`b Kiv h̄BtZ c̄ti  </i>   |
|           |  |   | Rheumatoid arthritis, osteoarthritis, mild to moderate pain, primary dysmenorrhoea.  | <i>Ab̄gv`b Kiv h̄BtZ c̄ti  </i>   | <i>Ab̄gv`b Kiv h̄BtZ c̄ti  </i>   |
|           |  |   | Rheumatoid arthritis, osteoarthritis, mild to moderate pain, primary dysmenorrhoea.  | <i>Ab̄gv`b Kiv h̄BtZ c̄ti  </i>   | <i>Ab̄gv`b Kiv h̄BtZ c̄ti  </i>   |
|           |  |   | Indicated for the treatment of patients with plaque psoriasis.   | <i>Ab̄gv`b Kiv h̄BtZ c̄ti  </i>   | <i>Ab̄gv`b Kiv h̄BtZ c̄ti  </i>   |
|           |  |   | Helps treating and preventing diaper rash, protects chafed skin due to diaper rash and helps sealing out wetness.  | <i>Ab̄gv`b Kiv h̄BtZ c̄ti  </i>   | <i>Ab̄gv`b Kiv h̄BtZ c̄ti  </i>   |

## 1. L) Local (New Strength & New Dosage Forms

| <i>bs</i> | <i>cōZKwītKi big</i>                               | <i>Jītai big I tRībiK big</i>  | <i>ibt Rbv</i>  | <i>Existing</i>  | <i>tUKbK'jy me-Kgūjī<br/>49Zg mfvī gZigZ</i>  | <i>gZigZ</i>   |
|-----------|--|--|---|--|---|--|
| 01.       | Square Pharmaceuticals Ltd.<br>Beximco Pharma Ltd. | <p><b>a) Domperidone 10mg Dispersible Tablet</b><br/>Domperidone Maleate BP 12.726 mg eq. to Domperidone 10 mg</p> <p><b>b) Aceclofenac 200 mg SR Tablet</b><br/>Aceclofenac BP 200 mg</p>   | Nausea and Vomiting   | Domperidone 10 mg Tablet   | <i>Abjgi` b Kiv<br/>hvBtZ cvtī  </i>  | <i>Abjgi` tbi mgvii k<br/>Kiv nBj  </i>  |
| 02.       | Square Pharmaceuticals Ltd.                        | <p><b>a) Cefprozil 250 mg Tablet</b><br/>Cefprozil USP 250 mg</p> <p><b>b) Metformin HCl 500 mg/5ml Solution</b><br/>Metformin HCl BP 10 gm/100 ml</p> <p><b>c) Metformin HCl Extended Release 1000 mg Tablet</b><br/>Metformin HCl extended Release granules Pharma Grade 1666.666 mg (eq. to 1000 mg of Metformin HCl)</p> <p><b>d) Gliclazide 60 mg Extended Release Tablet</b><br/>Gliclazide BP 60 mg</p> | Mild to moderate infections caused by bacteria  | Cefprozil 500 mg Tablet  | <i>Abjgi` b Kiv<br/>hvBtZ cvtī  </i>  | <i>Abjgi` tbi mgvii k<br/>Kiv nBj  </i>  |
|           |  |  | Type 2 diabetes   | Meformin HCl 500 mg and 850 mg Tablet                            | <i>Abjgi` b Kiv<br/>hvBtZ cvtī  </i>  | <i>Abjgi` tbi mgvii k<br/>Kiv nBj  </i>  |
|           |  |  | Type 2 diabetes   | Meformin HCl 500 mg and 850 mg Tablet                            | <i>Abjgi` b Kiv<br/>hvBtZ cvtī  </i>  | <i>Abjgi` tbi mgvii k<br/>Kiv nBj  </i>  |
|           |  |  | -do-  | Gliclazide 80 mg Tablet & 30 mg Extended Release Tab.            | FDA Ges BNF-G<br>Aš-f <sup>g</sup> bq meaq<br>Arte` b bv gĀjy Kiv<br>hvBtZ cvtī                       | FDA Ges BNF-G<br>Aš-f <sup>g</sup> bq meaq<br>Arte` b bv gĀjy<br>Kiv evi mgvii k Kiv<br>nBj                        |
|           |  | <p><b>e) Ranitidine 25 mg Effervescent Tablet</b><br/>Ranitidine HCl USP 27.90 mg (eq. to 25 mg of Ranitidine)</p> <p><b>f) Ranitidine 150 mg Effervescent Tablet</b><br/>Ranitidine HCl USP 167.40 mg (eq. to 150 mg of Ranitidine)</p>   | For the treatment of peptic ulcer, maintenance of duodenal ulcer & Gastric ulcer and erosive esophagitis            | Ranitidine HCl 150 mg & 300 mg Tablet                            | FDA Ges BNF-G<br>Aš-f <sup>g</sup> bq meaq<br>Arte` b bv gĀjy Kiv<br>hvBtZ cvtī                       | FDA Ges BNF-G<br>Aš-f <sup>g</sup> bq meaq<br>Arte` b bv gĀjy<br>Kiv evi mgvii k Kiv<br>nBj                        |
|           |  |  | For the treatment of peptic ulcer, maintenance of duodenal ulcer & Gastric ulcer and erosive esophagitis            | Ranitidine HCl 150 mg & 300 mg Tablet                            | <i>Abjgi` b Kiv<br/>hvBtZ cvtī  </i>  | <i>Abjgi` tbi mgvii k<br/>Kiv nBj  </i>  |
|           |  | <p><b>g) Glucosamine HCl 750 mg + Chondroitin Sulphate 600 mg Tablet</b><br/>Glucosamine HCl USP 750 mg + Chondroitin Sulphate Sodium USP 660.30 mg ( eq. to 600 mg of Chondroitin Sulphate &amp; 60.30 mg of Sodium)</p> <p><b>h) Naproxen 1000 mg SR Tablet</b><br/>Naproxen USP 1000 mg</p>   | Osteoarthritis, Rheumatoid arthritis  | Glucosamine Sulphate 250 mg + Chondroitin Sulphate 200 mg Tablet | <i>GB grīv (Dose)<br/>FDA Ges BNF-G<br/>Abjgiw Z bq meaq<br/>Arte` b bv gĀjy Kiv<br/>hvBtZ cvtī  </i> | <i>GB grīv (Dose)<br/>FDA Ges BNF-G<br/>Abjgiw Z bq meaq<br/>Arte` b bv gĀjy<br/>Kiv evi mgvii k Kiv<br/>nBj  </i> |
|           |  |  | For the relief of symptoms of rheumatoid arthritis both of acute flares and for long term management of the disease | Naproxen Sodium 500 mg Tablet                                    | <i>GB grīv (Dose)<br/>FDA Ges BNF-G<br/>Abjgiw Z bq meaq<br/>Arte` b bv gĀjy Kiv<br/>hvBtZ cvtī  </i> | <i>GB grīv (Dose)<br/>FDA Ges BNF-G<br/>Abjgiw Z bq meaq<br/>Arte` b bv gĀjy<br/>Kiv evi mgvii k Kiv<br/>nBj  </i> |
|           |  | <p><b>i) Naproxen 500 mg SR Tablet</b><br/>Naproxen USP 500 mg</p>   | For the relief of symptoms of rheumatoid arthritis both of acute flares and for long term management of the disease | -do-   | <i>Abjgi` b Kiv<br/>hvBtZ cvtī  </i>  | <i>Abjgi` tbi mgvii k<br/>Kiv nBj  </i>  |

| bs  | cōZKvītKi big                             | Jītaī big I tRbiūK big  | ibt` Rbv   | Existing   | tUKbK ij me-Kgñli<br>49Zg mñvi gZgZ  | gZgZ   |
|-----|---|---|--|--|--|--|
|     | Square Pharmaceuticals Ltd.               | <b>j) Diclofenac Sodium 100 mg Suppository</b><br><br>Diclofenac Sodium BP 100 mg Suppository   | Relief of all grades of pain and inflammation in a wide range of conditions including arthritic conditions, acute musculo-skeletal disorders           | 12.5 mg & 50 mg Suppository  | GB grīv<br>AcqiqRbxq neaq<br>Arte` b bv gĀy Kiv<br>hvBtZ cvi   | GB grīv<br>AcqiqRbxq neaq<br>Arte` b bv gĀy<br>Kiv evi mgñni k Kiv<br>nBj  |
| 03. | Square Pharma Ltd.<br>Beximco Pharma Ltd. | <b>a) Cetirizine Dihydrochloride 2.5 mg / ml Paediatric Drops</b><br><br>Cetirizine Dihydrochloride BP 250mg/100ml  | Relief of symptoms with seasonal allergic rhinitis, perennial allergic rhinitis and chronic idiopathic urticaria in children 6 months of age and older | 10 mg Tablet & 5 mg/ 5ml Syrup   | ArciZZt ~MZ<br>iLevi mgñni k Kiv<br>nBj  | Abfgv` tbi mgñni k<br>Kiv nBj  |
| 04. | Libra Infusion Ltd.                       | <b>a) Dextrose 10% + Sodium Chloride 0.9% IV infusion</b><br><br>Dextrose Monohydrate USP 11 gm eq. to Dextrose Anhydrous 10gm + Sodium Chloride USP 0.9 gm/100ml<br><br><b>b) Dextrose 10% Sodium Chloride 0.225% IB Infusion</b><br><br>Dextrose Monohydrate USP 11 gm eq. to Dextrose anhydrous 10% + Sodium Chloride USP 0.225 gm/100ml | To maintain adequate Calories after surgery and rehydration<br><br>-do-  | 10% Dextrose 0.45% Sodium Chloride & 5% dextrose + 0.45% Sodium Chloride<br><br>-do- | BNF-G Aš-f <sup>Q</sup><br>bq neaq Arte` b bv<br>gĀy Kiv hvBtZ<br>cvi  <br><br>BNF-G Aš-f <sup>Q</sup><br>bq neaq Arte` b bv<br>gĀy Kiv hvBtZ<br>cvi | BNF-G Aš-f <sup>Q</sup><br>bq neaq Arte` b bv<br>gĀy Kiv evi<br>mgñni k Kiv nBj  <br><br>BNF-G Aš-f <sup>Q</sup><br>bq neaq Arte` b bv<br>gĀy Kiv evi<br>mgñni k Kiv nBj |
| 05. | Navana Pharmaceuticals Ltd.               | <b>a) Ketoprofen 200 mg Tablet</b><br><br>Ketoprofen BP 200 mg  | Management of rheumatoid arthritis, osteo arthritis, ankylosing spondylitis.   | Ketoprofen 200 mg Cap. 100 mg Tablet & 50 mg Tabl                                    | Abfgv` b Kiv<br>hvBtZ cvi  | Abfgv` tbi mgñni k<br>Kiv nBj  |
| 06. | Eskayef Bangladesh Ltd.                   | <b>a) Domperidone Effervescent granules 10mg/Sachet</b><br><br>Domperidone BP 10 mg/Sachet  | Nausea and vomiting  | Domperidon 10 mg Tablet  | Abfgv` b Kiv<br>hvBtZ cvi  | Abfgv` tbi mgñni k<br>Kiv nBj  |
|     |   | <b>b) Omeprazole 20 mg Sachet</b><br><br>Omeprazole USP 20 mg/Sachet  | Gastric Ulcer, duodenal ulcer  | Omeprazole 20mg & 40 mg Capsule  | Abfgv` b Kiv<br>hvBtZ cvi  | Abfgv` tbi mgñni k<br>Kiv nBj  |
|     |   | <b>c) Montelukast 4 mg Granules Sachet</b><br><br>Montelukast Sodium INN 4.148 mg eq. to 4 mg of Montelukast  | Chronic asthma, allergic rhinitis.   | Montelukast 10mg, 5 mg and 4 mg Tablet   | Abfgv` b Kiv<br>hvBtZ cvi  | Abfgv` tbi mgñni k<br>Kiv nBj  |
|     |   | <b>d) Nitroglycerin 0.03% Ointment</b><br><br>Nitroglycerin (as Diluted Nitroglycerin) USP 0.03g/100gm  | For the treatment of anal pain and anal fissures   | Nitroglycerin 2.6 mg Retard Tab. and 2.5 mg Tab                                      | GB grīv (Dose) FDA<br>Abfgw` Z bq Ges<br>ibt` Rbv (Indication)<br>Gi weI tq e iL'v<br>cōqiqRb neaq<br>ArciZZt ~MZ iILv<br>hvBtZ cvi                  | GB grīv (Dose) FDA<br>Abfgw` Z bq Ges<br>ibt` Rbv (Indication)<br>Gi weI tq e iL'v<br>cōqiqRb neaq<br>ArciZZt ~MZ<br>iILevi mgñni k Kiv<br>nBj                           |
|     |   | <b>e) Nitroglycerin 0.1% Ointment</b><br><br>Nitroglycerin (as Diluted Nitroglycerin) USP 0.1gm/100gm   | -do-   | -do-   | GB grīv (Dose) FDA<br>Abfgw` Z bq Ges<br>ibt` Rbv (Indication)<br>Gi weI tq e iL'v<br>cōqiqRb neaq<br>ArciZZt ~MZ iILv<br>hvBtZ cvi                  | GB grīv (Dose) FDA<br>Abfgw` Z bq Ges<br>ibt` Rbv (Indication)<br>Gi weI tq e iL'v<br>cōqiqRb neaq<br>ArciZZt ~MZ<br>iILevi mgñni k Kiv<br>nBj                           |
| 07. | Delta Pharma Ltd.                         | <b>a) Ivermectin 6 mg Tablet</b><br><br>Ivermectin BP 6 mg  | For the treatment scabies.   | Ivermectin 3 mg Tablet   | Abfgv` b Kiv<br>hvBtZ cvi  | Abfgv` tbi mgñni k<br>Kiv nBj  |
|     |   | <b>b) Ivermecting 12 mg Tablet</b><br><br>Ivermectin BP 12 mg   | -do-   | -do-   | Abfgv` b Kiv<br>hvBtZ cvi  | Abfgv` tbi mgñni k<br>Kiv nBj  |
|     |   | <b>c) Ondansetron 8 mg Oral disintegrating Tablet</b><br><br>Ondansetron HCl Dihydrate USP 9.976 mg (eq. to Ondansetron 8 mg)   | Prevention of nausea and vomiting associated with radio therapy  | Ondansetron 4 mg & 8 mg Tablet   | Abfgv` b Kiv<br>hvBtZ cvi  | Abfgv` tbi mgñni k<br>Kiv nBj  |

| bs  | cōZKv iKi big                            | Jitai big I tRbiūK big   | ibt` Rbv  | Existing   | tUKbK ij me-Kgnti<br>49Zg mfv i gZgZ   | gZgZ   |
|-----|--|--|---|--|--|--|
|     | Delta Pharma Ltd.                        | <b>d) Ondansetron 4 mg/5ml Solution</b><br><br>Ondansetron HCl dihydrate USP 99.76 mg (eq. to Ondansetron 80mg/100ml)              | Prevention of nausea and vomiting associated with radio therapy   | Ondansetron 4 mg & 8 mg Tablet                               | Abfgi`b Kiv<br>hvBtZ cvti /  | Abfgi`tbi mgvii k<br>Kiv nBj /   |
| 08. | Delta Pharma Ltd.<br>Incepta Pharma Ltd. | <b>a) Ondansetron 4 mg Oral disintegrating Tablet</b><br><br>Ondansetron HCl Dihydrate USP 4.988 mg (eq. to Ondasetro 4 mg)        | -do-  | -do-   | Abfgi`b Kiv<br>hvBtZ cvti /  | Abfgi`tbi mgvii k<br>Kiv nBj /   |
| 09. | Beximco Pharmaceuticals Ltd.             | <b>a) Sodium Dichloro-isocyanurate 500 mg Tablet</b><br><br>Sodium Dichloro-Isocyanurate INN 500 mg                                | Water purifier  | Sodium Dichloro-isocyanurate 75 mg, 61 mg & 425 tablet       | Abfgi`b Kiv<br>hvBtZ cvti /  | Abfgi`tbi mgvii k<br>Kiv nBj /   |
|     |  | <b>b) Diclofenac Sodium 25 mg Suppository</b><br><br>Diclofenac Sodium BP 25 mg  | Rheumatoid Arthritis, Osteoarthritis.   | Diclofenac Sodium 12.5 mg & 50 mg Supp.                      | Abfgi`b Kiv<br>hvBtZ cvti /  | Abfgi`tbi mgvii k<br>Kiv nBj /   |
| 10. | Incepta Pharmaceuticals Ltd.             | <b>a) Gatifloxacin 0.3% Eye Drops</b><br><br>Gatifloxacin Sesquihydrate INN 0.3215g equivalent to Gatifloxacin 0.3g/100ml Eye Drop | Treatment of bacterial conjunctivitis.  | Gatifloxacin 200mg & 400mg tablet                            | Abfgi`b Kiv<br>hvBtZ cvti /  | Abfgi`tbi mgvii k<br>Kiv nBj /   |
|     |  | <b>b) Aceclofenac 200mg SR Tablet</b><br><br>Aceclofenac BP 200mg  | Symptomatic treatment of pain and inflammation in osteoarthritis, rheumatoid arthritis and ankylosing spondylitis.          | Aceclofenac 100mg Tablet                                     | FDA Ges BNF-G<br>Aś-f <sup>ো</sup> bq neaq<br>Avte` b br gĀj Kiv<br>hvBtZ cvti / | FDA Ges BNF-G<br>Aś-f <sup>ো</sup> bq neaq<br>Avte` b br gĀj<br>Kiv evi mgvii k Kiv<br>nBj / |
|     |  | <b>c) Domperidone 10mg Dispersible Tablet</b><br><br>Domperidone Maleate 12.726mg equivalent to Domperidone 10mg                   | Indicated for the treatment of nausea, vomiting, dyspepsia, gastro-oesophageal reflux.                                      | Domperidone 10mg Tablet/ Domperidone Suspension              | Abfgi`b Kiv<br>hvBtZ cvti /  | Abfgi`tbi mgvii k<br>Kiv nBj /   |
| 11. | Aristopharma Ltd.                        | <b>a) Cyproheptadine HCl 2mg/5ml Syrup</b><br><br>Cyproheptadine HCl USP 40mg/100ml  | Treatment of Acute and Chronic Allergies and Pruritus   | Cyproheptadine HCl 2mg/ml Syrup                              | AvciZZt T MZ<br>iLv hvBtZ cvti /   | ঠিকি<br>পার্শ্বপ্রতিক্রিয়ার<br>Kiv tY Avte` b br<br>gĀj Kiv nBj /                           |
| 12. | Alco Pharma Ltd.                         | <b>a) Domperidone 10 mg Effervescent Tablet</b><br><br>Domperidone Maleate BP 12.73 mg (eq. to Domperidone 10 mg)                  | Nausea & Vomiting   | Domperidone 10 mg Tablet and 100mg/100ml Syrup               | Abfgi`b Kiv<br>hvBtZ cvti /  | Abfgi`tbi mgvii k<br>Kiv nBj /   |
| 13. | Healthcare Pharmaceuticals Ltd.          | <b>a) Azithromycin 1 gm Tablet</b><br><br>Azithromycin Dihydrate USP eq. to 1 gm Azithromycin                                      | Infection caused by Gram Positive and Gram negative bacteria  | Azithromycin 250mg and 500 mg Tablet & Capsule               | FDA Ges BNF-G<br>Aś-f <sup>ো</sup> bq neaq<br>Avte` b br gĀj Kiv<br>hvBtZ cvti / | FDA Ges BNF-G<br>Aś-f <sup>ো</sup> bq neaq<br>Avte` b br gĀj<br>Kiv evi mgvii k Kiv<br>nBj / |
| 14. | Square Pharmaceuticals Ltd.              | <b>a) Diclofenac Sodium 25 mg Suppository</b><br><br>Diclofenac Sodium BP 25 mg  | Relief of all grades of pain and inflammation in a wide range of conditions, arthritic, acute musculo-skeletal disorder     | Diclofenac Sodium 12.5 mg Supp.                              | Abfgi`b Kiv<br>hvBtZ cvti /  | Abfgi`tbi mgvii k<br>Kiv nBj /   |
| 15. | Incepta Pharmaceuticals Ltd.             | <b>a) Cefuroxime 5gm/100ml Suspension</b><br><br>Cefuroxime Axetil USP 6.014gm/100ml equ. to Cefuroxime 5gm/100ml                  | Upper respiratory tract infections, Genito-urinary tract infections and Skin and soft tissue infection.                     | Cefuroxime 125mg, 250mg, 500mg tab. & 2.5gm/100ml Suspension | Abfgi`b Kiv<br>hvBtZ cvti /  | Abfgi`tbi mgvii k<br>Kiv nBj /   |
|     |  | <b>b) Cyclosporine 10gm/100ml Solution</b><br><br>Cyclosporine USP 10gm/100ml  | Prophylaxis of graft rejections following transplantation of liver, kidney, pancreas and cornea and treatment of psoriasis. | Cyclosporine 25mg, 50mg & 100mg Capsule                      | Abfgi`b Kiv<br>hvBtZ cvti /  | Abfgi`tbi mgvii k<br>Kiv nBj /   |

| bs | cūZKvitKi big                | Jltai big I tRbiūK big   | ibt` Rbv  | Existing                                   | tUKubK yj me-Kgjli<br>49Zg mfvj gZigZ | gZigZ                       |
|----|------------------------------|--|---|--|---------------------------------------|-----------------------------|
|    | Incepta Pharmaceuticals Ltd. | c) Tolperisone HCl 100mg Tablet<br><br>Tolperisone Hydrochloride INN 100mg           | It is indicated in Muscular spasm, muscular contraction & rigidity  | Tolperisone HCl 50mg Tablet                | Abfgv`b Kiv hBtZ cvti /               | Abfgv`tbi mgwii k Kiv nBj / |
|    |                              | d) Levocarnitine 10gm/100ml Solution<br><br>Levocarnitine USP 10gm/100ml             | Indicated in Carnitine deficiency, hypotonia, muscle weakness and cardiomyopathy.                           | Levocarnitine 330mg Tablet                 | Abfgv`b Kiv hBtZ cvti /               | Abfgv`tbi mgwii k Kiv nBj / |
|    |                              | e) Omeprazole 0.02gm/Sachet Powder for Suspension<br><br>Omeprazole BP 0.02gm/Sachet | Prevention of upper-gastrointestinal-bleeding and the short term treatment of active benign gastric ulcers. | Omeprazole 10mg, 20mg & 40mg Capsule       | Abfgv`b Kiv hBtZ cvti /               | Abfgv`tbi mgwii k Kiv nBj / |
|    |                              | f) Omeprazole 0.04gm/Sachet Powder for Suspension<br><br>Omeprazole BP 0.04gm/Sachet | Do  | Omeprazole 10mg, 20mg & 40mg Capsule       | Abfgv`b Kiv hBtZ cvti /               | Abfgv`tbi mgwii k Kiv nBj / |
|    |                              | g) Lorazepam 2mg/ml Injection<br><br>Lorazepam BP 2mg/ml                             | Preanesthetic Medication, relief of anxiety and status epilepticus.   | Lorazepam 1mg tablet                       | Abfgv`b Kiv hBtZ cvti /               | Abfgv`tbi mgwii k Kiv nBj / |
|    |                              | h) Lorazepam 4mg/ml Injection<br><br>Lorazepam BP 4mg/ml                             | Do  | Lorazepam 1mg tablet                       | Abfgv`b Kiv hBtZ cvti /               | Abfgv`tbi mgwii k Kiv nBj / |
|    |                              | i) Dicycloverine HCl 20mg/2ml Injection<br><br>Dicycloverine HCl BP 20mg/2ml         | Symptomatic relief of gastrointestinal disorders characterized by smooth muscle spasm                       | Dicycloverine 10mg tablet & 10mg/5ml Syrup | Abfgv`b Kiv hBtZ cvti /               | Abfgv`tbi mgwii k Kiv nBj / |

## 1. M) Import (New Molecule)

| bs  | cūZKvitKi big   | Jltai big I tRbiūK big   | ibt` Rbv  | idkñj muUdtkU<br>(FSC & Others) | tUKubK yj me-Kgjli<br>49Zg mfvj gZigZ              | gZigZ  |
|-----|---|--|---|---------------------------------|--|--|
| 01. | Merck KGaA, Germany<br>(Techno Drugs)                 | a) Concor 2.5 mg Tablet<br><br>Bisoprolol Hemifumarate 2.5 mg        | Treatment of stable chronic heart failure in addition to ACE inhibitors or other vasodilators and diuretics, and optionally cardiac glycosides. | Germany UK                      | Abfgv`b Kiv hBtZ cvti /                            | Abfgv`tbi mgwii k Kiv nBj /                                  |
|     |   | b) Concor 5 mg Tablet<br><br>Bisoprolol Hemifumarate 5 mg            | -do-  | -do-                            | Abfgv`b Kiv hBtZ cvti /                            | Abfgv`tbi mgwii k Kiv nBj /                                  |
| 02. | Novo Nordisk A/S, Denmark<br>(International Agencies) | a) Novo-Seven 1.2 mg Vial<br><br>Eptacog Alfa (Activated) 1.2mg/vial | Treatment of Bleeding episodes and for prevention of bleeding in that undergoing surgery  | Denmark Switzerland             | c\qjRb b\B \ea\q<br>A\te`b b\g\A\y Kiv hBtZ cvti / | c\qjRb b\B \ea\q<br>A\te`b b\g\A\y Kiv evi mgwii k Kiv nBj / |
|     |   | b) Novo Seven 2.4 mg<br><br>Eptacog Alfa (Activated) 2.4 mg /Vial    | -do-  | -do-                            | c\qjRb b\B \ea\q<br>A\te`b b\g\A\y Kiv hBtZ cvti / | c\qjRb b\B \ea\q<br>A\te`b b\g\A\y Kiv evi mgwii k Kiv nBj / |
|     |   | c) Novo-Seven 4.8 mg<br><br>Eptacog Alfa (Activated) 4.8 mg/vial     | -do-  | -do-                            | c\qjRb b\B \ea\q<br>A\te`b b\g\A\y Kiv hBtZ cvti / | c\qjRb b\B \ea\q<br>A\te`b b\g\A\y Kiv evi mgwii k Kiv nBj / |
| 03. | Novartis Pharma AG, Switzerland<br>(Novartis Bd. Ltd) | a) Certican 0.25 mg Dispersible Tablet<br><br>Everolimus INN 0.25 mg | Prophylaxis of organ rejection in adult patients at low moderate immunological risk receiving an allogeneic renal or cardiac transplant         | Switzerland Sweden              | c\qjRb b\B \ea\q<br>A\te`b b\g\A\y Kiv hBtZ cvti / | c\qjRb b\B \ea\q<br>A\te`b b\g\A\y Kiv evi mgwii k Kiv nBj / |
|     |   | b) Certican 0.10 mg dispersible Tablet<br><br>Everolimus INN 0.10 mg | -do-  | -do-                            | c\qjRb b\B \ea\q<br>A\te`b b\g\A\y Kiv hBtZ cvti / | c\qjRb b\B \ea\q<br>A\te`b b\g\A\y Kiv evi mgwii k Kiv nBj / |

| <i>bs</i> | <i>cōZKvitKi big</i>  | <i>Jitai big I tRbiūK big</i>  | <i>ibt` Rbv</i>  | <i>idmij mudiitKU<br/>(FSC &amp; Others)</i> | <i>tUKubK ij me-Kgntti<br/>49Zg mfvi gZgZ</i>                  | <i>gZgZ</i>   |
|-----------|---|--|--|--|--|---|
|           | Novartis Pharma AG,<br>Switzerland<br>(Novartis Bd. Ltd)  | <b>c) Certican 1 mg Tablet</b><br><br>Everolimus INN 1 mg  | Prophylaxis of organ rejection in adult patients at low moderate immunological risk receiving an allogeneic renal or cardiac transplant  | Switzerland<br>Sweden                        | <i>cōqirb biB neaq<br/>Aitē` b br gĀy Kiv<br/>hiBtZ citi  </i> | <i>cōqirb biB neaq<br/>Aitē` b br gĀy Kiv<br/>mgwi k Kiv nBj  </i>                    |
|           |   | <b>d) Certican 0.75 mg Tablet</b><br><br>Everolimus INN 0.75 mg  | -do-   | -do-   | <i>cōqirb biB neaq<br/>Aitē` b br gĀy Kiv<br/>hiBtZ citi  </i> | <i>cōqirb biB neaq<br/>Aitē` b br gĀy Kiv<br/>mgwi k Kiv nBj  </i>                    |
|           | Novartis Pharma AG,<br>Switzerland<br>(Novartis Bd. Ltd)  | <b>e) Certicam 0.50 mg Tablet</b><br><br>Everolimus INN 0.50 mg  | -do-   | -do-   | <i>cōqirb biB neaq<br/>Aitē` b br gĀy Kiv<br/>hiBtZ citi  </i> | <i>cōqirb biB neaq<br/>Aitē` b br gĀy Kiv<br/>mgwi k Kiv nBj  </i>                    |
|           |   | <b>f) Certicam 0.25 mg Tablet</b><br><br>Everolimus INN 0.25 mg  | -do-   | -do-   | <i>cōqirb biB neaq<br/>Aitē` b br gĀy Kiv<br/>hiBtZ citi  </i> | <i>cōqirb biB neaq<br/>Aitē` b br gĀy Kiv<br/>mgwi k Kiv nBj  </i>                    |
| 04.       | Oculus Innovative Sciences Inc., USA<br><br>(Navana Pharmaceuticals Ltd.)   | <b>a) Dermacyn Solution<br/>(Super Oxidized Solution)</b><br><br>Hypochlorous acid pharma grade 0.002gm<br>Sodium Hypochloride BP 0.003 gm   | Broad spectrum sterilizer and anticeptic solution use to all topical wounds diabetic foot Ulcer, varicose vein, leg ulcer, burus abrasious other skin related diseases.          | USA  | <i>Abigr` b Kiv hiBtZ<br/>citi  </i>                           | <i>Abigr` b Kiv hiBtZ<br/>citi  </i>  |
| 05.       | Mfg. of Active Substance and Final Batch Release M/s. Vifor (International) Inc. Switzerland<br>Mfg. Under Contrac of Dosage Form M/s. Altana Pharma Inc., Germany (UniMed & UniHealth) | <b>a) Venofer 100 mg Injection 20mg/ml</b><br><br>Iron Sucrose (Iron (III) hydroxide sucrose complex corresponding to 100 mg Iron (III)/Amp. | For the treatment of Iron deficiency   | Switzerland<br>UK                            | <i>Abigr` b Kiv hiBtZ<br/>citi  </i>                           | <i>Abigr` b Kiv hiBtZ<br/>citi  </i>  |
| 06.       | F. Hoffman La Roche Ltd., Switzerland (Roche Bangladesh Ltd)  | <b>b) Neulastim Prefilled Syringe 6 mg/0.6ml</b><br><br>Pegfilgrastim INN 6mg/0.6ml  | Reduction in the duration of neutropenia and the incidence of febrile neutropenia in patients treated with cytotoxic chemotherapy for malignancy                                 | Switzerland                                  | <i>Abigr` b Kiv hiBtZ<br/>citi</i>                             | <i>Abigr` b Kiv hiBtZ<br/>citi  </i>  |
| 07.       | Bharat Serums and Vaccine Ltd. India<br><br>(M/s. Axis Health Care)   | <b>a) Anti Rabies Serum 1000 IU/vial</b><br><br>Equine Anti Rabies Immunoglobulin Fragments 1000IU   | For passive immunization against rabies in conjunction with rabies vaccine; for prevention of rabies after contact with a rabid animal or an animal presumed to be rabid         | India  | <i>AvcZZt `MZ i mLLei<br/>mgwi k Kiv nBj  </i>                 | <i>cōribiU mti Rgzb<br/>cii` kB `tctf <br/>Abigr` bti nelq metePbv<br/>Kiv nBte  </i> |
|           |   | <b>b) Thymogram 250 mg/5ml Vial</b><br><br>Antithymocyte Globulin (Equine) 250 mg  | Prophylaxis of rejection of transplanted organs. Treatment of rejection crises of transplanted organs<br>Aplastic anemia<br>Bone marrow depletion of T Cells prior to transplant | India  | <i>AvcZZt `MZ i mLLei<br/>mgwi k Kiv nBj  </i>                 | <i>cōribiU mti Rgzb<br/>cii` kB `tctf <br/>Abigr` bti nelq metePbv<br/>Kiv nBte  </i> |

## 1. M) Import (New Strength/New Dosage Form)

| bs  | cūZKvīKi big                                 | Jlīai big I tRbūK big   | ibī Rbv   | Existing               | wdmī muñdikU<br>(FSC & Others) | #UKbKjy me-KgūjI<br>48Zg mfvi gZgZ   | gZgZ                           |
|-----|--|---|---|------------------------|--------------------------------|--|--------------------------------|
| 01. | Merck KGaA,<br>Germany<br><br>(Techno Drugs) | a) Vigantol Oil Solution<br>(10ml)<br><br>Cholecalciferol 0.5 mg (eq.<br>to 20,000 IU Vitamin D3)/ml<br>Solution (30 drops) | Rickets and<br>Osteomalacia Vit. D<br>deficiency,<br>Osteoporosis | Vit. D 1%<br>Injection | Germany                        | eZgīt Vitamin-D<br>in Molecular<br>form Avg`wb nq tm<br>m=ütK@Z_ bv cīl qv<br>chS- MZ ivlv<br>hBtZ cīl / | Abfgī`tbi mgvii k<br>Kiv nBj / |
|     |  | b) Vigantoletten 500 IU<br>Tablet<br><br>Cholecalciferol 12.5 mcg<br>(eq. to 500 IU Vit D)                                  | -do-  | Vit. D 5 mg Inj.       | Germany                        | -H-  | Abfgī`tbi mgvii k<br>Kiv nBj / |
|     |  | c) Vigantoletten 1000 IU<br>Tablet<br><br>Cholecalciferol 25 mcg (eq.<br>to 1000 IU Vit. D)                                 | -do-  | -do-                   | Germany                        | -H-  | Abfgī`tbi mgvii k<br>Kiv nBj / |

## 1. O) IMPORT (Medical Device)

| bs  | cūZKvīKi big  | Jlīai big I tRbūK big  | wdmī muñdikU<br>(FSC & Others) | #UKbKjy me-KgūjI 49Zg<br>mfvi gZgZ               | gZgZ   |
|-----|---|--|--------------------------------|--|--|
| 01. | Smith & Nephew<br>Medical Ltd. UK<br><br>(Surgimedies Ltd.,<br>Dhaka) | a) BACTIGRAS<br><br>Sterile Tulle Gras Dressing with 0.5%<br>Chlorhexidine Acetate<br>(5 cm x 5 cm and 10 cm & 10 cm)  | UK                             | cīqīRb bīB neaq Avtē`b<br>bv gĀjy Kiv hBtZ cīl / | Abfgī`tbi mgvii k Kiv<br>nBj /                                 |
|     |   | b) JELONET<br><br>Sterile Paraffin Gauze Dressing<br>(5 cm x 5 cm & 10 cm x 10 cm)   | UK                             | cīqīRb bīB neaq Avtē`b<br>bv gĀjy Kiv hBtZ cīl / | cīqīRb bīB neaq Avtē`b<br>bv gĀjy Kiv evi mgvii k Kiv<br>nBj / |
|     |   | c) OP-SITE Post OP<br><br>Post Operative Sterile Waterproof bacterial<br>barrier dressing with Absorbed Pad<br>(6.5 cm x 5 cm; 9.5 cm x 8.5 cm, 15.5 cm & 8.5<br>cm & 25 cm x 10 cm) | UK                             | cīqīRb bīB neaq Avtē`b<br>bv gĀjy Kiv hBtZ cīl / | Abfgī`tbi mgvii k Kiv<br>nBj /                                 |

## 1. P) Import (Veterinary)

| bs  | cūZKvīKi big  | Jlīai big I tRbūK big  | ibī Rbv   | wdmī muñdikU<br>(FSC & Others) | #UKbKjy me-KgūjI<br>49Zg mfvi gZgZ | gZgZ                           |
|-----|---|--|---|--------------------------------|------------------------------------|--------------------------------|
| 01. | Laboratories Hipra SA,<br>Spain<br><br>(Nasco Agrovet,<br>Chittagong) | a) Quinoxipra-P Oral Solution<br><br>Pyrimethamine 15 mg +<br>Sulfaquinoxaline<br>(Sodium Salt) 50 mg/ml   | Poultry, Swine Lambs<br>and Calves Caccal and<br>intestinal coccidiosis | Spain                          | Abfgī`b Kiv hBtZ<br>cīl /          | Abfgī`tbi mgvii k<br>Kiv nBj / |
|     |   | b) Clortadona-TS Soluble Powder<br><br>Erythromycin (estolate) 25 mg,<br>Neomycin (Sulphate) 35 mg,<br>Sulfadimidine (Sodium) 100 mg<br>Trimethoprim 18 mg, Bromhexine (HCl)<br>1.5mg/gm | Poultry; CRD, infectious<br>coryza an staphilococci,<br>infections.     | Spain                          | Abfgī`b Kiv hBtZ<br>cīl /          | Abfgī`tbi mgvii k<br>Kiv nBj / |
|     |   | c) Mastipra Inj. Solution<br><br>Erythromycin (Thiocynate) 50 mg,<br>Sulphadimethoxine 125 mg,<br>Trimethoprim 25mg/ml   | Diarrhoea, Bacterial<br>enteritis, Mastitis and<br>Pneumonia.           | Spain                          | Abfgī`b Kiv hBtZ<br>cīl /          | Abfgī`tbi mgvii k<br>Kiv nBj / |

| <i>bs</i> | <i>cōZKvitKi big</i>                                     | <i>Jitai big I iRbiW K big</i>   | <i>ibt Rbv</i>  | <i>ndimj mudiKU<br/>(FSC &amp; Others)</i> | <i>tUKibK yj me-Koydi<br/>49Zg mfvi gZigZ</i>                | <i>gZigZ</i>  |
|-----------|--|--|---|--|--|---|
|           | Laboratories Hipra SA, Spain (Nasco Agrovet, Chittagong) | <b>d) Bronipra-ND Injectable Emulsion</b><br>Inactivated Newcastle Disease Virus, Strain La-Sota ..... ≥ 10 <sup>8</sup> EID <sub>50</sub><br>Inactivated Infectious Bronchitis virus strain H52 ..... 10 <sup>6</sup> EID <sub>50</sub>   | Prevent infectious Bronchitis and Newcastle Disease                             | Spain                                      | <i>Abfgi`b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfgi`tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |  | <b>e) Hipravir BPL-2 Emulsion for Solution</b><br>Inactivated Newcastle Disease virus, La-Sota ..... ≥ 10 <sup>8</sup> EID <sub>50</sub> 5 ml  | To prevent Newcastle Disease in Poultry   | Spain                                      | <i>Abfgi`b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfgi`tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |  | <b>f) Coripra VAC Emulsion for Injection</b><br>Haemophilus Paragallinarum, Serotype A (Strain 1753) ... ≥ 1.75 x 10 <sup>8</sup> micro Haemophilus Paragallinarum Serotype B (strain 1755) ≥ 2.50 x 10 <sup>8</sup> microorganisms, Haemophilus paragallinarum, Serotype-C (Strain 1756) ≥ 1.75 x 10 <sup>8</sup> microorganisms/0.5 ml | Layers and Breeders To prevent infectious coryza.                               | Spain                                      | <i>Abfgi`b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfgi`tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |  | <b>g) Adenipravac Emulsion for Injection</b><br>Inactivated Newcastle Disease virus, strain La Sota ... ..... ≥ 6.3x 10 <sup>7.5</sup> EID <sub>50</sub><br>Inactivated EDS-76 virus, Strain Adenovirus 127 ..... ≥ 500 HAU  | To prevent New castle disease and Egg drop syndrome.                            | Spain                                      | <i>Abfgi`b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfgi`tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |  | <b>h) Hipra Gumbor GM 97 Livefreeze Dried Vaccine</b><br>Live Infectious Bursal Disease Virus, Strain GM 97 ... .. ≥10 <sup>2</sup> EID <sub>50</sub>  | To Prevent Gumboro Disease  | Spain                                      | <i>cōqRb bvB neaq<br/>Arte`b bv gĀy Kiv<br/>hiBtZ ci i /</i> | <i>cōqRb bvB neaq<br/>Arte`b bv gĀy<br/>Kiv evi mgvii k Kiv<br/>nBj /</i> |
|           |  | <b>i) Adenipra Vac Triple Injectable emulsion</b><br>Inactivated Newcastle Disease virus, strain La Sota ..... ≥ 10 <sup>8</sup> EID <sub>50</sub><br>Inactivated EDS 76 virus, strain Adenovirus 127.... 500 UHA,<br>Inactivated Infectious Bursal disease virus strain W2512 ..... .. ≥ 10 <sup>5</sup> TCID <sub>50</sub>             | To prevent Egg drop syndrome Newcastle disease and Gumboro disease.             | Spain                                      | <i>Abfgi`b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfgi`tbi mgvii k<br/>Kiv nBj /</i>                                    |
| 02.       | Merial Slect Inc., USA<br>(Advance Animal Science)       | <b>a) Gallivac AE-FP Vaccine</b><br>Avian Encephalomyelitis Virus, at least ...2.7 log 10 ..EID <sub>50</sub> + Flow Pox virus, at least ...2.2 log 10EID <sub>50</sub> /dose  | Commercial layer or breeder replacement pullets                                 | USA  | <i>cōqRb bvB neaq<br/>Arte`b bv gĀy Kiv<br/>hiBtZ ci i /</i> | <i>cōqRb bvB neaq<br/>Arte`b bv gĀy<br/>Kiv evi mgvii k Kiv<br/>nBj /</i> |
| 03.       | Merial France<br>(Advance Animal Science)                | <b>a) Raboral V-RG Vaccine</b><br>V-RG virus .... .. 10 <sup>8</sup> CCID <sub>50</sub> /Dose  | Prevention of Rabies in Canine Animals  | France                                     | <i>Abfgi`b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfgi`tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |  | <b>b) Galimune 208 ND+FLU H9 ME Vaccine</b><br>Inactivated Avian Influenza Virus, H9N2 Strain .... ≥ 10 HIU<br>Inactivated Newcastle disease virus, Ulster 2C Strain ..... .. ≥ 10HIUfr <sup>1</sup><br>Thiomersal, at most .... 0.030mg/dose  | Preventive vaccination of poultry against avian influenza and newcastle disease | France                                     | <i>cōqRb bvB neaq<br/>Arte`b bv gĀy Kiv<br/>hiBtZ ci i /</i> | <i>cōqRb bvB neaq<br/>Arte`b bv gĀy<br/>Kiv evi mgvii k Kiv<br/>nBj /</i> |

| <i>bs</i> | <i>cōZKvitKi big</i>                                  | <i>Jitai big I iRtbwK big</i>  | <i>ibt Rbv</i>  | <i>ndmij mudiKU<br/>(FSC &amp; Others)</i> | <i>tUKibK yj me-Kaydi<br/>49Zg mfvi gZigZ</i>                | <i>gZigZ</i>  |
|-----------|---|--|---|--|--|---|
| 04.       | Coophavet SAS, France<br><br>(Advance Animal Science) | <b>a) Nebatol</b><br><br>Alkyl dimethyl benzylammonium Chloride 130 gm Glutaraldehyde 75 gm/Litre  | Disinfecting Properties includes bactericidal, virucidal & fungicidal activities  | France                                     | <i>cōqRb bB neaq<br/>Arte` b bv gĀj Kiv<br/>hiBtZ ci i /</i> | <i>cōqRb bB neaq<br/>Arte` b bv gĀj<br/>Kiv evi mgvii k Kiv<br/>nBj /</i> |
|           |   | <b>b) Iodavic disinfectant</b><br><br>Iodine (as Iodine Complex 10%)   | Disinfecting properties includes Bactericidal virucidal & Fungicidal activities   | France                                     | <i>Abfg` b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfg` tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |   | <b>c) Prophyl 75</b><br><br>4-Chloro-3-Methylphenol 100% 2 Benzyl-4 Chlorophenol 50%   | Disinfecting properties includes Bactericidal virucidal & Fungicidal activities   | France                                     | <i>Abfg` b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfg` tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |   | <b>d) Ambioseptyl-M 775</b><br><br>4-Chloro-3 Methylphenol 29.4% 2-Benzyl-4-Chlorophenol 14.7%   | It exerts Bactericidal virucidal and Fungicidal action on wide range of organism located in animal house.   | France                                     | <i>Abfg` b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfg` tbi mgvii k<br/>Kiv nBj /</i>                                    |
| 05.       | Amichem BV, Holland<br><br>(Mohammadia Agrovet)       | <b>a) Amchem Neodox WS Powder</b><br><br>Neomycin Sulphate 150 mg + Doxycycline 150mg  | Chicks mortality, Secondary bacterial complication of CRD E.Coli and Salmonella infections, Mixed infections and Non-specific diarrhoea               | The Netherlands                            | <i>Abfg` b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfg` tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |   | <b>b) Amchem Levasol 15% Inj.</b><br><br>Levamisole base (as hydrochloride) 150 mg/ml  | Lungworms, Trichuridae & Ascaridae  | The Netherlands                            | <i>Abfg` b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfg` tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |   | <b>c) Amchem Iron 20% + Vitamin B<sub>12</sub> Inj.</b><br><br>Iron (Fe++) as Iron III hydroxide 200 mg Dextran Complex Vitamin B <sub>12</sub> 0.2gm/ml   | Prevent and treatment of the Ferri-prive anemia in piglets and calves.  | The Netherlands                            | <i>Abfg` b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfg` tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |   | <b>d) Amchem Multivitamin Inj.</b><br><br>Vitamin A 100000 IU<br>Vitamin B <sub>1</sub> 5 mg<br>Vitamin B <sub>2</sub> 4 mg<br>Vitamin B <sub>3</sub> 24.5 mg<br>Vitamin B <sub>6</sub> 2.45mg<br>Vitamin B <sub>12</sub> 5 mg<br>Vitamin C 5 mg<br>Vitamin D <sub>3</sub> 50,000 IU<br>Aitamin E 8 mg<br>D-Panthenol 6mg/ml | Preventions of Vitamin deficiency infarm animals.   | The Netherlands                            | <i>Abfg` b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfg` tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |   | <b>e) Amchem Neofural WS Sachet</b><br><br>Ascorbic Acid 35 gm Tetracycline HCl 20 gm Furaltadone HCl 20 gm Neomycin Base 10 gm/100gm  | Prevention and treatment of early chicken mortality; nonspecific diarrhea, pullorum disease, Fowl typhoid, fowl cholera and salmonellosis in poultry. | The Netherlands                            | <i>Abfg` b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfg` tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |   | <b>f) Amchem Amoxicillin 30% Injectable Suspension</b><br><br>Amoxicillin base (as Trihydrate 300mg/ml)  | Alimentary, urogenital tract; Respiratory tract infection Coli-mastitis and secondary bacterial infection.  | The Netherlands                            | <i>Abfg` b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfg` tbi mgvii k<br/>Kiv nBj /</i>                                    |
|           |   | <b>g) Amchem Colistin 1500 WS</b><br><br>Colistin Sulphate 1500000IU/gm  | Gastrointestinal infections caused by colistin sensitive bacterial especially E.coli and salmonella in calves pigs and poultry.                       | The Netherlands                            | <i>Abfg` b Kiv hiBtZ<br/>ci i /</i>                          | <i>Abfg` tbi mgvii k<br/>Kiv nBj /</i>                                    |

| <i>bs</i>   | <i>cūZKvitKi big</i>  | <i>JItai big I iRtbwK big</i>   | <i>ibt Rbv</i>  | <i>udimj muññiku<br/>(FSC &amp; Others)</i>               | <i>tUKbK yj mve-Kugli<br/>49Zg mfvi gZigZ</i>                         | <i>gZigZ</i>                          |
|---|---|---|---|---|---|---------------------------------------|
| Amichem BV, Holland<br>(Mohammadia Agrovet)                                     | <b>h) Amchem Ampicillin 30% Inj.</b><br><br>Ampicillin Trihydrate 300 mg/ml   | Bacterial infections caused by microorganisms susceptible to penicillin like intestinal respiratory, urogenital infection, Mastitis, metritis, arthritis and secondary infection.   | The Netherlands   | <i>Abigr'b Kiv hiBtZ<br/>citi /</i>                       | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i>                                 |                                       |
|   |   | <b>i) Amchem SSP-Super WS Powder</b><br><br>Sulfaquinoxaline Sodium 5 gm Pyrimethamine BP 1.5gm Vitamin K 500 mg/100 gm   | Coccidiosis in Poultry Associated with Eimeria Tenella E Necatrix E, Aervulina  | The Netherlands   | <i>Abigr'b Kiv hiBtZ<br/>citi /</i>                                   | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i> |
| Amichem BV, Holland<br>(Mohammadia Agrovet)                                     | <b>j) Amchem Neomycin WS 72% Powder</b><br><br>Neomycin Sulphate 720 mg/gm  | Infections of the Gastrointestinal System Cause by neomycin bacteria  | The Netherlands   | <i>Abigr'b Kiv hiBtZ<br/>citi /</i>                       | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i>                                 |                                       |
|   |   | <b>k) Amchem Erythromycin 30% WS Powder</b><br><br>Erythromycin Thiocyanate 300mg/gm  | Macrolide antibiotic with a primary bacteriostatic action against a broad range of bacteria especially gram positive as well as other organisms including mycoplasmas, spirochetes chlamydia and Rickettsias. | The Netherlands   | <i>Abigr'b Kiv hiBtZ<br/>citi /</i>                                   | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i> |
| Amichem BV, Holland<br>(Mohammadia Agrovet)                                     | <b>l) Amchem Tyla Dox WS Powder</b><br><br>Tylosing Tartrate 200mg Doxycycline HCl 250mg/gm                         | Sensitive Micro organisms in calves poultry and pigs especially for the infections of gastro intestinal and respiratory infections  | The Netherlands   | <i>Abigr'b Kiv hiBtZ<br/>citi /</i>                       | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i>                                 |                                       |
|   |   | <b>m) Amchem Amoxivit WS Powder/Sachet</b><br><br>Oxytetracycline HCl 60 mg + Vitamin A 5000 IU Vitamin D 1750 IU + Vitamin E 3.5 mg + Vitamin K 2.8 mg + Vitamin B <sub>1</sub> 1 mg + Vitamin B <sub>2</sub> 3mg + Vitamin B <sub>6</sub> 1 mg + Vitamin B <sub>12</sub> 2.5 mg + Vitamin C 12 mg + Nicotinic Acid 15 mg + Choline 12 mg Pantothenic Acid 4 mg + Folic Acid 1 mg + Methionine 25 mg + Lysine 35 mg/gm | Stress period during vaccination, disease, excessive change in temperature, post treatment after recovery of bacterial infections. To prevent and control laying slumps.                                      | The Netherlands   | <i>Abigr'b Kiv hiBtZ<br/>citi /</i>                                   | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i> |
| 06. M/s. Eagle Vet Tech Co Ltd. Korea<br>(Vet Care Organization)                | <b>a) E-Mectin Plus Inj. 100ml</b><br><br>Ivermectin 10 mg Clorsulon 100mg/ml                                       | Treatment and Control of gastro-intestinal round worms both adults and immature, liver fluke. Thelazia lung worms.  | Korea   | <i>Abigr'b Kiv hiBtZ<br/>citi /</i>                       | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i>                                 |                                       |
|   |   | <b>b) Diminal Injection Solution</b><br>Diminazene Diacetate 445mg Phenazobé 555mg/gm   | Trypanosome Piroplasms  | Korea   | <i>Abigr'b Kiv hiBtZ<br/>citi /</i>                                   | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i> |
| 07. Inner Mongolia Bio Pharmaceutical Factory, China<br>(Vet Care Organization) | <b>a) Goat Pox Live Vaccine</b><br><br>Live Capripox Virus strain degreases milk $\geq 10^{3.5}$ TCID <sub>50</sub> | Vaccinations of sheep and goat against the capripox the clavali   | China   | <i>c̄qirb biv meaq Aite`b<br/>bv gAý Kiv hiBtZ citi /</i> | <i>c̄qirb biv meaq Aite`b<br/>bv gAý Kiv evi mgwirk Kiv<br/>nBj /</i> |                                       |

## Q) Expert Opinion : IMPORT (Veterinary)

| <i>bs</i>  | <i>cūZKvitKi big</i>   | <i>JItai big I iRtbwK big</i>                     | <i>ibt Rbv</i> | <i>udimj muññiku<br/>(FSC &amp; Others)</i>   | <i>tUKbK yj mve-Kugli<br/>48Zg mfvi gZigZ</i> | <i>tUKbK yj mve-Kugli<br/>49Zg mfvi gZigZ</i> | <i>gZigZ</i>                          |
|--|--|---|----------------|---|---|---|---------------------------------------|
| 01. M/s. Merial Select Inc., USA<br>(Advance Animal Science Co. Ltd.)  | <b>a) Gallivac LT Vaccine</b><br><br>Fowl Laryngotracheitis Virus at least .... 2.7-Log 10 EID <sub>50</sub> /Dose | Live vaccine prevention of fowl laryngotracheitis | USA            | <i>Jla ibqb Y Kugli 230 Zg<br/>mfq ci meu' Aa`Bii<br/>gZigZ MhY Kirei Kirei Rb-<br/>ej nBqoij /<br/>tiRt+kb c̄ubci ctq<br/>gZigZ ctv qvMqdQ /</i> | <i>Abigr'b Kiv hiBtZ<br/>citi /</i>           | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i>         | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i> |
| 02. M/s. Antec International Ltd.<br>(Advance Animal Science Co. Ltd.) | <b>a) Farm Fluid-S Liquid</b><br><br>High Boiling Tar Acid (ABTA) 40% & Cresylic Acid 5%                           | Broad spectrum virucidal disinfectant/detergent   | ???            | <i>Jla ibqb Y Kugli 230 Zg<br/>mfq ci meu' Aa`Bii<br/>gZigZ MhY Kirei Kirei Rb-<br/>ej nBqoij /<br/>tiRt+kb c̄ubci ctq<br/>gZigZ ctv qvMqdQ /</i> | <i>Abigr'b Kiv hiBtZ<br/>citi /</i>           | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i>         | <i>Abigr'tbi mgwirk Kiv<br/>nBj /</i> |

2/ *tgmim<sup>o</sup> vqvi dvgmimDwUK vj mawij t Zvnit`i Drcv` b j vBtmY Aš-f<sup>g</sup> ibgæm<sup>W</sup>Z c` mgm KipCvK-G evRvi RvZ Kwi evi Rb<sup>o</sup>  
Avte` b Kwi qitQ t*

(K) **j vbc KU t**

*cIZU j vbc KU-G AvtQ GKU j vbtmw (j vbtmwcrj AvBGbGb) 15 vgtM<sup>t</sup> K'cmjy (MGAvi bs-012-420-29)  
Ges `Bu tmvbvc (b vtc<sup>t</sup>. b tmvWqig BDGm<sup>c</sup>) 500 vgtM<sup>t</sup> Uvetj U (MGAvi bs-012-387-65)*

(L) **j vbc 250 KU t**

*cIZU j vbc 250 KU-G AvtQ GKU j vbtmw (j vbtmwcrj AvBGbGb) 15 vgtM<sup>t</sup> K'cmjy (MGAvi bs-012-420-29)  
Ges `Bu tmvbvc (b vtc<sup>t</sup>. b tmvWqig BDGm<sup>c</sup>) 250 vgtM<sup>t</sup> Uvetj U (MGAvi bs-012-386-65)*

*Dcti<sup>3</sup> KipCvK JI amgr evRvi RvZ Kwi evi Abfgv` b t` i qv nBte Kbv Zvnv vetePbri Rb<sup>o</sup> mfvq Dc`vcb Kiv nBtj weiqU  
mawtK<sup>o</sup> -  
-রিত আলোচনা করিয়া উল্লেখিত কমিষ্যাক অনুমোদন বিষয়ে সংশ্লিষ্ট বিশেষজ্ঞের মতামত এহের পক্ষে সদস্যগণ মত  
cikv Ktib/*

3/ *tgmim<sup>o</sup> Gwi t vdgf<sup>o</sup> KZK. Avte<sup>o</sup> Z Cyroheptadine Hydrochloride 2mg/5ml Syrup Gi Abfgv` b vetePbri Kitj m`m MY GB  
gtg<sup>o</sup>AewnZ nb th, Cyroheptadine Hydrochloride c`W ঔষধ (নিয়ন্ত্রণ) অধ্যাদেশ ১৯৮২ কর্তৃক ক্ষতিকর পার্শ্ব প্রতিক্রিয়ার কারণে  
mbul x tNwZ Ges JIa ibqSY KugUj weMZ 231 Zg mfvq (1) Cyroheptadine Hydrochloride 4 mg Tablet, (2)  
Cyroheptadine Hydrochloride 2 mg Tablet, Ges (3) Cyroheptadine Hydrochloride 2mg/ml Syrup Gi tiiRt<sup>o</sup> k<sup>o</sup>  
cikvbi mgmik Kiv nBqvtQ/*

*উল্লেখিত প্রেক্ষাপটে সামগ্রিK weiqU mfvq we -vni Z Avtj vPbri ce<sup>r</sup> m`m MY gZcikv Ktib th, Cyroheptadine Hydrochloride  
bvgiq c`W Abfgv` b enij ivLj th<sup>W</sup>K nBte bv Ges cwi Pij K, JIa cikvmb BtZvgta<sup>r</sup> c`W c<sup>r</sup>E AbgnZ vetePbri ce<sup>r</sup> c`W  
পর্যায়ক্রমে বাজার হইতে প্রত্যাহারের ব্যবস্থা গ্রহণ করিবেন।*

4/ *সভায় আলোচনাক্রমে সদস্যগণ এই মর্মে মত প্রকাশ করেন যে, eisj vt`k c<sup>r</sup>ZKZ. JI amgr hi Avg`wbKZ. Kibnguj mgtni tmim<sup>o</sup>  
f<sup>W</sup>Wk<sup>t</sup>bi Rb<sup>o</sup> HmKj Kibnguj উৎপাদনকারী প্রতিষ্ঠানসমূহ সরেজমিনে পরিদর্শন করা প্রয়োজন। পরিদর্শন সংক্রাম- hieZxq e<sup>r</sup>-fvi  
mbe<sup>r</sup> এবং অন্যান্য আনুসঙ্গিক কার্যক্রম কিভাবে সম্পূর্ণ হইবে সে বিষয়ে সুপরিশ প্রণয়নের লক্ষ্যে নিম্ন বর্ণিত সদস্যগণের সমন্বয়ে mfvq GKU  
KugU Mv<sup>r</sup> Kiv nq t*

- |   |     |     |     |               |
|---|-----|-----|-----|---------------|
| (1) <i>cwi Pij K, JIa cikvmb cwi`Bi</i>                               | ... | ... | ... | <i>AvneqK</i> |
| (2) <i>mfvciZ, eisj vt`k JIa wki mgm<sup>W</sup></i>                  | ... | ... | ... | <i>m`m</i>    |
| (3) <i>gnv-m<sup>r</sup>Pe, eisj vt`k tgWtKj Gtmwm<sup>r</sup>qkb</i> | ... | ... | ... | <i>m`m</i>    |

*mfvq Avi tKv<sup>r</sup> Avtj vP<sup>r</sup> weiq bv \_vKvq mfvciZ gtnv` q mKj tK ab<sup>r</sup>ev` Avcb Kwi qv mfv<sup>r</sup> mgm<sup>r</sup> tNv<sup>r</sup> Y Ktib/*

***Aa<sup>r</sup>ck W. tgvt mweiy ingv<sup>b</sup>***

*cwi Pij K*

*JIa cikvmb cwi`Bi*

*/*

*m`m`-m<sup>r</sup>Pe*

*JIa ibqSY KugU/*

***Ave<sup>r</sup>gut givi "3/igib Lub***

*m<sup>r</sup>Pe*

*-r` I cwi evi Kj vY gSYij q*

*/*

*mfvciZ*

*JIa ibqSY KugU/*