

## Jla ibqšY KigüUi 10 Gicj 2007 ZwitL AbjöZ 235 Zg mfvi Kihßei Yx

“” I ciwei Kj iY gšYij tqi mPe Rbve Gnmvb Dj dvEvn GiimfciZtZj Jla ibqšY KigüUi 235Zg mfvi MZ 10 Gicj - 2007  
ZwitL tej v 11:30 NUKvq gšYij tqi mfvi Kt¶ AbjöZ nq/

### mfvi ibajLZ m'm MY DcwiZ Atjb t

- 01/ Aa'vcK tK Gg শিফায়েত উল্পাদ, পরিচালক (মেডিকেল GWJKkb), ct¶ gnvcwi Pvj K, “” Alla`Bi, XvKv/  
02/ ugtnm kvnxb Lvb, hMmPe (Rb “” I wek, “”), “” I ciwei Kj iY gšYij q/  
03/ Aa'vcK tgivn® Zwni, DcPih, e½eÜzkl gRe tgWtKj wekje` ij q/  
04/ Aa'vcK Gg G dtqR, Wkb, iPikrmv Ably , XvKv wekje` ij q/  
05/ tgRi tRbiij Gg, llR. ieVbx, Kbmij tUu ucllRukqvb, evsj vt' k AvgW tdtm, XvKv/  
06/ Aa'vcK W. bi- b bnvi ingib, dtgfm wefiM, XvKv wekje` ij q/  
07/ Aa'vcK W. G we fBqv, evor bs-42, mOK bs-4/G, arbgwU Av/G, XvKv/  
08/ W. Gd Gg wml Kx, Aa'vcK, tgWwmb wefiM, XvKv tgWtKj Ktj R/  
09/ Aa'vcK W. মুহূর্মদ শহীদুল্লাহ, চর্ম ও যৌন রোগ বিশেষজ্ঞ, ঢাকা মেডিকেল কলেজ।  
10/ Aa'vcK W. tKmby teMg, MVBbx GU Aet wefiM, XvKv tgWtKj Ktj R/  
11/ Aa'vcK W. tRbiZ Avi teMg, dgtKv jR wefiM, XvKv tgWtKj Ktj R/  
12/ Rbve Gm Gg kndD¾vgvb, mfvcilZ, evsj vt' k Jla wki mgwZ, XvKv/  
12/ Aa'vcK W. i " új Avgb, cZibia, evsj vt' k tgWtKj Gtmwmtqkb/  
13/ W. tgvtgbjy nK, Dct' óv, evsj vt' k Jla wki mgwZ Ges e'e tcvb cwi Pvj K, tRbiij dgtmDwUK ij m& ij t/  
14/ W. Gg G gbmjy, cZibia, evsj vt' k tnwgI c w\_K teW/  
15/ cdmi W. tgvt nmeeij ingib, cwi Pvj K, Jla ckmw cwi `Bi, XvKv/

mfvcilZ gtni` q DcwiZ mKj tK “MZ RbvbBqv mfvi Kih®mPbv Ktib/

### mfvi ibtænZ weI tq we-Z Atjb Pbv Kiv nq t

- 1/ weMZ 10-09-2006 ZwitL AbjöZ Jla ibqšY KigüUi 234 Zg mfvi Kihßei Yx Abfgi` b cht½/  
2/ tUKibKij mve-KigüUi MZ 07-02-2007 ZwitL AbjöZ 52Zg mfvi mgwii KkZ weI qmgm weetePbv cht½/  
3/ tgwm®-qvi dgtmDwUK ij m&ij t KZR. Avte` bKZ. KwcCvK j vbvc 500 wKU l j vbvc 250 wKU Gi Abtgv` tbi Avte` b  
weetePbv cht½/  
4/ mfvcilZ gtni` tqi অনুমতিক্রমে Avtj vp weI qmgm t  
 4.1 evsj vt' k dgtmDwUK ij m&BtawUm®Gtmwmtqktbi Avte` tbi tcitZ KivYvi iPikrmv Jlamgtni myf gj- I  
mnR ctc Zv ibiDtZi Dt' tk tniRt÷kb ctkrka %kij KitiYi weI q weetePbv cht½/  
 4.2 tgwm® tZRviZ tnj &tKvqi gvtKQls KZR. Avte` bKZ. Hepatitis-B Vaccine-Gi mgwqK tiwRt÷kb  
ibqiqZKi Ymn Avg`vbi weetePbv cht½/  
 4.3 Jla ibqšY KigüUi Avi Zvaxtb tUKibKij mve-KigüUi mfvi bzla Ges cPj Z/Abtgw Z JItai bzla giv I  
AvKvi m¤tK Safety, usefulness, efficacy-i Avtj vtK gj-vqtbi t¶t US-FDA (United States Food  
& Drugs Administration) KZR. Abtgv` b Ges BNF (British National Formulary)-G Aš-fB  
সংক্রান্ত- Z\_ cIvb cht½/

### mfvi DcwiD³ weI tq we-Z ZwitL Atjb Pbv Kiv qv ibtænZ imxvš-mgn-MpxZ nq t

- 1/ weMZ 10-09-2006 ZwitL AbjöZ Jla ibqšY KigüUi 234 Zg mfvi Kihßei Yx ibiOZ mVK ij wLZ nBqvtQ ejqj  
Avtj wPZ/PovS- Kiv nBj তবে কার্যবিবরণীর ১.ক এর ক্রমিক নং 01. (n, o) পদসমূহ যথাক্রমে (Omeprazole 20mg +  
Sodium Bicarbonate 1100 mg Capsule Ges Light Magnesium Carbonate 3% + Sodium Bicarbonate 5% Oral  
suspension এবং ক্রমিক নং-08 Gi (d, e, f) পদ সমূহ যথাক্রমে Omeprazole 40mg + Sodium Bicarbonate 600 mg +  
Magnesium Hydroxide BP 700 mg Chewable Tablet, Omeprazole 40 mg + Sodium Bi-carbonate 1100 mg Immediate Release  
Capsule Ges Omeprazole 20 mg + Sodium Bi-carbonate 1100 mg Immediate Release  
Capsule cieZi®tUKibKij mve-KigüUi mfvi US-FDA KZR. Abtgv` b I BNF-tZ Aš-fB i Avtj vtK cwePbv  
mgwii k Kiv nq/  
এছাড়াও ক্রমিক নং-6 Gi a, b tZ ewY® c`mgn যথাক্রমে Ramipril 2.5 mg + Hydrochlorothiazide 12.5 mg Tablet Ges  
Ramipril 5 mg + Hydrochlorothiazide 25 mg Tablet First Line Therapy mmitre MhYthm bq I Aceenvi tivta  
ibqiqZ eenvi Avek`K weaq Drcv` bKvriK cZibK উৎপাদিত উব্দের গায়ে এই সতকর্তা উল্লেখ কেK wekIA iPikrmK  
ব্যবস্থাপত্রের ভিত্তিতে নিজস্ব মনিটারিং এর আওতায় বিক্রয় করিতে হইবে এই শর্তে Abtgv` tbi mgwii k Kiv nq/

2/ *��ՈՒԽԵԿՈՎՅԱ 07-02-2007 Հմանություն 52 Համար մատուցվածքի մասին դատարկ մասերի մասին*

## 2. K) Local (New Molecule)

bs	cՌZKvi էKi big	JI էai big I էRbii K big	իՌrbr	ԻՈՒԽԵԿՈՎՅԱ 52 Համար մատուցվածքի մասին	mfi մաս-
01.	Beximco Pharma Ltd.	<b>a) Salbutamol 100 mcg + Beclomethasone Dipropionate 100 mcg/100 Actuation Inhaler</b> Salbutamol Sulphate BP 0.012 gm (eq. to Salbutamol 0.01 gm + Beclomethasone Dipropionate USP 0.01 gm)/100 Actuation  <b>b) Salbutamol 100 mcg + Beclomethasone Dipropionate 50 mcg/100 Actuation Inhaler</b> Sulbutamol Sulphate BP 0.012 gm (eq. to Salbutamol 0.01 gm + Beclomethasone Dipropionate USP 0.005 gm)/100 Actuation  <b>c) Tenofovir Disoproxil 245 mg + Emtricitabine 200 mg + Efavirenz 600 mg Tablet</b> Tenofovir Disoproxil Fumerate INN 300 mg (eq. to Tenofovir Disoproxil 245 mg) + Emtricitabine INN 200 mg + Efavirenz INN 600 mg  <b>d) Formoterol Fumarate 6 mcg/100 Actuation inhaler</b> Formoterol Fumarate Dihydrate BP 0.00063gm (eq. to 0.0006 gm)/100 Actuation  <b>e) Formoterol Fumarate 12mcg/100 Actuation in MDI Aerosol</b> Formoterol Fumarate Dihydrate BP 0.0013 gm (eq. to 0.0012 gm Formoterol Fumarate)/100 Actuation  <b>f) Sitagliptin 50 mg Tablet</b> Sitagliptin Phosphate monohydrate INN 64.25 mg (eq. to 50 mg Sitagliptin)  <b>g) Fenoterol HCl 100mcg + Ipratropium Bromide 20mcg/100 Actuation Inhaler</b> Fenoterol HCl BP 0.01 gm + Ipratropium Bromide BP 0.002 gm/100 Actuation  <b>h) Fenoterol HCl 100mcg + Ipratropium Bromide 40mcg/100 Actuation Inhaler</b> Fenoterol HCl BP 0.01gm + Ipratropium Bromide BP 0.004 gm/100 Actuation  <b>i) Latanoprost 0.005% + Timolol 0.5% Ophthalmic Solution</b> Latanoprost INN 0.05 mg + Timolol Maleate BP 6.8 mg (eq. to 5 mg of Timolol)/ml	Asthma, Chronic Bronchitis  -do-	GB Կողբկբ FDA Աբյու բ Գես ԲՆՖ-Գ ԱՏ-Ք բ/Բ լեազ Արէ բ բր գԱյ Կiv հիԲtZ շիլ    GB Կողբկբ FDA Աբյու բ Գես ԲՆՖ-Գ ԱՏ-Ք բ/Բ լեազ Արէ բ բր գԱյ Կiv հիԲtZ շիլ	GB Կողբկբ FDA Աբյու բ Գես ԲՆՖ-Գ ԱՏ-Ք բ/Բ լեազ Արէ բ բր գԱյ Կiv հիԲtZ շիլ
2.	Beximco Pharma Ltd. Aristopharma Ltd. Incepta Pharma Ltd. Square Pharma Ltd. General Pharma Ltd.	<b>a) Sitagliptin 100 mg Tablet</b> Sitagliptin Phosphate Monohydrate INN 128.50 mg (eq. to 100 mg Sitagliptin)	Diabetes type-2	Abյու բ Կiv հիԲtZ շիլ	Abյու բ Կiv հիԲtZ շիլ

bs	cūZKvi tKi big	Jl̄tai big I tRbii K big	ib̄t kbi	tUKibK yj me-Kuguli 52Zg mfvi gZigZ	mfvi mxvS-
03.	Beximco Pharma Ltd. Incepta Pharma Ltd.	<b>a) Sitagliptin 25 mg Tablet</b>  Sitagliptin Phosphate Monohydrate INN 32.13 mg (eq. to 25 mg Sitagliptin)	Diabetes type-2	Abfgi`b Kiv hiBtZ ci i	Abfgi`tbi mgwi k Kiv nBj
04.	Square Phrma Ltd.	<b>a) Pioglitazone 30 mg + Glimepiride 2 mg Tablet</b>  Pioglitazone HCl INN 33.06 mg (eq. to Pioglitazone 30 mg) + Glimepiride INN 2 mg	Diabetes Type-2	Abfgi`b Kiv hiBtZ ci i	Abfgi`tbi mgwi k Kiv nBj
		<b>b) Pioglitazone 30 mg + Glimepiride 4 mg Tablet</b>  Pioglitazone HCl INN 33.06 mg (eq. to Pioglitazone 30 mg) + Glimepiride INN 4 mg	-do-	Abfgi`b Kiv hiBtZ ci i	Abfgi`tbi mgwi k Kiv nBj
		<b>c) Amlexanox 50 mg/gm oral paste</b>  Amlexanox INN 50 mg/gm	Aphthous Ulcers	Abfgi`b Kiv hiBtZ ci i	Abfgi`tbi mgwi k Kiv nBj
		<b>d) Calcium Carbonate 680 mg + Magnesium Carbonate 80 mg Chewable Tablet</b>  Calcium Carbonate BP 680 mg + Magnesium Carbonate BP 80 mg	Relief of Symptoms due to gastric hyperacidity, heart burn, Upset stomach Gastric pain.	FDA Abfgi`b Ges BNF-G Ašfj bB Ges Kifbkb Ac̄q Rbiq neaq Ait̄e`b bv gĀy Kiv hiBtZ ci i	FDA Abfgi`b Ges BNF-G Ašfj bB Ges Kifbkb Ac̄q Rbiq neaq Ait̄e`b bv gĀy Kiv nBj
		<b>e) Entecavir 0.25 mg/5ml Oral Solution</b>  Entecavir INN 5 mg/100ml	Chronic Hepatitis B Virus infection	Abfgi`b Kiv hiBtZ ci i	Abfgi`tbi mgwi k Kiv nBj
		<b>f) Rilmenidine 1 mg Tablet</b>  Rilmenidine Dihydrogen Phosphate BP 1.544 mg (eq. to Rilmenidine 1 mg)	Hypertension	FDA Abfgi`b Ges BNF-G Aš-fj bB neaq Ait̄e`b bv gĀy Kiv hiBtZ ci i	FDA Abfgi`b Ges BNF-G Aš-fj bB Ges Kifbkb Ac̄q Rbiq neaq Ait̄e`b bv gĀy Kiv nBj
		<b>g)Dihydroartemisinin 40 mg+ Piperaquine 320 mg Tablet</b>  Dihydroartemisinin BP 40 mg+ Piperaquine Phosphate BP 597.17 mg (eq. to 320 mg Piperaquine)	Treatment of all kinds of malaria	GB Kifbkb FDA Abfgi`b Ges BNF-G Aš-fj bB neaq Ait̄e`b bv gĀy Kiv hiBtZ ci i	GB Kifbkb FDA Abfgi`b Ges BNF-G Aš-fj bB neaq Ait̄e`b bv gĀy Kiv nBj
05.	Incepta Pharma Ltd.	<b>a) Ropinirole 1 mg Tablet</b>  Ropinirole HCl INN 1.14 mg (eq. to Ropinirole 1 mg)	Treatment of Idiopathic parkinson's disease	Abfgi`b Kiv hiBtZ ci i	Abfgi`tbi mgwi k Kiv nBj
		<b>b) Pramlintide 0.6 mg/ml Vial</b>  Pramlintide INN 0.61 mg (eq. to pramlintide 0.60 mg/ml)	Diabetes type-1, type-2 with insulin and other drugs	Abfgi`b Kiv hiBtZ ci i	Abfgi`tbi mgwi k Kiv nBj
		<b>c) Amlodipine 5 mg + Atorvastatin 10 mg Tablet</b>  Amlodipine Besylate BP 6.94 mg (eq. to Amlodipine 5 mg) + Atorvastatin Calcium Trihydrate INN 10.84 mg (eq. to Atorvastatin 10 mg)	Hypertension, Hyperlipidemia, Elevated serum TG levels.	Ac̄q Rbiq Kifbkb neaq Ait̄e`b bv gĀy Kiv hiBtZ ci i	Ac̄q Rbiq Kifbkb neaq Ait̄e`b bv gĀy Kiv nBj
		<b>d) Amlodipine 5 mg + Atorvastatin 20 mg Tablet</b>  Amlodipine Besylate BP 6.94 mg (eq. to Amlodipine 5 mg) + Atorvastatin Calcium Trihydrate INN 21.68 mg (eq. to Atorvastatin 20 mg)	-do-	Ac̄q Rbiq Kifbkb neaq Ait̄e`b bv gĀy Kiv hiBtZ ci i	Ac̄q Rbiq Kifbkb neaq Ait̄e`b bv gĀy Kiv nBj

bs	cñZKvi tKi bñg	Jl tñi bñg / tRñi K bñg	ibñ Kbi	tUKibñ yj me-Kugñi 52Zg mfvi gZigZ	mfvi mxvñ-
Incepta Pharma Ltd.		e) Isosorbide Dinitrate 20 mg + Hydralazine Hydrochloride 37.50 mg Tablet  Isosorbide Dinitrate BP 20 mg + Hydralazine Hydrochloride BP 37.5 mg	Treatment of Angina, left ventricular failure as an adjunct to standard therapy.	AcñqñRbiq Kñtñbkb ñeaqñ Añte`b bñ gÄý Kiv hñBñZ cñtñ /	AcñqñRbiq Kñtñbkb ñeaqñ Añte`b bñ gÄý Kiv evi mgññik Kiv nBñj /
		f) Estradiol 0.06% Gel  Estradiol USP 0.06 gm/100 gm	Treatment of moderate to severe vasomotor symptoms and vaginal atrophy associated with the menopause	Abñgr`b Kiv hñBñZ cñtñ /	Abñgr`bti mgññik Kiv nBñj /
		g) Cromolyn Sodium 5.2mg/Actuation nasal solution  Cromolyn Sodium USP 40 mg/ml Solution	Prophylactic agent indicated in the management of patients with bronchial asthma, allergic rhinitis.	Abñgr`b Kiv hñBñZ cñtñ /	Abñgr`bti mgññik Kiv nBñj /
		h) Eplerenone 25 mg Tablet  Eplerenone INN 25 mg	Congestive heart failure, Post myocardial infarction & Hypertension.	Abñgr`b Kiv hñBñZ cñtñ /	Abñgr`bti mgññik Kiv nBñj /
		i) Eplerenone 50 mg Tablet  Eplerenone INN 50 mg	-do-	Abñgr`b Kiv hñBñZ cñtñ /	Abñgr`bti mgññik Kiv nBñj /
06. General Pharma Ltd.		a) Methyl Salicylate 0.06 gm + Menthol 0.042 gm + Eucalyptol 0.092 gm + Thymol 0.064 gm/100 ml Antiseptic mouthwash with fluoride  Methyl Salicylate USP 0.06 gm + Menthol USP 0.042 gm + Eucalyptol USP 0.092 mg + Thymol USP 0.064 gm/100ml	Prevent and reduce plaque & gingivitis	Abñgr`b Kiv hñBñZ cñtñ /	Abñgr`bti mgññik Kiv nBñj /
		b) Methyl Salicylate 0.06 gm + Menthol 0.042 gm + Eucalyptol 0.092 gm + Thymol 0.064 gm/100 ml Mouth wash  Methyl Salicylate uSP 0.06 gm + Menthol USP 0.042 gm + Eucalyptol USP 0.092 mg + Thymol USP 0.064 gm/100ml	-do-	Abñgr`b Kiv hñBñZ cñtñ /	Abñgr`bti mgññik Kiv nBñj /
		c) Purified Honey 22.20 gm + Glycerol 15 ml + Demineralised Sugar 44 ml + Ipecacuanha Liquid extract 0.300ml/100 ml  Purified Honey BP 22.20 gm + Glycerol BP 15 ml + Demineralised Sugar BP 44 ml + Ipecacuanha BP 0.300 ml/100ml	Relief of coughs and sore throats	GB Kñtñbkb FDA Abñgr`b Ges BNF-G Aš-fñ bñB ñeaqñ Añte`b bñ gÄý Kiv hñBñZ cñtñ /	GB Kñtñbkb FDA Abñgr`b Ges BNF-G Aš-fñ bñB ñeaqñ Añte`b bñ gÄý Kiv nBñj /
		d) Aluminium Chloride Hexahydrate 20 gm/100 ml Solution  Aluminium Chloride Hexahydrate USP 20gm/100ml	Hyperhidrosis specifically involving axillae, hands or feet	Abñgr`b Kiv hñBñZ cñtñ /	Abñgr`bti mgññik Kiv nBñj /
		e) Capsaicin 0.025 gm/100gm  Capsaicin USP 0.025 gm/100 gm	For the symptomatic relief of pain associated with osteoarthritis	Abñgr`b Kiv hñBñZ cñtñ /	Abñgr`bti mgññik Kiv nBñj /

<i>bs</i>	<i>cñZKvi tKi bvg</i>	<i>Jl tai bvg I tRbvi K bvg</i>	<i>ibt' kbi</i>	<i>tUKibK yj me-Kugli 52Zg mfvi gZigZ</i>	<i>mfvi mxvS-</i>
	General Pharma Ltd.	<p><b>f) Super Vit-B Complex Capsule</b></p> <p>Thiamin Monohydrate (vitamin B<sub>1</sub>) BP 30 mg      Riboflavin (Vitamin B<sub>2</sub>) BP 35 mg      Nicotinamide BP 50 mg      Pyridoxine HCl (Vitamin B<sub>6</sub>) BP 15 mg      Folic Acid BP 400 mcg      Cyanocobalamin (Vitamin B<sub>12</sub>) BP 100 mcg      Biotin USP 300 mg      Pantothenic Acid (as D-Calcium Panthothenate) BP 100 mg      Calcium (as diabasic Calcium Phosphate &amp; D-Calcium Pantothenate) BP 37 mg      Choline Bitartrate Ph. Gr. 50 mg      Inositol Ph. Gr. 100 mcg      Para Amino Benzoic Acid Ph. Gr. 50 mcg</p>	Prevent the associated B-Vitamin deficiencies	<i>Kirfbkb AcqiqRbq neaq Avt'e`b bv gAy Kiv hbZ ci i /</i>	<i>AcqiqRbq Kirfbkb neaq Avt'e`b bv gAy Kiv nbj /  wflwgibi Kirfbkb Riziq Jl tai t tI ths3K digyktbi GKU bwZgyj v clyqibi mgwi k Mpz nq /</i>
		<p><b>g) Lutein 6 mg Tablet</b></p> <p>Lutein USP 6 mg</p>	Used to slow aging, Treat cancer and to prevent cataracts and age related muscular degeneration	FDA Abfgv`b Ges BNF-G Aš-f <sup>2</sup> bvB neaq Avt'e`b bv gAy Kiv hbZ ci i /	FDA Abfgv`b Ges BNF-G Aš-f <sup>2</sup> bvB neaq Avt'e`b bv gAy Kiv nbj /
		<p><b>h) Elemental Iron 105 mg + Vitamin C 500 mg Tablet</b></p> <p>Dried Ferrous Sulphate BP 325 mg (eq. to 105 mg Elemental Iron) + Sodium Ascorbate BP 562.5 mg (eq. to 500 mg Vitamin C)</p>	Iron deficiency and for the simultaneous vitamin C deficiency	<i>Abfgv`b Kiv hbZ ci i /</i>	<i>Abfgv`bti mgwi k Kiv nbj /</i>
		<p><b>i) Povidone Iodine 4% Shampoo</b></p> <p>Providone Iodine USP 4 gm/100 ml</p>	Seborrhoeic conditions of the scalp associated with excessive dandruff.	<i>Abfgv`b Kiv hbZ ci i /</i>	<i>Abfgv`bti mgwi k Kiv nbj /</i>
		<p><b>j) Lidocaine 2.5% + Prilocaine 2.5% Cream</b></p> <p>Lidocaine BP 2.5 gm + Prilocaine BP 2.5 gm/100 gm</p>	Local anaesthetic for topical use.	<i>Abfgv`b Kiv hbZ ci i /</i>	<i>Abfgv`bti mgwi k Kiv nbj /</i>
		<p><b>k) Salsalate 750 mg Tablet</b></p> <p>Salsalate USP 750 mg</p>	Anti-inflammatory and analgesic effects in the symptomatic treatment of rheumatoid arthritis, osteoarthritis	<i>Abfgv`b Kiv hbZ ci i /</i>	<i>Abfgv`bti mgwi k Kiv nbj /</i>
		<p><b>l) Salsalate 500 mg Tablet</b></p> <p>Salsalate USP 500 mg</p>	-do-	<i>Abfgv`b Kiv hbZ ci i /</i>	<i>Abfgv`bti mgwi k Kiv nbj /</i>

<i>bs</i>	<i>cñZKvi tKi bñg</i>	<i>Jl tñai bñg / tRñwñ K bñg</i>	<i>ibñ kñr</i>	<i>tUKibñ yj me-Kugñi 52Zg mñvi gZigZ</i>	<i>mñvi mñxñS-</i>
	General Pharma	<b>m) Triazolam 0.125 mg Tablet</b> Triazolam USP 0.125 mg	Indicated as hypnotic in short term management of insomnia	<i>Abfgi`b Kiv hñBñZ cñti /</i>	<i>Abfgi`tbi mgñi k Kiv nBj /</i>
		<b>n) Triazolam 0.25 mg Tablet</b> Triazolam USP 0.25 mg	-do-	<i>Abfgi`b Kiv hñBñZ cñti /</i>	<i>Abfgi`tbi mgñi k Kiv nBj /</i>
		<b>r) Rimonabant 20 mg Tablet</b> Rimonabant INN 20 mg	An adjunct to diet or exercise for the treatment of obese patients	<i>FDA Abg`b Ges BNF-G Añ-fñ bñB ñeaq Añe`b bñ gÄy Kiv hñBñZ cñti /</i>	<i>FDA Abg`b Ges BNF-G Añ-fñ bñB ñeaq Añe`b bñ gÄy Kiv nBj /</i>
		<b>s) Aprepitant 40 mg Tablet</b> Aprepitant INN 40 mg	Prevention of post operative nausea and vomiting	<i>Abfgi`b Kiv hñBñZ cñti /</i>	<i>Abfgi`tbi mgñi k Kiv nBj /</i>
		<b>t) Vitamin B Complex with Vitamin B12 Tablet</b>  Thiamin Mononitrate BP 10 mg Riboflavin BP 10 mg Pyridoxine HCl BP 3 mg Cyanocobalamin (Vitamin B <sub>12</sub> ) 15 mcg Nicotinamide BP 45 mg Calcium Pantothenate BP 50 mg	Treatment of associated vitamin deficiencies	<i>AclqñRbiq Kññbkñ ñeaq Añe`b bñ gÄy Kiv hñBñZ cñti /</i>  <i>ñfUngtbi ñenþækñvi Kññbkñ RiZñq Jl tñai Añe`tbi tcññtZ thññK digñj ktbi GKñU bññZgj / cñqñtbi mgñi k MpxZ nq /</i>	<i>AclqñRbiq Kññbkñ ñeaq Añe`b bñ gÄy Kiv nBj /</i>  <i>ñfUngtbi ñenþækñvi Kññbkñ RiZñq Jl tñai Añe`tbi tcññtZ thññK digñj ktbi GKñU bññZgj / cñqñtbi mgñi k MpxZ nq /</i>
		<b>u) Vitamin A 333 IU Vitamin C 33 mg Zinc (as Citrate/gluconate) 5 mg Slippery Elm 5 mg/Chewable Tablet</b>  Vitamin A (as Palmitate) BP 333 IU Vitamin C (as sodium Ascorbate/Ascorbic Acid) BP 33 mg Zinc (as Citrate/Gluconate) BP 5 mg Slippery Elm ( <i>Ulmus rubra</i> ) Ph. Gr. 5 mg	Treatment & prevention of Vita A, Vitamin C & Zinc deficiencies syndrome	<i>AclqñRbiq Kññbkñ ñeaq Añe`b bñ gÄy Kiv hñBñZ cñti /</i>	<i>AclqñRbiq Kññbkñ ñeaq Añe`b bñ gÄy Kiv nBj /</i>  <i>ñfUngtbi ñenþækñvi Kññbkñ RiZñq Jl tñai Añe`tbi tcññtZ thññK digñj ktbi GKñU bññZgj / cñqñtbi mgñi k MpxZ nq /</i>
07.	Renata Ltd.	<b>a) Multivitamin Tablet for pregnant woman</b>  Dry Vitamin D <sub>3</sub> USP 2 mg (eq. to Vitamin D <sub>3</sub> 5 mcg) Dry Vitamin E Acetate USP 40 mg (eq. to Vitamin E 20 mg) Vitamin C Coated USP 71.43 mg (eq. to Vitamin C 70 mg) Thiamin Mononitrate USP 3.70 mg (eq. to Thiamine 3 mg) Riboflavin USP 2 mg Niacin USP 20 mg Vitamin B <sub>6</sub> USP 10 mg Vitamin B <sub>12</sub> USP 0.60 mg (eq. to B <sub>12</sub> 6 mcg) Folic Acid USP 0.40 mg Betacarotene USP 2 mg Vitamin K USP 0.07 mg Sodium Selenate USP 0.0717 mg (eq. to Selenium 30 mcg) Ferrous Fumarate USP 52.30 mg (eq. to Iron 17 mg) Magnesium Oxide USP 248.77 mg (eq. to Magnesium 150 mg) Zinc Sulphate Monohydrate USP 41.16 mg (eq. to 15 mg Zinc) Potassium Iodide USP 0.183 mg (eq. to Iodine 140 mcg) Copper Sulphate USP 2.50 mg (eq. to 1 mg Copper)	Deficiency of or increased requirement for vitamins and nutrients.	<i>AclqñRbiq Kññbkñ ñeaq Añe`b bñ gÄy Kiv hñBñZ cñti /</i>	<i>AclqñRbiq Kññbkñ ñeaq Añe`b bñ gÄy Kiv nBj /</i>  <i>ñfUngtbi ñenþækñvi Kññbkñ RiZñq Jl tñai Añe`tbi tcññtZ thññK digñj ktbi GKñU bññZgj / cñqñtbi mgñi k MpxZ nq /</i>

bs	cñZKvi tKi bñg	Jlñai bñg / tRñwi K bñg	ibñ kñr	tUKibñ yj me-Kugñi 52Zg mfvi gZigZ	mfvi mxvñ-
Renata Ltd.	<p><b>b) Multivitamin Tablet for post menopausal woman</b></p> <p>Dry Vitamin D<sub>3</sub> 2 mg (eq. to Vitamin D<sub>3</sub> 5mcg)  Dry Vitamin E Acetate USP 60 mg (eq. to Vitamin E 30 mg)  Vitamin C (Coated) USP 45.92 mg (eq. to Vitamin C 45 mg)  Thiamine Mononitrate USP 12.33 mg (eq. to Thiamine 10 mg)  Riboflavin USP 5 mg  Nicotinamide USP 20 mg  Pyridoxine HCL USP 10 mg  Vitamin B<sub>12</sub> USP 0.9 mg (eq. to Vitamin B<sub>12</sub> 9 mcg)  Folic Acid USP 0.5 mg  Vitamin A Palmitate USP 5 mg (eq. to Vitamin A 750 mcg)  Biotin USP 0.03 mg  Calcium Pentothenate USP 65.21 mg (eq. to Pantothenate Acid 30 mg)  P.A. B.A. USP 25 mg  Ferrous Fumarate USP 18.45 mg (eq. to Iron 6 mg)  Magnesium Oxide USP 165.85 mg (eq. to Magnesium 100 mg)  Zinc Sulphate Monohydrate USP 41.16 mg (eq. to Zinc 15 mg)  Potassium Iodide USP 0.294 mg (eq. to Iodine 225 mcg)  Cupric Sulphate USP 2.5 mg (eq. to 1 mg Copper)  Manganese Sulphate USP 1.5375 mg (eq. to Manganese 0.5 mg)  Chromium Glycin Chelate USP (eq. to Chromium 50 mcg)  Sodium Selenate USP 0.239 mg (eq. to Selenium 100 mcg)  Isoflavon Extract USP 20 mg</p> <p><b>c) Multivitamin Tablet for Woman</b></p> <p>Dry Vitamin D<sub>3</sub> USP 2 mg (eq. to Vitamin D<sub>3</sub> 5 mcg)  Dry Vitamin E Acetate USP 40 mg (eq. to Vitamin E 20 mg)  Vitamin C (Coated) USP 61.2249 mg (eq. to Vitamin C 60 mg)  Thiamin Mononitrate USP 14.796 mg (eq. to Thiamine 12 mg)  Riboflavin USP 5 mg  Nicotinamide USP 20 mg  Pyridodoxine HCl 9 mg  Vitamin B<sub>12</sub> USP 0.90 mg (eq. to Vitamin B<sub>12</sub> 9 mcg)  Folic Acid USP 0.50 mg  Vitamin A Palmitate USP 5 mg (eq. to Vitamin A 750 mcg)  Biotin USP 0.05 mg  Calcium Pentothenate USP (eq. to Pantothenate 10 mg)  P.A. B. A. USP 20 mg  Potassium Iodide USP 0.196 mg (eq. to Iodide 150 mcg)  Ferrous Fumerate USP 18.45 mg (eq. to Iron 6 mg)  Magnesium Oxide USP 82.925 mg (eq. to Magnesium 50 mg)  Zinc Sulphate Monohydrate USP 41.16 mg (eq. to Zinc 15 mg)  Cupric Sulphate USP 2.5 mg (eq. to 1 mg Copper)  Manganese Sulphate USP 9.225 mg (eq. to Manganese 3 mg)  Chromium Glycin chelate USP (eq. to Chromium 50 mcg)  Sodium Selenate USP 0.3585 mg (eq. to Selenium 150 mcg)  Anginine BP 20 mg  Methionine BP 20 mg  Betacarotene BP 2 mg  Ginseng BP 20 mg  Co-enzyme Q-10 USP 2 mg  L-Carnitin USP 30 mg  Bioflavonoids USP 10 mg</p>	Deficiencies or increased requirement for vitamin and nutrients	AclqñRbiq Kñptkbk ñearq Añte`b bv gAÿ Kiv nBj /  mfUngtbi ñerfbaçKvi Kñptkbk RñZiq Jlñai Añte`tbi tcññtZ thññK digij ktbi GKñU bññZgyj / cñqtbi mgñik MpñZ nq/	AclqñRbiq Kñptkbk ñearq Añte`b bv gAÿ Kiv nBj /  mfUngtbi ñerfbaçKvi Kñptkbk RñZiq Jlñai Añte`tbi tcññtZ thññK digij ktbi GKñU bññZgyj / cñqtbi mgñik MpñZ nq/	

bs	cūZKvi tKi bvg	Jl̄tai bvg I tRbvi K bvg	ib̄t kbi	tUKibK yj me-Kuguli 52Zg mfvi gZigZ	mfvi mxvS-
08.	Eskayef Bangladesh Ltd.	<p><b>a) Calcium 130 mg Pantothenenic Acid 66.667 mg Lysine HCl 2 gm Nicotinamide 133.333 mg Phosphorous 1.333 gm Vitamin B<sub>1</sub> 20 mg Vitamin B<sub>2</sub> 23.333 mg Vitamin B<sub>6</sub> 40 mg Vitamin D<sub>3</sub> 4000 IU Vitamin E 100 mg/100 ml Syrup</b></p> <p>Calcium Chloride Dihydrate USP 3.187 gm (Eq. to 130 mg Calcium) Calcium Pantothenate USP 72.776 mg (eq. to 66.667 mg Pantothenate Acid) Lysine HCl USP 2 gm Nicolinamide USP 133.333 mg Phosphorous (as Sodium Phosphate) USP 1.333 gm Vitamin B<sub>1</sub> (as Thiamin HCl) USP 20 mg Vitamin B<sub>2</sub> (as Riboflavin-5 Phosphate Sodium) USP 23.333 mg Vitamin B<sub>6</sub> (as Pyridoxine HC) USP 40 mg Vitamin D<sub>3</sub> (as Cholecalciferol) USP 4000 IU Vitamin E (as Vitamin E Acetate) USP 100 mg/100ml</p>	Vitamins and minerals deficiency	Ac̄q̄Rb̄q K̄t̄bkb neaq̄ Āt̄ē b̄ b̄ ḡȳ K̄v̄ n̄b̄j̄ / w̄Unḡt̄b̄i w̄f̄b̄c̄k̄v̄i K̄t̄bkb R̄z̄q̄ J̄t̄ai Āt̄ē t̄b̄i f̄t̄l̄t̄z̄ th̄p̄K̄ d̄ḡj̄ k̄t̄b̄i Ḡk̄U b̄w̄Z̄ḡj̄ / c̄l̄q̄t̄b̄i m̄ḡm̄k̄ M̄p̄Z̄ n̄q̄ /	
		<p><b>b) Acetaminophen 500 mg + Pamabrom 25 mg Tablet</b></p> <p>Acetaminophen USP 500 mg Pamabrom USP 25 mg</p>	Pain, Fever & Cramp	GB K̄t̄bkb FDA Ab̄ḡr̄ b̄ Ges BNF-G Ās̄-f̄b̄ Ges Ac̄q̄Rb̄q K̄t̄bkb neaq̄ Āt̄ē b̄ b̄ ḡȳ K̄v̄ h̄B̄Z̄ c̄t̄ī /	GB K̄t̄bkb FDA Ab̄ḡr̄ b̄ Ges BNF-G Ās̄-f̄b̄ Ges Ac̄q̄Rb̄q K̄t̄bkb neaq̄ Āt̄ē b̄ b̄ ḡȳ K̄v̄ n̄b̄j̄ /
09.	Eskayef Bd. Ltd.	<p><b>a) Levosulpiride 25 mg Tablet</b></p> <p>Levosulpiride INN 25 mg</p>	Endogenous and reactive depressive states, somatic disturbances, acute and chronic schizophrenia	GB K̄t̄bkb FDA Ab̄ḡr̄ b̄ Ges BNF-G Ās̄-f̄b̄ Ges Ac̄ēen̄t̄ī ī m̄āeb̄ī Āt̄Q̄ neaq̄ Āt̄ē b̄ b̄ ḡȳ K̄v̄ h̄B̄Z̄ c̄t̄ī /	GB K̄t̄bkb FDA Ab̄ḡr̄ b̄ Ges BNF-G Ās̄-f̄b̄ Ges Ac̄ēen̄t̄ī ī m̄āeb̄ī Āt̄Q̄ neaq̄ Āt̄ē b̄ b̄ ḡȳ K̄v̄ n̄b̄j̄ /
		<p><b>b) Oxymorphone HCl 20 mg Extended Release Tablet</b></p> <p>Oxymorphone HCl USP 20 mg</p>	Relief of moderate to severe pain.	GB Dosage Form-G Ac̄ēen̄t̄ī ī m̄āeb̄ī Āt̄Q̄ neaq̄ Āt̄ē b̄ b̄ ḡȳ K̄v̄ h̄B̄Z̄ c̄t̄ī /	GB Dosage Form-G Ac̄ēen̄t̄ī ī m̄āeb̄ī Āt̄Q̄ neaq̄ Āt̄ē b̄ b̄ ḡȳ K̄v̄ n̄b̄j̄ /
		<p><b>c) Cetirizine HCl 5 mg + Pseudoephedrine HCl 120 mg Extended Release Tablet</b></p> <p>Cetirizine HCl BP 5 mg Pseudoephedrine HCl USP 120 mg</p>	Antihistamine	GB K̄t̄bkb Ac̄q̄Rb̄q Ges FDA Ab̄ḡr̄ b̄ Ges BNF-G Ās̄-f̄b̄ neaq̄ Āt̄ē b̄ b̄ ḡȳ K̄v̄ h̄B̄Z̄ c̄t̄ī /	GB K̄t̄bkb Ac̄q̄Rb̄q Ges FDA Ab̄ḡr̄ b̄ Ges BNF-G Ās̄-f̄b̄ neaq̄ Āt̄ē b̄ b̄ ḡȳ K̄v̄ n̄b̄j̄ /
		<p><b>d) Flavoxate HCl 200 mg Tablet</b></p> <p>Flavoxate HCl BP 200 mg</p>	Relief of dysuria, urgency, nocturia, frequency and incontinence as may occur in cystitis, prostatitis urethritis	Ab̄ḡr̄ b̄ K̄v̄ h̄B̄Z̄ c̄t̄ī /	Ab̄ḡr̄ t̄b̄ī m̄ḡm̄k̄ K̄v̄ n̄b̄j̄ /
		<p><b>e) Fusidic Acid 2% + Betamethasone 0.1% Cream</b></p> <p>Fusidic Acid BP 2 gm Betamethasone Valerate BP 0.121 gm (eq. to Betamethasone 0.1gm/100gm)</p>	Treatment of eczematous dermatoses including atopic eczema, infantile eczema, contact eczema	Ab̄ḡr̄ b̄ K̄v̄ h̄B̄Z̄ c̄t̄ī /	Ab̄ḡr̄ t̄b̄ī m̄ḡm̄k̄ K̄v̄ n̄b̄j̄ /
		<p><b>f) Gentamycin 1% + Betamethasone 0.5% Cream</b></p> <p>Gentamycin (as Gentamycin Sulphate BP 0.1gm) Betamethasone Dipropionate BP 0.064 gm (eq. to 0.050gm Betamethasone)/100gm</p>	Infected allergic or inflammatory skin rashes such as eczema psoriasis	Ab̄ḡr̄ b̄ K̄v̄ h̄B̄Z̄ c̄t̄ī /	Ab̄ḡr̄ t̄b̄ī m̄ḡm̄k̄ K̄v̄ n̄b̄j̄ /

bs	c�ZKvi�Ki b�g	Jl�ai b�g / tR�wi K b�g	�b�r	tUKib�j me-Ku�li 52Zg m�vi g�g�Z	m�fi m�x�-
	Eskayef Bd. Ltd.	<b>g) Simethicone 80 mg Tablet</b>  Simethicone USP 80 mg	Flatulence abdominal distension, gas & windy colic	c�q�Rb b�v�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	c�q�Rb b�v�ea�q A�t�`b b�v g�y� Kiv n�B�j
10.	Novartis (BD) Ltd.	<b>a) Vitamin C 250 mg</b> <b>Zinc Gluconate 16 mg</b> <b>Vitamin E Acetate 200 IU</b> <b>Copper Gluconate 7 mg Tablet</b>  Ascorbic Acid USP 250 mg Zinc Gluconate USP 16 mg Vitamin E Acetate USP 200 IU Copper Gluconate USP 7 mg	Reduce the risk of age related muscular degeneration protecting eye from developing cataract.	A�q�Rbq K�tbkb�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	A�q�Rbq K�tbkb�ea�q A�t�`b b�v g�y�Kiv n�B�j    m�Ung�bi m�fb�ck�v K�tbkb R�Z�q Jl�ai A�t�`b�t�i t���t� th��K d�g�j k�t�b�i G�K�U b�m�Z�j�v c�q�t�b�i m�w�k M�p�Z n�q�
11.	ACI Ltd.	<b>a) Diloxanide Furoate 250 mg + Metronidazole 200 mg Tablet</b>  Diloxanide Furoate BP 250 mg Metronidazole BP 200 mg	Acute and chronic intestinal amoebiasis, amoebic hepatitis, amoobic liver abceess	GB K�tbkb FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B Ges A�q�Rbq�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	GB K�tbkb FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B Ges A�q�Rbq�ea�q A�t�`b b�v g�y� Kiv n�B�j
	<b>b) Diloxanide Furoate 500 mg + Metronidazole 400 mg Tablet</b>  Diloxanide Furoate BP 500 mg Metronidazole BP 400 mg	-do-	GB K�tbkb FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B Ges A�q�Rbq�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	GB K�tbkb FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B Ges A�q�Rbq�ea�q A�t�`b b�v g�y� Kiv n�B�j	
	<b>c) Diloxanide Furoate 5 gm + Metronidazole 4gm/100 ml Powder for Suspensiont</b>  Diloxanide Furoate BP 5 gm Metronidazole BP 4 gm/100ml	Acute and chronic intestinal amoebiasis, amoebic hepatitis, amoobic liver abceess	GB K�tbkb FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B Ges A�q�Rbq�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	GB K�tbkb FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B Ges A�q�Rbq�ea�q A�t�`b b�v g�y� Kiv n�B�j	
	<b>d) Diquafosol Tetrasodium 2% Ophthalmic Solution</b>  Diquafosol Tetrasodium INN 2 gm/100ml	Treatment of dry eye syndrome, corneal and conjunctival staining	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y� Kiv n�B�j	
	<b>e) Nebivolol 2.5 mg Tablet</b>  Nobivolol HCl INN 2.725 mg (eq. to Nebivolol 2.5 mg)	Chronic heart failure, Hypertension in elderly, and Renal insufficiency	Ab�g�`b Kiv h�B�Z c�t�i	Ab�g�`b�t�i m�w�k Kiv n�B�j	
	<b>f) Muraglitazar 5 mg Tablet</b>  Muraglitazar INN 5 mg	Type 2 diabetes	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y� Kiv n�B�j	
	<b>g) Muraglitazar 2.5 mg Tablet</b>  Muraglitazar INN 2.5 mg	-do-	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y� Kiv n�B�j	
	<b>h) Serratiopeptidase 5 mg Tablet</b>  Serratiopeptidase INN 5 mg	Invarious type of inflammation such as inflammation after operation, traumatic injury & inflammation in sinusitis	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y� Kiv n�B�j	
	<b>i) Tiaprofenic Acid 300 mg SR Capsule</b>  Tiaprofenic Acid INN 300 mg	Rheumatoid Arthritis, Osteoarthritis, ankylosing spondylitis	Ab�g�`b Kiv h�B�Z c�t�i	Ab�g�`b�t�i m�w�k Kiv n�B�j	
	<b>j) Benfotiamine 50 mg Capsule</b>  Benfotiamine INN 50 mg	Diabetic neuropathy, Reduce diabetic complication.	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y� Kiv n�B�j	
	<b>k) Nicergoline 5 mg Tablet</b>  Nicergoline INN 5 mg	Acute and chronic cerebral metabolic vascular disorders, arterio sclerosis.	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y�Kiv h�B�Z c�t�i	FDA Ab�g�`b Ges BNF-G A�S-f� b�v�B�ea�q A�t�`b b�v g�y� Kiv n�B�j	

bs	cūZKvi tKi bvg	Jl̄tai bvg I tRbii K bvg	ib̄t kbi	tUKibK yj me-Kugli 52Zg mfvi gZigZ	mfvi mxvš-
ACI Ltd.		<b>I) Buflomedil 150 mg Tablet</b>  Buflomedil HCl INN 167.811 mg (eq. to 150 mg Buflomedil)	Dementia disorientation, Insomnia.	FDA Abfgi`b Ges BNF-G Aš-fy bvb neaq Ait̄e`b bv gĀy Kiv hiBtZ c̄ti	FDA Abfgi`b Ges BNF-G Aš-fy bvb neaq Ait̄e`b bv gĀy Kiv nBj
		<b>m) Buflomedil 300 mg Tablet</b>  Buflomedil HCl INN 335.62 mg (eq. to 300 mg Buflomedil)	-do-	FDA Abfgi`b Ges BNF-G Aš-fy bvb neaq Ait̄e`b bv gĀy Kiv hiBtZ c̄ti	FDA Abfgi`b Ges BNF-G Aš-fy bvb neaq Ait̄e`b bv gĀy Kiv nBj
		<b>n) Buflomedil IM/IV 1 gm Injection</b>  Buflomedil HCl INN 1.1187gm (eq. to 1 gm Buflomedil)/100 ml	-do-	FDA Abfgi`b Ges BNF-G Aš-fy bvb neaq Ait̄e`b bv gĀy Kiv hiBtZ c̄ti	FDA Abfgi`b Ges BNF-G Aš-fy bvb neaq Ait̄e`b bv gĀy Kiv nBj
12.	Acme Lab. Ltd.	<b>a) Neotame 0.6 mg Tablet</b>  Neotame USP 0.60 mg	Sweetener and flavour enhancer 8000 times sweeter than sugar	AicvZZt ~MZ iLv hiBtZ c̄ti Ges Ait̄i chib Z_ c̄t̄bi Rb` ej v nBj	AicvZZt ~MZ Ges chib Z_ c̄t̄bi Rb` ej v nBj
		<b>b) Sucratose 8 mg Tablet</b>  Sucratose USP 8 mg	Low-caloric sweetener 400 – 1000 times sweeter than sugar	Abfgi`b Kiv hiBtZ c̄ti	Abfgi`b i mgwi k Kiv nBj
		<b>d) Silver Sulfadiazine 1 gm + Metronidazole 1 gm + Chlorhexidine Gluconate 0.200 gm + Zinc Oxide 2.5 gm/100gm Cream</b>  Silver Sulfadiazine USP 1 gm Metronidazole USP 1 gm Chlorhexidine Gluconate Solution USP 1 gm (eq. to 0.200 gm Chlorhexidine Gluconate) Zinc Oxide USP 2.5 gm/100gm	Second to third degree burns	AicvZZt ~MZ iLv hiBtZ c̄ti Ges Kip̄tbkbi thib KZv m̄utK®e vL` v Pvl qv hiBtZ c̄ti	AicvZZt ~MZ Ges GB Kip̄tbkbi thib KZv m̄utK®e vL` v c̄t̄bi Rb` ej v nBj
		<b>f) Lumiracoxib 200 mg Tablet</b>  Lumiracoxib INN 200 mg	Symptomatic relief of osteoarthritis, the short term relief of moderate to severe acute pain associated with dysmenorrhoea, dental surgery, orthopaedic surgery	c̄qiqRb bvb neaq Ait̄e`b bv gĀy Kiv hiBtZ c̄ti	c̄qiqRb bvb neaq Ait̄e`b bv gĀy Kiv nBj
		<b>g) Atenolol 50 mg + Nifedipine 20 mg Extended Release Capsule</b>  Atenolol and Nifedipine Blanded Pellets Ph. Gr. 470mg (eq. to Atenolol 50 mg) Nifedipine 20 mg	Hypertension	Abfgi`b Kiv hiBtZ c̄ti	Abfgi`b i mgwi k Kiv nBj
		<b>h) Magaldrate 480 mg + Simethicone 20 mg Chewable Tablet</b>  Magaldrate USP 480 mg + Simethicone Emulsion USP 66.67 mg (eq. to 20 mg Simethicone)	Relief of heart burn, indigestion and stomach upset	GB Kip̄tbkb c̄qiqRb bvb Ges BNF-G Aš-fy bvb neaq Ait̄e`b bv gĀy Kiv hiBtZ c̄ti	GB Kip̄tbkb c̄qiqRb bvb Ges BNF-G Aš-fy bvb neaq Ait̄e`b bv gĀy Kiv nBj
		<b>a) Trifluoperazine 10 mg Tablet</b>  Trifluoperazine HCL BP 12 mg (eq. to Trifluoperazine 10 mg)	Management of Schizophrenia	~MZ iLv hiBtZ c̄ti Ges GB ḡi v m̄utK®Z_ I e vL` v Pvl qv hiBtZ c̄ti	AicvZZ ~MZ Ges GB ḡi v m̄utK® ne ~MZ e vL` v Ges Z_ c̄t̄bi Rb` ej v nBj
		<b>b) Paracetamol 325 mg + Guaifenesin 200 mg Tablet</b>  Paracetamol BP 325 mg Guaifenesin BP 200 mg	Temporarily relieves minor aches, pain, headache, fever.	GB Kip̄tbkb FDA Abfgi`b Ges BNF-G Aš-fy bvb Ges Ac̄qiqRbq neaq Ait̄e`b bv gĀy Kiv hiBtZ c̄ti	GB Kip̄tbkb FDA Abfgi`b Ges BNF-G Aš-fy bvb Ges Ac̄qiqRbq neaq Ait̄e`b bv gĀy Kiv nBj
Delta Pharma Ltd.		<b>c) Paracetamol 500 mg + Diphenhydramine HCl 12.50 mg Tablet</b>  Paracetamol BP 500 mg Diphenhydramine HCl BP 12.50mg	Temporarily relieves cold, flu symptom, minor aches and pain	GB Kip̄tbkb FDA Abfgi`b Ges BNF-G Aš-fy bvb Ges Ac̄qiqRbq neaq Ait̄e`b bv gĀy Kiv hiBtZ c̄ti	GB Kip̄tbkb FDA Abfgi`b Ges BNF-G Aš-fy bvb Ges Ac̄qiqRbq neaq Ait̄e`b bv gĀy Kiv nBj

bs	cī ZKvi tKi big	Jl̄ai big / tRbii K big	ib̄ kbi	tUKibC yj me-Kugli 52Zg mfvi gZigZ	mfvi m̄xvš-
14.	Healthcare Pharma Ltd.	<b>a) Tacrolimus 0.5 mg Capsule</b>  Tacrolimus INN 0.5 mg	Prophylaxis of organ rejection in patients receiving allogenic liver, kidney or heart transplants	Abfgi`b Kiv h̄BtZ c̄ti /	Abfgi`tbi mḡwi k Kiv nBj /
		<b>b) Tacrolimus 1 mg Capsule</b>  Tacrolimus INN 1 mg	-do-	Abfgi`b Kiv h̄BtZ c̄ti /	Abfgi`tbi mḡwi k Kiv nBj /
		<b>c) Tacrolimus 5 mg Capsule</b>  Tacrolimus INN 5 mg	-do-	Abfgi`b Kiv h̄BtZ c̄ti /	Abfgi`tbi mḡwi k Kiv nBj /
		<b>d) Sodium Phosphate 1500 mg Tablet</b>  Sodium Phospahte monobasic USP 1.102 gm Sodium Phosphate Diabasic Anhydrous USP 0.398gm	Cleansing of the colon as a preparation for colonoscopy	Abfgi`b Kiv h̄BtZ c̄ti /	Abfgi`tbi mḡwi k Kiv nBj /
		<b>e) Lubiprostone 24 mcg Capsule</b>  Lubiprostone INN 24 mcg	Treatment of Chronic idiopathic constipation in adult	Abfgi`b Kiv h̄BtZ c̄ti /	Abfgi`tbi mḡwi k Kiv nBj /
15.	Popular Pharma Ltd.	<b>a) Cholestyramine oral powder (Light) 4gm/ Sachet</b>  Cholestyramine BP 4.545 gm (eq. to Anhydrous Cholestyramine 4 gm)	Diarrhoea due to chrohns disease radiation treatment, high blood cholesterol levels, prevention of coronary heart disease specially for diabetic patients	Abfgi`b Kiv h̄BtZ c̄ti /	Abfgi`tbi mḡwi k Kiv nBj /
		<b>b) Cholestyramine oral powder 4 gm/sachet</b>  Cholestyramine BP 4.545 gm (eq. to Anhydrous Cholestyramine 4 gm)	-do-	Abfgi`b Kiv h̄BtZ c̄ti /	Abfgi`tbi mḡwi k Kiv nBj /
		<b>c) Ebastine 10 mg Tablet</b>  Ebastine INN 10 mg	Seasonal allergic rhinitis chronic idiopathic urticaria	FDA Abfgi`b Ges BNF-G Aš-fy b̄B neaq Avte`b b̄ gÄy Kiv h̄BtZ c̄ti /	FDA Abfgi`b Ges BNF-G Aš-fy b̄B neaq Avte`b b̄ gÄy Kiv nBj /
		<b>d) Fondaparinux Sodium 2.5 mg/0.5 ml Pre-filled Syringe injection</b>  Fondaparinux Sodium INN 2.5 mg/0.5 ml	Prevention of venous thromboembolic events (VTE) in orthopaedic surgery of the lower limb such as hip fracture, hip replacement, major knee and also abdominal surgery.	Abfgi`b Kiv h̄BtZ c̄ti /	Abfgi`tbi mḡwi k Kiv nBj /
		<b>e) Aliskiren 150 mg Capsule</b>  Aliskiren INN 150 mg	Hypertension	FDA Abfgi`b Ges BNF-G Aš-fy b̄B neaq Avte`b b̄ gÄy Kiv h̄BtZ c̄ti /	FDA Abfgi`b Ges BNF-G Aš-fy b̄B neaq Avte`b b̄ gÄy Kiv nBj /
		<b>f) Silodosin 2 mg Capsule</b>  Silodosin INN 2 mg	Benign prostatic hyperplasia	FDA Abfgi`b Ges BNF-G Aš-fy b̄B neaq Avte`b b̄ gÄy Kiv h̄BtZ c̄ti /	FDA Abfgi`b Ges BNF-G Aš-fy b̄B neaq Avte`b b̄ gÄy Kiv nBj /
		<b>g) Silodosin 4 mg Capsule</b>  Silodosin INN 4 mg	-do-	FDA Abfgi`b Ges BNF-G Aš-fy b̄B neaq Avte`b b̄ gÄy Kiv h̄BtZ c̄ti /	FDA Abfgi`b Ges BNF-G Aš-fy b̄B neaq Avte`b b̄ gÄy Kiv nBj /
16.	Beacon Pharma Ltd.	<b>a) Omega-3 Acid Ethyl esters 1gm Capsule</b>  Omega 3 Acid Ethyl Ester (A combination of ethyl ester of eicosapentaenoic acid and docosahexaenoic acid) BP 1000 mg	Coronary heart disease	Abfgi`b Kiv h̄BtZ c̄ti /	Abfgi`tbi mḡwi k Kiv nBj /
		<b>b) Peppermint Oil 0.2 ml Capsule</b>  Peppermint oil BP 0.2 ml	Relief of abdominal colic and distension, particularly in irritable bowel syndrome	Abfgi`b Kiv h̄BtZ c̄ti /	Abfgi`tbi mḡwi k Kiv nBj /

bs	cūZKvi tKi bvg	Jl t̄ai bvg / tRbvi K bvg	ib̄t kbi	tUKibK yj me-Kugli 52Zg mfvi gZigZ	mfvi m̄xvS-
	Beacon Pharma Ltd.	<p><b>c) Atorvastatin 10 mg + Aspirin 75 mg Tablet</b>             Atorvastatin Calcium Trihydrate INN 10.48 mg (eq. to 10 mg Atorvastatin)            Aspirin BP 75 mg</p> <p><b>d) Atorvastatin 10 mg + Amlodipine 5 mg Tablet</b>             Atorvastatin Calcium Trihydrate INN 10.84 mg (eq. to 10 mg Atorvastatin)            Amlodipine Besylate BP 6.90 mg (eq. to 5 mg Amlodipine)</p> <p><b>e) Tranexamic Acid 500 mg + Mefenamic Acid 250 mg Tab.</b>             Tranexamic Acid BP 500 mg            Mefenamic Acid BP 250 mg</p>	Prevention of ischemic events, myocardial infarction, stroke.  Essential hypertension associated with hypercholesterolemia	<i>ActiqiRbq Kirtbkb neaq Aite`b bv gÄy Kiv hiBtZ cifti /</i>  <i>ActiqiRbq Kirtbkb neaq Aite`b bv gÄy Kiv hiBtZ cifti /</i>  <i>GB Kirtbkb FDA Abfgi`b Ges BNF-G Aš-fy bvB Ges ActiqiRbq neaq Aite`b bv gÄy Kiv hiBtZ cifti /</i>	<i>ActiqiRbq Kirtbkb neaq Aite`b bv gÄy Kiv nBj /</i>  <i>ActiqiRbq Kirtbkb neaq Aite`b bv gÄy Kiv nBj /</i>  <i>GB Kirtbkb FDA Abfgi`b Ges BNF-G Aš-fy bvB Ges ActiqiRbq neaq Aite`b bv gÄy Kiv nBj /</i>
17.	Drug International Ltd.	<p><b>a) Calcitrol 0.25 mcg + Calcium 500 mg Soft Gelatin Capsule</b>             Calcitrol BP 0.25 mcg            Calcium Carbonate BP 1250 mg (eq. to Elemental Calcium 500 mg)</p> <p><b>b) Dutasteride 0.5 mg Soft Gelatin Capsule</b>             Dutasteride INN 0.5 mg</p>	Osteoporosis, Renal osteodystrophy, hypopara thyroidism hyper para thyroidism, rickets Osteomalacia and chronic renal failure.  Symptomatic benign prostatic hyperplasia, reduce the risk of acute urinary retention, reduce the risk of BPH related surgery	<i>GB Kirtbkb FDA Abfgi`b Ges BNF-G Aš-fy bvB Ges ActiqiRbq neaq Aite`b bv gÄy Kiv hiBtZ cifti /</i>  <i>Abfgi`b Kiv hiBtZ cifti /</i>	<i>GB Kirtbkb FDA Abfgi`b Ges BNF-G Aš-fy bvB Ges ActiqiRbq neaq Aite`b bv gÄy Kiv nBj /</i>  <i>Abfgi`bti mgwikk Kiv nBj /</i>
18.	Orion Infusion Ltd.	<p><b>a) Dextrose Anhydrous 5% + Ringer's Solution</b>             Dextrose Anhydrous BP 5 gm            Sodium Lactate USP 310 mg            Potassium Chloride USP 30 mg            Calcium Chloride USP 20 mg            Sodium Chloride BP 600 mg/100ml</p>	Water, nutrient and electrolytes replenisher and as an alkalinizing agent	<i>Abfgi`b Kiv hiBtZ cifti /</i>	<i>Abfgi`bti mgwikk Kiv nBj /</i>
19.	Aventis Ltd.	<p><b>a) Thiocolchicoside 4 mg Capsule</b>             Thiocolchicoside INN 4 mg</p> <p><b>b) Thiocolchicoside 4mg/2ml Inj.</b>             Thiocolchicoside INN 4mg/2ml</p>	Painful muscular contacts in acute and chronic rheumatological and orthopaedic disease  -do-	ক্ষতিকর পার্শ্ব প্রতিক্রিয়া বিদ্যমান <i>neaq iWmmi 231 Zg mfq Aite`b bv gÄy Kivi m̄xvS- enij ivLv hiBtZ cifti /</i>	ক্ষতিকর পার্শ্ব প্রতিক্রিয়া বিদ্যমান <i>neaq iWmmi 231 Zg mfq Aite`b bv gÄy Kivi m̄xvS- enij ivLv nBj /</i>
20.	Opso Saline Ltd.	<p><b>a) Gatifloxacin 3 mg + Dexamethasone Phosphate 1mg/ml Eye Drops</b>             Gatifloxacin Sesquidhydrate INN 321.60 mg (eq. to 300 mg of Gatifloxacin)            Dexamethasone Sodium Phosphate BP 109.31 mg (eq. to 100 mg of Dexamethasone Phosphate)/100ml</p>	Steroid responsive inflammatory conditions with involvement of bacterial infection.	<i>Abfgi`b Kiv hiBtZ cifti /</i>	<i>Abfgi`bti mgwikk Kiv nBj /</i>

bs	cūZKvi tKi bvg	Jl̄tai bvg I tRb̄i K bvg	ib̄t kbi	tUKibK yj me-Kuguli 52Zg mfvi gZigZ	mfvi mxvš-
21.	Alco Pharma Ltd.	<b>a) Vitamin &amp; Mineral Tablet</b> Beta Carotene (Vitamin A) USP 2700 IU Vitamin E BP 30 IU Vitamin C (Ascorbic Acid) BP 120 mg Vitamin B <sub>1</sub> BP 3 mg Vitamin B <sub>2</sub> BP 3.4 mg Niacinamide BP 20 mg Vitamin B <sub>6</sub> BP 10 mg Pantothenic Acid (as Calcium Pantothenate) USP 5 mg Magnesium (as Magnesium Oxide) USP 50 mg Iodine (as Potassium Iodide) BP 0.15 mg Iron (as Ferrous Fumarate) BP 0.5 mg Copper (as Cupric Oxide) BP 0.2 mg Zinc (Zinc Oxide) BP 5 mg	Vitamin & Mineral Supplement	<i>Acl̄qjRb̄q K̄t̄bkb neaq Ait̄e`b bv gĀy Kiv h̄B̄Z c̄ti /</i>	<i>Acl̄qjRb̄q K̄t̄bkb neaq Ait̄e`b bv gĀy Kiv nBj /</i>  <i>mfUngtbi neifbeckvi K̄t̄bkb R̄Zq Jl̄tai Ait̄e`bti tc̄t̄t̄Z th̄p̄K digij kt̄bi GKU bw̄Zgyj / c̄t̄qtb̄i mḡni k MpxZ nq /</i>
		<b>b) Folic Acid 1.1 mg</b> <b>Vitamin B<sub>12</sub> 12 mcg</b> <b>Vitamin D<sub>3</sub> 250 IU</b> <b>Calcium 300 mg Tablet</b>  Folic Acid BP 1.1 mg Vitamin B12 (Cyanocobalamin) USP 12 mcg Vitamin D3 (Cholecalciferol) USP 250 IU Calcium (Calcium Carbonate) BP 300 mg	For woman prior to conception during pregnancy and post natal period, who have poor folate status	<i>Acl̄qjRb̄q K̄t̄bkb neaq Ait̄e`b bv gĀy Kiv h̄B̄Z c̄ti /</i>	<i>Acl̄qjRb̄q K̄t̄bkb neaq Ait̄e`b bv gĀy Kiv nBj /</i>  <i>mfUngtbi neifbeckvi K̄t̄bkb R̄Zq Jl̄tai Ait̄e`bti tc̄t̄t̄Z th̄p̄K digij kt̄bi GKU bw̄Zgyj / c̄t̄qtb̄i mḡni k MpxZ nq /</i>
		<b>c) Paracetamol 250 mg + Aspirin 250 mg + Caffeine 65 mg Tablet</b>  Paracetamol BP 250 mg Aspirin BP 250 mg Caffeine USP 65 mg	Temporary relief of pain	<i>Acl̄qjRb̄q K̄t̄bkb neaq Ait̄e`b bv gĀy Kiv h̄B̄Z c̄ti /</i>	<i>Acl̄qjRb̄q K̄t̄bkb neaq Ait̄e`b bv gĀy Kiv nBj /</i>
		<b>g) Chlorzoxazone 500 mg Tablet</b>  Chlorzoxazone USP 500 mg	Relief of painful skeletal muscle spasm such as arthritis, acute & chronic back pain fibrositis, sprain and strains	<i>c̄l̄qjRb b̄B neaq Ait̄e`b bv gĀy Kiv h̄B̄Z c̄ti /</i>	<i>c̄l̄qjRb b̄B neaq Ait̄e`b bv gĀy Kiv nBj /</i>
		<b>h) Satranidazole 300 mg Tablet</b>  Satranidazole INN 300 mg	Intestinal and hepatic amoebiasis, giardiasis trichomoniasis, anaerobic infections	<i>c̄l̄qjRb b̄B neaq Ait̄e`b bv gĀy Kiv h̄B̄Z c̄ti /</i>	<i>c̄l̄qjRb b̄B neaq Ait̄e`b bv gĀy Kiv nBj /</i>
		<b>i) Terconazole 0.4% Vaginal Cream</b>  Terconazole BP 4 gm/100gm	Vaginal candidiasis	<i>Abfgv`b Kiv h̄B̄Z c̄ti /</i>	<i>Abfgv`bti mḡni k Kiv nBj /</i>
22.	Acme Lab. Ltd. Novertis Bd. Ltd. Alco Pharma Ltd.	<b>a) Tramadol HCl 37.5 mg + Acetaminophen 325 mg Tablet</b>  Tramadol HCl BP 37.50 mg Acetaminophen USP 325 mg	Centrally acting synthetic opioid analgesic	<i>c̄l̄qjRb b̄B neaq Ait̄e`b bv gĀy Kiv h̄B̄Z c̄ti /</i>	<i>c̄l̄qjRb b̄B neaq Ait̄e`b bv gĀy Kiv nBj /</i>

bs	c�ZKvi�Ki big	Jl�ai big / tRb�i K big	ib�ki	tUKib�j me-Kug�i 52Zg mfvi gZigZ	mfvi mxv�-
23.	Amico Lab. Ltd.	<b>a) Vitamin A 60000 IU + Vitamin D<sub>3</sub> 8000 IU + Vitamin C 1 gm+ Vitamin B<sub>1</sub> 30 mg + Vitamin B<sub>2</sub> 24 mg + Vitamin B<sub>6</sub> 20 mg + Vitamin B<sub>12</sub> 60 mcg Nicotinamide 200 mg + L-Lysine Monohydrochloride 2000 mg + Choline 100 mg + Inositol 100 mg/100 ml Syrup</b>  Vitamin A BP 60000 IU Vitamin D <sub>3</sub> BP 8000 IU Vitamin C BP 1 gm Vitamin B <sub>1</sub> BP 30 mg Vitamin B <sub>2</sub> BP 24 mg Vitamin B <sub>6</sub> BP 20 mg Vitamin B <sub>12</sub> BP 60 mcg Nicotinamide BP 200 mg L-Lysine Monohydrochloride BP 2000 mg Choline BP 100 mg Inositol BP 100 mg/100 ml	Prevention of vitamin deficiency in children	Ac�q�Rb�q K�tbkb neaq A�e`b br g�y Kiv nBj /	Ac�q�Rb�q K�tbkb neaq A�e`b br g�y Kiv nBj /  w�Ungtbi w�fbeckvi K�tbkb R�Zq Jl�ai A�e`tbi fc�t�Z th��K dig� k�bi GK�U b�Zgyj / c�qtbi mg�ik M�p�Z nq /
24.	Alco Pharma Ltd. Delta Pharma	<b>d) Paracetamol 500 mg + Diphenhydramine HCl 25 mg Tablet</b>  Paracetamol BP 500 mg Diphenhydramine HCl BP 25 mg	Temporally relieves cold, flu symptom, minor aches and pain	Ac�q�Rb�q K�tbkb neaq A�e`b br g�y Kiv h�B�Z c�ti /	Ac�q�Rb�q K�tbkb neaq A�e`b br g�y Kiv nBj /
25.	UniMed & UniHealth Mfgr.	<b>a) Glimepiride 4 mg + Pioglitazone 30 mg Tablet</b>  Glimepiride INN 4 mg Pioglitazone HCl INN 33 mg (eq. to 30 mg Pioglitazone)  <b>b) Glimepiride 2 mg + Pioglitazone 30 mg Tablet</b>  Glimepiride INN 2 mg Pioglitazone HCl INN 33 mg (eq. to 30 mg Pioglitazone)	Type-2 diabetes	Ab�gi`b Kiv h�B�Z c�ti /	Ab�gi`tbi mg�ik Kiv nBj /
26.	Square Pharma Ltd. Incepta Pharma Ltd.	<b>a)Glucosamine Sulphate Potassium Chloride 500 mg + Chondroitin Sulphate 400 mg+ Methyl Sulfonyl Methane 350 mg Tablet</b>  Glucosamine Sulphate Potassium Chloride USP 500 mg + Chondroitin Sulphate USP 400 mg+ Methyl Sulfonyl Methane INN 350 mg  <b>b)Glucosamine Sulphate Potassium Chloride 250 mg + Chondroitin Sulphate Sodium 200 mg+ Methyl Sulfonyl Methane 175 mg Tablet</b>  Glucosamine Sulphate Potassium Chloride USP 250 mg + Chondroitin Sulphate Sodium USP 200 mg+ Methyl Sulfonyl Methane INN 175 mg	Management and treatment of Osteoarthritis	FDA Ab�gi`b Ges BNF-G A�-f� b�B Ges Ac�q�Rb�q K�tbkb neaq A�e`b br g�y Kiv h�B�Z c�ti /	FDA Ab�gi`b Ges BNF-G A�-f� b�B Ges Ac�q�Rb�q K�tbkb neaq A�e`b br g�y Kiv nBj /
			-do-	FDA Ab�gi`b Ges BNF-G A�-f� b�B Ges Ac�q�Rb�q K�tbkb neaq A�e`b br g�y Kiv h�B�Z c�ti /	FDA Ab�gi`b Ges BNF-G A�-f� b�B Ges Ac�q�Rb�q K�tbkb neaq A�e`b br g�y Kiv nBj /

L) **Local (New Strength & New Dosage Forms**

bs	cūZKvitiKi bg	Jltai bg I RTbiK bg	bt Rb	Existing (cūj Z)	tUKbK j me-KgjMi 52Zg mfvi gZgZ	mfvi mxiS-
01.	Square Pharma Ltd.	a) Calcium 400 mg Chewable Tablet	Fast relief of acid, indigestion, heartburn, sour stomach and upset stomach	Calcium Carbonate 1250 mg (eq. to Calcium 500 mg) Tablet.	Abfgv`b Kiv hiBtZ cti /	Abfgv`tbi mgwikk Kiv nBj /
		Calcium Carbonate 1000 mg (eq. to 400 mg Calcium)				
		b) Loperamide 1 mg/5ml Syrup	Control and Symptomatic relief of acute diarrhea and chronic diarrhea associated with inflammatory bowel disease	Loperamide 2 mg Capsule	ikit`i Rb TlZKi meaq Aite`b bv gÄy Kiv hiBtZ cti /	ikit`i Rb TlZKi meaq Aite`b bv gÄy Kiv nBj /
		Loperamide Hydrochloride USP 20mg/100ml				
		c) Metformin 750 mg Tablet	Diabetes Type 2	500 mg & 850 mg Tablet	Abfgv`b Kiv hiBtZ cti /	Abfgv`tbi mgwikk Kiv nBj /
		Metformin Hydrochloride BP 750 mg				
		d) Mtformin 1 gm Tablet	-do-	-do-	cjqRb bvB meaq Aite`b bv gÄy Kiv hiBtZ cti /	cjqRb bvB meaq Aite`b bv gÄy Kiv nBj /
		Metformin Hydrochloride BP 1000 mg				
		e) Misoprostol 100 mcg Tablet	Reducing the risk of NSAID Gastric ulcer	Misoprostol 200 mcg Tablet	Abfgv`b Kiv hiBtZ cti /	Abfgv`tbi mgwikk Kiv nBj /
		Misoprostol INN 100 mcg				
		f) Paracetamol 1000 mg Tablet	Pain reliever for chronic conditions like osteoarthritis, rheumatic arthritis	Paracetamol 500 mg Tablet	cjqRb bvB meaq Aite`b bv gÄy Kiv hiBtZ cti /	cjqRb bvB meaq Aite`b bv gÄy Kiv nBj /
		Paracetamol BP 1000 mg				
		g) Piracetam Syrup 500mg/5 ml	Cerebral vascular accidents and cerebral insufficiencies: Ischaemic or even hemorrhagic acute accidents	Piracetam 1200 mg & 800 mg Tablet.	Abfgv`b Kiv hiBtZ cti /	Abfgv`tbi mgwikk Kiv nBj /
		Piracetam INN 10gm/100ml				
02.	Incepta Pharma Ltd.	a) Clindamycin 20 mg/gm Vaginal Cream	Symptomatic bacterial vaginosis, Vulvovaginitis	Clindamycin 300 mg Cap.	Abfgv`b Kiv hiBtZ cti /	Abfgv`tbi mgwikk Kiv nBj /
		Clindamycin Phosphate USP 2.3766gm (eq. to Clindamycin base 2 gm/100 gm)				
		b) Metronidazole 250 mg Tablet	Bacterial infections trichomoniasis, amebiasis	Metronidazole 200 mg & 400 mg Tab.,	Abfgv`b Kiv hiBtZ cti /	Abfgv`tbi mgwikk Kiv nBj /
		Metronidazole BP 250 mg				
		c) Metronidazole 500 mg Tablet	-do-	-do-	Abfgv`b Kiv hiBtZ cti /	Abfgv`tbi mgwikk Kiv nBj /
		Metronidazole BP 500 mg				
		d) Metronidazole 7.5 mg/gm Vaginal Gel	-do-	-do-	Abfgv`b Kiv hiBtZ cti /	Abfgv`tbi mgwikk Kiv nBj /
		Metronidazole BP 0.75gm/100gm				
		e) Oxcarbazepine 300 mg/5ml Suspension	Partial seizures and generalized tonic clonic seizures	Oxcarbazepine 300 mg & 600 mg Tab	Abfgv`b Kiv hiBtZ cti /	Abfgv`b Kiv evi mgwikk Kiv nBj /
		Oxcarbazepine INN 6 gm/100 ml				
		f) Prednisolone 5 mg/5ml Solution	Allergic rhinitis, Asthma, Dermatitis Edreno cortical insufficiency	Prednisolone 5 mg, 10 mg & 20 mg Tablet and 15mg/5ml Suspension	Abfgv`b Kiv hiBtZ cti /	Abfgv`tbi mgwikk Kiv nBj /
		Prednisolone Sodium Phosphate USP 0.134 gm (eq. to 0.1gm Prednisolone)/100 ml				
		g) Levosalbutamol 0.31 mg/3ml vial	Prevention of bronchospasm, Asthma	Levosalbutamol 1 mg, 2 mg Tab, 1mg/5ml Syrup & 1.25 mg/3ml Solution	Abfgv`b Kiv hiBtZ cti /	Abfgv`tbi mgwikk Kiv nBj /
		Levosalbutamol HCl INN 0.359 mg/3ml (eq. to 0.31 mg of Levosalbutamol)				

bs	cūZKvitKi big	Jitai big I RTbwK big	ibt Rbv	Existing (cūj Z)	UKubK yj me-Koguli 52Zg mfwí gZgZ	mfwí mxiS-
03.	Renata Ltd.	a) Ceftriaxone 750 mg IM Inj.  Ceftriaxone Sodium USP 892.50 mg (eq. to 750 mg of Cetriaxone)/Vial	Infections caused by gram Positive and Gram negative bacteria	Ceftriaxone 250 mg, 500 mg, 1 gm, 2 gm IV/IM Injection	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv hBtZ cti /	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv nBj /
		b) Ceftriaxone 750 mg IV Inj.  Ceftriaxone Sodium USP 892.50 mg (eq. to 750 mg of Cetriaxone)/Vial	-do-	-do-	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv hBtZ cti /	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv nBj /
		c) Cefepime 250 mg IV/IM Inj.  Cefepime HCl USP 297.285 mg (eq. to 250 mg Cefepime)/Vial	Broad spectrum antibiotic	Cefepime 500 mg, 1 gm, 2 gm IV/IM Injection	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv hBtZ cti /	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv nBj /
		d) Fexofenadine HCL Suspension 30 mg/5ml  Fexofenadine HCl USP 600 mg/100ml	Relief of symptoms associated with seasonal allergic rhinitis treated effectively include sneezing, rhinorrhea	Fexofenadine 30mg, 60 mg, 120mg, 180 mg Tablet	Abtgw` b Kiv hBtZ cti /	Abtgw` b i mgwík Kiv nBj /
		e) Azithromycin 100 mg/5ml Dry Syrup  Azithromycin Dihydrate USP 2.1474 gm (Eq. to Azithromycin 2 gm/100ml)	Treatment of RTIs Enteric fever SSTIs otitis media, UTIs dental prophylaxis	Azithromycin 200mg/5ml Dry Syrup	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv hBtZ cti /	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv nBj /
		g) Azithromycin 600 mg Tablet  Azithromycin Dihydrate 628.93 mg (eq. to 600mg of Azithromycin)	-do-	Azithromycin 250mg, 500 mg Tablet	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv hBtZ cti /	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv nBj /
		h) Azithromycin 1 gm Tablet  Azithromycin Dihydrate 1048.22 mg (eq. to 1000 mg of Azithromycin)	-do-	-do-	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv hBtZ cti /	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv nBj /
04.	Eskayef Bd. Ltd. Popular Pharma Ltd.	a) Ascorbic Acid 100 mg/ml Paediatric Drops  Ascorbic Acid USP 10gm/100ml	Vitamin C deficiency	Ascorbic Acid 250 mg, 500 mg & 1000 mg Tablet	Abtgw` b Kiv hBtZ cti /	Abtgw` b i mgwík Kiv nBj /
		b) Ascorbic Acid 100 mg/5ml Syrup  Ascorbic Acid USP 2 gm/100 ml	-do-	-do-	Abtgw` b Kiv hBtZ cti /	Abtgw` b i mgwík Kiv nBj /
05.	Eskayef Bd. Ltd.	a) Minocycline 100 mg ER Tablet  Minocycline HCl USP 107.979 mg (eq. to Minocycline 100 mg)	Urethritis gonorrhoea, Pneumonia, etc.	Minocycline 45 mg, 90 mg & 135 mg Tablet	Abtgw` b Kiv hBtZ cti /	Abtgw` b i mgwík Kiv nBj /
		b) Prednisolone 10 mg Oral Disintegrating Tablet  Prednisolone Sodium Phosphate BP 13.43 mg (eq. to Prednisolone 10 mg)	Allergic states, Dermatological, disease, Endocrine disorders Gastrointestinal disease, Mematologic disorders	Prednisolone 5 mg, 10 mg, 20 mg Tablet	Abtgw` b Kiv hBtZ cti /	Abtgw` b i mgwík Kiv nBj /
		c) Prednisolone 30 mg Oral Disintegrating Tablet  Prednisolone Sodium Phosphate BP 40.315 mg (eq. to Prednisolone 30 mg)	-do-	-do-	GB grīv c̄qRb bvB neaq Arte` b bv gĀy Kiv hBtZ cti /	GB grīv c̄qRb bvB neaq Arte` b bv gĀy Kiv nBj /
06.	Novartis (BD) Ltd.	a) Diclofenac Chloestyramine 75 mg Capsule  Diclofenac Chloestyramine BP 140 mg (eq. to 75 mg Diclofenac Sodium)	Systemically active non-steroidal anti-inflammatory drugs	Diclofenac Sodium SR 75 mg Tablet	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv hBtZ cti /	GB grīv FDA Abtgw Z Ges BNF-G Aš-fy biB neaq Arte` b bv gĀy Kiv nBj /

bs	cūZKvitKi big	Jl̄tai big I RtbwK big	ib̄t Rb̄v	Existing (cūj Z)	JKubK yj me-Kogūi 52Zg mfvi gZgZ	mfvi mxiš-
07.	ACI Ltd.	a) Miconazole Nitrate 10 mg Tablet  Minconazole Nitrate BP 10 mg	Anti-fungal	Miconazole 2% Gel	Ab̄gr`b Kiv hiBz c̄ti /	Ab̄gr`tbi mḡik Kiv nBj /
08.	Acme Lab. Ltd.	a) Paracetamol 250 mg/5ml Suspension  Paracetamol BP 5 gm/100ml  b) Multivitamin, Multimineral & Policosanol Tablet  Dry Vitamin A Acetate 0.5 MIU/g USP 3.50 mg (eq. to 1750 IU Vitamin A) Beta Carotene, 20% USP 6.75 mg (Eq. to 750 IU Vitamin A) Ascorbic Acid (Vitamin C) BP 60 mg Dry Vitamin D <sub>2</sub> 1 MIU/g (Ergocalciferol) BP 0.40 mg Vitamin E Acetate, 50% BP 60 mg (Eq. to 20 IU Vitamin E) Thiamine Mononitrate (Vitamin B <sub>1</sub> ) BP 1.50 mg Riboflavin (Vitamin B <sub>2</sub> ) BP 1.70 mg Niacin BP 20 mg Pyridoxine HCl (Vitamin B <sub>6</sub> ) BP 2 mg Folic Acid BP 400 mcg Cyanocobalamin (Vitamin B <sub>12</sub> ) 0.1% BP 6 mg (eq. to 6 mcg Vitamin B <sub>12</sub> ) Biotin, 2% BP 2.50 mg (eq. to 50 mcg Biotin) Calcium D-Pantothenate BP 10.90 mg (eq. to 10 mg Pantothenic Acid) Calcium Carbonate BP 249.75 mg (eq. to 100 mg Calcium) Potassium Iodide BP 197 mcg (eq. to 150 mcg Iodine) Magnesium Oxide BP 165.81 mg (eq. to 100 mg Magnesium) Zinc Oxide BP 18.70 mg (eq. to 15 mg Zinc) Sodium Selenate USP 168 mcg (eq. to 70 mcg Selenium) Cupric Oxide Ph. Gr. 2.51 mg (eq. to 2 mg Copper) Manganese Sulphate BP 5.50 mg (eq. to 2 mg Manganese) Chromic Chloride, hesahydrate USP 61.5 mcg (eq. to 120 mcg Chromium) Sodium Molybdate, dihydrate BP 190 mcg (eq. to 75 mcg, Molybdenum) Potassium Chloride BP 188.75 mg (eq. to 99 mg Potassium) Boron Citrate Ph. Gr. 3 mg (eq. to 150 mcg Boron) Policosanol INN 10 mg	Mild to moderate Pain  It can help to maintain healthy cholesterol and blood pressure level.	Paracetamol 120mg/5ml  Vitamin A-Z Tablet	GB gr̄v c̄q̄Rb biB neaq Ar̄e`b bv gÄy Kiv hiBz c̄ti /  Ac̄q̄Rb iq̄Kibk neaq Ar̄e`b bv gÄy Kiv hiBz c̄ti /	GB gr̄v c̄q̄Rb biB neaq Ar̄e`b bv gÄy Kiv nBj /  Ac̄q̄Rb iq̄Kibk neaq Ar̄e`b bv gÄy Kiv nBj /  m̄Unḡbi neinfbački Kibk R̄Ziq Jl̄tai Ar̄e`tbi tcm̄tZ th̄sK diḡj k̄bi GKU bm̄gij v c̄q̄tbi mḡik MpxZ nq /
9.	Popular Pharma Ltd.	a) Labetalol HCl 5 mg/ml Inj  Labetalol HCl USP 5 mg/ml  b) Metoprolol Tartrate 1mg/ml Inj  Metoprolol Tartrate USP 1mg/ml	Hypertension	Labetalol 100 mg & 200 mg Tablet	Ab̄gr`b Kiv hiBz c̄ti /	Ab̄gr`tbi mḡik Kiv nBj /
10.	Beacon Pharma Ltd.	a) Ibuprofen 400 mg Capsule  Ibuprofen BP 400 mg  b) Tramadol HCl 100 mg SR Capsule  Tramadol HCl BP 250 mg (eq. to Tramadol 100 mg)	Treatment sign and symptoms of rheumatoid arthritis, ankylosing spondylitis	Ibuprofen 400 mg, 200 mg Tab	Ab̄gr`b Kiv hiBz c̄ti /	Ab̄gr`tbi mḡik Kiv nBj /

bs	cūZKvitKi big	JItai big I RTbwIK big	ibt Rbv	Existing (cBuj Z)	tUKubK yj me-KoguIi 52Zg mfw i gZgZ	mfwi mxiš-
	Beacon Pharma Ltd.	<b>c) Mebeverin HCl SR 200 mg Capsule</b>  Mebeverine HCl Pellets (as enteric coated) BP 400 mg (eq. to Mebeverin 200 mg)	Relief of irritable bowel syndrome	Mebeverine 135 mg Tab.	Abfg`b Kiv hiBtZ cti /	Abfg`tbi mgwim k Kiv nBj /
11.	Ambee Pharma Ltd.	<b>a) Diazepam 5mg/5ml Syrup</b>  Diazepam BP 100 mg/100ml	Anxiety, Convulsive disorder, sleep disorders.	Diazepam 5 mg Tab. & 100mg/2ml Inj.	cBqRb bB meaq Avte`b br gÄy Kiv hiBtZ cti /	cBqRb bB meaq Avte`b br gÄy Kiv nBj /
		<b>b) Diazepam 5mg/ml Syrup</b>  Diazepam BP 500 mg/100ml	-do-	-do-	cBqRb bB meaq Avte`b br gÄy Kiv hiBtZ cti /	cBqRb bB meaq Avte`b br gÄy Kiv nBj /
12.	Orion Infusion Ltd.	<b>a) Dextrose Anhydrous 10 gm + Sodium Chloride 0.225gm/100ml</b>  Dextrose Anhydrous BP 10 gm Sodium Chloride BP 0.225 gm/100ml	Nutrient and electrolyte	Dextrose 5% + Sodium Chloride 0.225%	Abfg`b Kiv hiBtZ cti /	Abfg`tbi mgwim k Kiv nBj /
13.	UniMed & UniHealth Mfgr.	<b>a) Metoprolol Tartrate 25 mg Tablet</b>  Metoprolol Tartrate USP 25 mg	Hypertension and Angina pectoris	Metoprolol 50 mg & 10 mg Tablet	Abfg`b Kiv hiBtZ cti /	Abfg`tbi mgwim k Kiv nBj /
14.	Acme Lab. Ltd. Eskayef Bd. Ltd.	<b>a) Multivitamins &amp; Multimineral Tablet for Diabetic Patient</b>  Dry Vitamin Acetate 0.5 MIU/g USP 5 mg (eq. to 2500 IU Vitamin A) Ascorbic Acid (Vitamin C BP 120 mg Vitamin D dry powder 0.1 MIU/g (Cholecalciferol) BP 4 mg (eq. to 400 IU Vitamin D) Vitamin E (as d-alpha Tocopheryl Succinate) BP 50 mg (eq. to 60 IU Vitamin E) Thiamine Mononitrate (Vitamin B <sub>1</sub> ) BP 1.50 mg Riboflavin (Vitamin B <sub>2</sub> ) BP 1.70 mg Niacin BP 20 mg Pyridoxine Hydrochloride (Vitamin B <sub>6</sub> ) BP 2.0 mg Folic Acid BP 400 mcg Cyanocobalamin (Vitamin B <sub>12</sub> ) 0.1% BP 6 mg (eq. to 6 mcg Vitamin B <sub>12</sub> ) Biotin, 2% BP 7.50 mg (eq. to 150 mcg Biotin) Calcium Pantothenate BP 10.90 mg (eq. to 10 mg Pantothenic Acid) Calcium Carbonate BP 499.50 mg (eq. to 200 mg Calcium) Sodium Iodide USP 178 mcg (eq. to 150 mcg Iodine) Magnesium Oxide, heavy BP 331.62 mg (eq. to 200 mg Magnesium) Zinc Citrate Ph. Gr. 43.93 mg (eq. to 15 mg Zinc) Selenomethionine USP 125 mcg (eq. to 50 mcg Selenium) Manganese Sulphate BP 13.75 mg (eq. to 5 mg Manganese) Chromium Picolinate USP 1.61 mg (eq. to 200 mcg Chromium) Potassium Chloride BP 190.66 mg (eq. to 100 mg Potassium) Vanadium Sulphate Ph. Gr. 320 mcg (eq. to 100 mcg Vanadium) Lutein 5% BP 10 mg (eq. to 500 mcg Lutein) Alpha Lipoic Acid USP 60 mg	Multivitamin & Multi Mineral supplement for the general well-being of people with diabetes. It can be used for the promotion of : Glucose Metabolism, Healthy Nerve and Eye Function, Healthy Heart Function, Optimum Antioxidant	Vitamin A-Z	AcBqRbq Kiftbkb meaq Avte`b br gÄy Kiv hiBtZ cti /	AcBqRbq Kiftbkb meaq Avte`b br gÄy Kiv nBj /  nFung`tbi newfbckri Kiftbkb RvZiq JItai Avte`tbi tcMtz ths <sup>3</sup> K digit kibi GKUJ bmZgij v clyq`tbi mgwim k MpxZ nq /

bs	cūZKvitKi big	Jltai big I RtbwK big	ibt Rbv	Existing (cūj Z)	tUKubK yj me-Kugli 52Zg mfvi gZgZ	mfvi mxiS-
15.	Drug International Ltd.	<b>a) Triamcinolone Acetonide 0.1% oral Paste</b>  Triamcinolone Acetonide USP 0.1gm/100 gm	Dental paste used to relieve allergic disorder, inflammation, pain & irritation of the mouth and gum.	Triamcinolone Acetonide Inj. 40 mg/Vial & 0.1% Cream	Abfgi`b Kiv hiBtZ cti /	Abfgi`tbi mgwi k Kiv nBj /
16.	Alco Pharma Ltd.	<b>a) Paracetamol 325 mg + Caffeine 25 mg/5 ml Suspension</b>  Paracetamol BP 6.5 gm Caffeine USP 0.50gm/100 ml	Relief from minor to moderate pain, cold & flu, reduce fever	Paracetamol 500 mg + Caffeine 65 mg Tablet	ikit`i Rb` AcqRbq Kptkb neaq Ate`b bv gÄy Kiv hiBtZ cti /	ikit`i Rb` AcqRbq Kptkb neaq Ate`b bv gÄy Kiv nBj /

## II Import (New Molecule)

bs	cūZKvitKi big	Jltai big I RtbwK big	ibt Rbv	idmji muDfIKU (FSC & Others)	tUKubK yj me-Kugli 52Zg mfvi gZgZ	mfvi mxiS-
01.	Riemser Arzneimittel AG, Germany (International Agencies (BD) Ltd.)	<b>a) Thiotepa Riemser 15 mg Powder for Solution Inj.</b>  Thiotepa USP 15 mg/vial	As part of high dose chemotherapy with subsequent autologous stem cell transplantation.	Germany & Austria	Abfgi`b Kiv hiBtZ cti /	Abfgi`tbi mgwi k Kiv nBj /
		<b>b) Hylase Dessay 150 IU Powder for Solution Inj.</b>  Hyaluronidase Ph. Eur 150IU/Vial	Treatment of tissue damage caused by the Unintentional extravascular application of cancerostatics	-do-	Abfgi`b Kiv hiBtZ cti /	Abfgi`tbi mgwi k Kiv nBj /
02.	Novartis Pharma AG, Switzerland (Novartis (Bd) Ltd.)	<b>a) Sebivo 600 mg Tablet</b>  Telbivudine INN 600 mg	Treatment of Chronic hepatitis B in patients with evidence of viral replication and active liver inflammation	Switzerland	Abfgi`b Kiv hiBtZ cti /	Abfgi`tbi mgwi k Kiv nBj /
		<b>b) Asunra 125 mg Tablet</b>  Deferasirox INN 125 mg	Treatment of chronic iron overload due to blood transfusion in patient 2 years age and older.	Switzerland	Abfgi`b Kiv hiBtZ cti /	Abfgi`tbi mgwi k Kiv nBj /
		<b>c) Asunra 250 mg Tablet</b>  Deferasirox INN 250 mg	-do-	-do-	Abfgi`b Kiv hiBtZ cti /	Abfgi`tbi mgwi k Kiv nBj /
		<b>d) Asunra 500 mg Tablet</b>  Deferasirox INN 500 mg	-do-	-do-	Abfgi`b Kiv hiBtZ cti /	Abfgi`tbi mgwi k Kiv nBj /
03.	Claris Life Science, India (Swadesh)	<b>a) Exomax IV 2mg/ml Inj</b>  Fluconazole in House 200 mg/100ml	Fungal cryptococcal Meningitis	India & Singapore	cqRb biB neaq Ate`b bv gÄy Kiv hiBtZ cti /	cqRb biB neaq Ate`b bv gÄy Kiv nBj /
04.	Les Laboratories Servier Industries, France (Transcom Distribution Co. Ltd.)	<b>a) Coversyl 8 mg Tablet</b>  Perindopril 6.676 mg in the form of Perindopril tert-butylamine 8 mg	Arterial hypertension	France	Abfgi`b Kiv hiBtZ cti /	Abfgi`tbi mgwi k Kiv nBj /
05.	Alcon Laboratories Inc., USA (Globex Marketing Co. Ltd.)	<b>a) Systane Free Lubricant Eye drop</b>  Al-12355 (Hydroxy Propylguar noncompendial) 0.16% Polyethylene Glycol 40 NF 0.40% Boric Acid NF 0.70% Propylene Glycol USP 0.30% Sorbitol NF 1.40% Sodium Chloride USP 0.10% Potassium Chloride USP 0.12% Calcium Chloride dihydrate USP 0.0053% Magnesium Chloride hexahydrate USP 0.0064% Zinc Chloride USP 0.0015% AMP-95 noncompendial 0.57% Hydrochloride Acid NF 0.15%	For the temporary relief of burning and irritation due to dryness of the eye	USA	Abfgi`b Kiv hiBtZ cti /	Abfgi`tbi mgwi k Kiv nBj /

<i>bs</i>	<i>cūZKvitKi big</i>	<i>Jitai big I RtbwK big</i>	<i>ib`Rbv</i>	<i>idmij mudiIKU (FSC &amp; Others)</i>	<i>tUKbK'j me-Kgwi 52Zg mfvi gZigZ</i>	<i>mfvi imxys-</i>
	Alcon Laboratories Inc., USA (Globex Marketing Co. Ltd.)	<b>b) Balanced Salt Solution 500ml</b>  Sodium Chloride USP 6.4mg Potassium Chloride USP 0.75 mg Calcium Chloride USP 0.48 mg Magnesium Chloride USP 0.3 mg Sodium Acetate USP 3.9 mg Sodium Citrate USP 1.7 mg/ml	For irrigation during various surgical procedures of the eyes, ear, nose and or throat	USA & Canada	<i>Abfgi`b Kiv hiBtZ ci i /</i>	<i>Abfgi`tbi mgwi k Kiv nBj /</i>
06.	Novartis Pharma AG, Switzerland (Novartis Bangladesh Ltd.)	<b>a) Lucentis 3 mg/ 0.3 ml Solution Inj.</b>  Ranibizumab 3 mg/0.3ml	Treatment of neovascular age related macular degeneration	Switzerland	<i>Abfgi`b Kiv hiBtZ ci i /</i>	<i>Abfgi`tbi mgwi k Kiv nBj /</i>
07.	Novartis Pharma SA, France (Novartis Bangladesh Ltd.)	<b>a) Trileptal 6% Oral Suspension</b>  Oxcarbazepine 60 mg/ml	Treatment of partial seizures and generalized tonic clonic seizures	France & Switzerland	<i>Abfgi`b Kiv hiBtZ ci i /</i>	<i>Abfgi`tbi mgwi k Kiv nBj /</i>
08.	Aventis Pasteur SA, France (Aventis Bd. Ltd.)	<b>a) Tetract-HIB Powder and Suspension for Injection</b>  <b>Powder Compartment:</b> Haemophilus influenzae type Polysaccharide Conjugated to Tetanus protein 10 mcg <b>Suspension compartment:</b> Purified diphtheria toxoid ≥ 30IU Purified tetanus toxoid ≥ 60IU Bordetella Pertusis ≥ 40IU	Active immunization against diphtheria pertusis, tetanus and haemophilus influenzae type B	France & UK	<i>Abfgi`b Kiv hiBtZ ci i /</i>	<i>Abfgi`tbi mgwi k Kiv nBj /</i>
09.	Allergan Pharmaceuticals Ltd, Ireland (Eskayef (Bd) Ltd.)	<b>a) Combigan Eye Drops</b>  Brimonidine Tartrate 2 mg Timolol Maleate Ph. Eur. 6.8 mg (eq. to 5 mg Timolol free base)/ml	Reduction of elevated intraocular pressure in patients with chronic open angle glaucoma or ocular hypertension who are insufficiently responsive to topical beta blockers	Ireland & UK	<i>Abfgi`b Kiv hiBtZ ci i /</i>	<i>Abfgi`tbi mgwi k Kiv nBj /</i>
10.	Manufacturer : Laboratories Panpharma Z. A.Du Chenot, France  Supplier: Rotexmedica GmbH, Germany (City Overseas Ltd.)	<b>a) Hydrocortisone 250 mg Vial</b>  Hydrocortisone Sodium Succinate USP 334.2 mg (eq. to Hydrocortisone 250 mg)/vial	Anti-inflammatory agent	Germany	<i>Abfgi`b Kiv hiBtZ ci i /</i>	<i>Abfgi`tbi mgwi k Kiv nBj /</i>
11.	Roche Diagnostics GmbH Germany Under license from F. Hoffmann-La Roche Ltd. Switzerland. (Roche Bangladesh Ltd.)	<b>a) Mircera Prefilled Syringe 50µg/0.3ml</b>  Pegserepoetin alfa INN 50µg/0.3ml	Treatment of anaemia associated with chronic kidney disease	Germany	<i>Abfgi`b Kiv hiBtZ ci i /</i>	<i>Abfgi`tbi mgwi k Kiv nBj /</i>
		<b>b) Mircera Prefilled Syringe 75µg/0.3ml</b>  Pegserepoetin alfa INN 75µg/0.3ml	-do-	Germany	<i>Abfgi`b Kiv hiBtZ ci i /</i>	<i>Abfgi`tbi mgwi k Kiv nBj /</i>
		<b>c) Mircera Prefilled Syringe 100µg/0.3ml</b>  Pegserepoetin alfa INN 100µg/0.3ml	-do-	Germany	<i>Abfgi`b Kiv hiBtZ ci i /</i>	<i>Abfgi`tbi mgwi k Kiv nBj /</i>
		<b>d) Mircera Prefilled Syringe 150µg/0.3ml</b>  Pegserepoetin alfa INN 150µg/0.3ml	-do-	Germany	<i>Abfgi`b Kiv hiBtZ ci i /</i>	<i>Abfgi`tbi mgwi k Kiv nBj /</i>

bs	cūZKvitKi big	Jitai big I tRbiwK big	ibt` Rbv	wdmij mudiIKU (FSC & Others)	tUKibK'j mve-Kuguli 52Zg mfvi gZigZ	mfvi imxvS-
	Roche Diagnostics GmbH Germany Under license from F. Hoffmann-La Roche Ltd. Switzerland. (Roche Bangladesh Ltd.)	e) Mircera Prefilled Syringe 200µg/0.3ml  Pegserepoetin alfa INN 200µg/0.3ml	-do-	Germany	Abfgi`b Kiv hiBtZ ci#i /	Abfgi`tbi mgwi k Kiv nBj /
		f) Mircera Prefilled Syringe 250µg/0.3ml  Pegserepoetin alfa INN 250µg/0.3ml	-do-	Germany	Abfgi`b Kiv hiBtZ ci#i /	Abfgi`tbi mgwi k Kiv nBj /
		g) Mircera Prefilled Syringe 360µg/0.6ml  Pegserepoetin alfa INN 360µg/0.6ml	-do-	Germany	Abfgi`b Kiv hiBtZ ci#i /	Abfgi`tbi mgwi k Kiv nBj /
		h) Mircera Prefilled Syringe 600µg/0.6ml  Pegserepoetin alfa INN 600µg/0.6ml	-do-	Germany	Abfgi`b Kiv hiBtZ ci#i /	Abfgi`tbi mgwi k Kiv nBj /
		i) Mircera Prefilled Syringe 800µg/0.6ml  Pegserepoetin alfa INN 800µg/0.6ml	-do-	Germany	Abfgi`b Kiv hiBtZ ci#i /	Abfgi`tbi mgwi k Kiv nBj /

#### I) LOCAL (Veterinary)

bs	cūZKvitKi big	Jitai big I tRbiwK big	ibt` Rbv	tUKibK'j mve-Kuguli 52Zg mfvi gZigZ	mfvi imxvS-
01.	The Acme Lab. Ltd.	<b>Natril Carbonate 40 mg/ml Solution (Vet)</b>  Natril Carbonate (Sodium Carbonate) BP 4 gm/100ml	Foot and Mouth Disease (FMD)	Abfgi`b Kiv hiBtZ ci#i /	Abfgi`tbi mgwi k Kiv nBj /

#### II) IMPORT (Veterinary)

bs	cūZKvitKi big	Jitai big I tRbiwK big	ibt` Rbv	wdmij mudiIKU (FSC & Others)	tUKibK'j mve-Kuguli 52 Zg mfvi gZigZ	mfvi imxvS-
1.	Lohmann Animal Health International USA (Cedar Bangladesh Ltd.)	a) Avipro IBD Extreme Vaccine  Bursal Disease Vaccine Live Virus Antigen Content Per dose of 10 <sup>2.0</sup> EID <sub>50</sub>	Used against bursal disease vaccine and recommended for drinking water	USA	Abfgi`b Kiv hiBtZ ci#i /	Abfgi`tbi mgwi k Kiv nBj /
		b) MBL REO Vaccine  Avian Reovirus 1733 Strain 6.3x10 <sup>5</sup> (10 <sup>5.8</sup> ) TCID <sub>50</sub> Avain Reovirus 1133 Strain 20x10 <sup>6</sup> (10 <sup>6.3</sup> ) TCID <sub>50</sub>	Recommended for the vaccination of breeder hens and replacement TCID <sub>50</sub> pullets to provide passive protection of progeny against reovirus related malabsorption syndrome	USA	Abfgi`b Kiv hiBtZ ci#i /	Abfgi`tbi mgwi k Kiv nBj /
		c) AVI Pro Reo Syno Vac  Tenosynovitis vaccine modified Live virus 10 <sup>3.5</sup> TCID <sub>50</sub> /Dose	Prevention of viral arthritis in chicken	USA	Abfgi`b Kiv hiBtZ ci#i /	Abfgi`tbi mgwi k Kiv nBj /

<i>bs</i>	<i>cōZKvītKī bg</i>	<i>Jītai bg I tRbūK bg</i>	<i>ibī Rbv</i>	<i>wdmī mūdikU (FSC &amp; Others)</i>	<i>tūKbK'j mve-Kgūlī 52 Zg mfvi gZgZ</i>	<i>mfvi m̄x̄s-</i>
2.	Komipharm International Co. Ltd., Korea (Rafique Medicine)	<b>a) Komi Prednisolone Inj.</b> Prednisolone Acetate USP 10 mg/ml	Ketosis, Puerperal Paresio (Milk fever) arthritis and allergic dermal diseases	Korea	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`tbi mgwīk Kiv nBj /</i>
		<b>b) Pankill-Powder</b> Potassium Peroxymonopersulphate 500gm (Triple Salts) Sodium Dichloroisocyanurate 50gm/Kg	Antiseptic disinfectant sanitizer	Korea	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`tbi mgwīk Kiv nBj /</i>
3.	Choong Ang Vaccine Laboratory, Korea (Pharma & Pharma)	<b>a) DHPPL-Vac</b> Canine distemper virus infected A72 Culture fluid 0.3 ml Infectious Caine hepatitis Virus infected A72 Culture fluid 0.1 ml Canine Parvovirus infected A72 Cell culture fluid 0.2 ml Canine Parainfluenza virus infected A72 Cell culture fluid 0.2 ml LPGG (stabilizer) 0.2ml/dose	Used for immunizing dogs against canine distemper virus infections canine hepatitis virus canine parvovirus canine parainfluenza virus	Korea	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`tbi mgwīk Kiv nBj /</i>
		<b>b) BNE-Vac</b> Infectious bronchitis virus infected fluid 50 ml Newcastle virus infected fluid 50 ml Egg drop syndrome virus infected fluid 100 ml & oil adjuvant 300 ml/dose	Used for immunizing poultry against infections bronchitis Newcastle disease and egg drop syndrome	Korea	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`tbi mgwīk Kiv nBj /</i>
		<b>c) ERA-Vac</b> Rabies Virus infected cell culture fluid (morethan 103.5 LD50/0.05ml) ....50% LPGG or Skin milk (20%) 50% Penicillin 500 IU/ml Streptomycin Sulphate 2 mg/dose	Used for immunization of dogs, sheep, goats cattle and horses against rabies	Korea	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`tbi mgwīk Kiv nBj /</i>
4.	Bestar Laboratories (Singapore) Pte Ltd., Singapore (Pals Agrovet)	<b>a) BAL-IBD Vaccine</b> Lyophilized Live D-78 Strain of infectious Bursal Disease Virus Not less than $10^{3.5}$ EID <sub>50</sub> /Dose	Vaccination against infectious Bursal (Gumboro) Disease	Singapore	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`tbi mgwīk Kiv nBj /</i>
		<b>b) BAL-Pox Vaccine</b> Lyophilized Live Beaudette Strain Fowl Fox Disease Virus $\geq 10^{3.5}$ EID <sub>50</sub> /Dose	Preventive vaccination of Chickens against fowl fox	Singapore	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`tbi mgwīk Kiv nBj /</i>

<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I tRbiwK big</i>	<i>ibt`Rbv</i>	<i>ukd'mj muudikU (FSC &amp; Others)</i>	<i>tUKubK'j me-KugW 52 Zg mfvi gZgZ</i>	<i>mfvi imxys-</i>
	Bestar Laboratories (Singapore) Pte Ltd., Singapore (Pals Agrovet)	<b>c) BAL-ND+IB Vaccine</b> Live B1 Type B1 Strain of Newcastle Disease Virus ≥ 10 <sup>6.5</sup> EID <sub>50</sub> and Lyophilized live massachusetts type Holland strain of Avian infections Bronchitis Virus ≥10 <sup>2.5</sup> EID <sub>50</sub> /Dose	Vaccination of poultry against newcastle and bronchitis disease	Singapore	<i>Abfgv`b Kiv hiBtZ ci#i  </i>	<i>Abfgv`tbi mgwi k Kiv nBj  </i>
		<b>d) BAL-ND "S" Vaccine</b> Lyophilized Live 'S' Strain of Newcastle Disease Virus ≥ 10 <sup>6.5</sup> EID <sub>50</sub> /Dose	Vaccination of Poultry against Newcastle disease	Singapore	<i>Abfgv`b Kiv hiBtZ ci#i  </i>	<i>Abfgv`tbi mgwi k Kiv nBj  </i>
		<b>e) BAL-ND Clone</b> Lyophilized Live B1 type Clone 30 Strain on Newcastle disease virus ≥10 <sup>6.5</sup> EID <sub>50</sub> /Dose	-do-	Singapore	<i>Abfgv`b Kiv hiBtZ ci#i  </i>	<i>Abfgv`tbi mgwi k Kiv nBj  </i>
		<b>f) BAK-ND+MG Vaccine</b> Inactivated virus of Newcastle Disease(s) Strain ≥10 <sup>8.5</sup> EID <sub>50</sub> /Dose Inactivated Mycoplasma gallisepticum infection (R. strain) ≥10 <sup>9.0</sup> CFU before inactivation	Vaccination against Newcastle mycoplasma gallisepticum infection	Singapore	<i>Abfgv`b Kiv hiBtZ ci#i  </i>	<i>Abfgv`tbi mgwi k Kiv nBj  </i>
5.	Special T Products Ltd., UK (Wilts Marketing Co. Ltd.)	<b>a) Vitaject ES 50mg/ml Inj Infection</b> Tocopherol Acetate (Vitamin E) EP 50 mg/ml + Sodium Selenite USP 0.5 mg/ml	Vitamin E deficiency	UK	<i>Abfgv`b Kiv hiBtZ ci#i  </i>	<i>Abfgv`tbi mgwi k Kiv nBj  </i>
		<b>b) Iverject 10mg/ml Inj Solution for Intra muscular Injection</b> Ivermectin EP 10 mg/ml	Treatment of Gastro intestinal lice, lung worm infections, oestriasis and scabies	UK	<i>Abfgv`b Kiv hiBtZ ci#i  </i>	<i>Abfgv`tbi mgwi k Kiv nBj  </i>
		<b>c) Trimasul 240 LA Solution for Intramuscular Injection</b> Trimethoprim EP 40 mg Sulfadoxine EP 200 mg/ml	Respiratory, gastrointestinal and urogenital infection	UK	<i>Abfgv`b Kiv hiBtZ ci#i  </i>	<i>Abfgv`tbi mgwi k Kiv nBj  </i>
		<b>d) Quincide Powder</b> Pentapotassium bis (Peroxymonosulphate) 50% Sulphamic Acid < 10% Sodium Dichloroisocyanurate <5%	Used for terminal disinfections and water sanitization	UK	<i>Abfgv`b Kiv hiBtZ ci#i  </i>	<i>Abfgv`tbi mgwi k Kiv nBj  </i>
		<b>e) Penstrep 400 LA Inj</b> Benzathine Benzylpenicillin EP 100,000IU Procaine Benzylpenicillin 100,000IU Dihydrostreptomycin Sulphate 200 mg/ml	Arthritis, mastitis and gastrointestinal respiratory and urinary infection caused by penicillin and dihydrostreptomycin sensitive micro organisms	UK	<i>Abfgv`b Kiv hiBtZ ci#i  </i>	<i>Abfgv`tbi mgwi k Kiv nBj  </i>
		<b>f) Oxytet 200 LA Inj.</b> Oxytetracycline base (as dihydrate) 200 mg/ml	Gastrointestinal and respiratory tract infections and arthritis caused by microorganism sensitive to tetracycline	UK	<i>Abfgv`b Kiv hiBtZ ci#i  </i>	<i>Abfgv`tbi mgwi k Kiv nBj  </i>

bs	cōZKvijKi big	Jitai big I tRbiwK big	ibt`Rbv	ndt'mj mudi'IKU (FSC & Others)	tUKibK'ij mve-Kugui 52 Zg mfvi gZgZ	mfvi imxvS-
6.	Lohmann Animal Health International, USA (ACI Ltd.)	<p><b>a) Avi-Pro 432 ND-IB2-BD3-REO Vaccine</b></p> <p><b>Bursal Disease Virus</b></p> <p>a) Bexendale Strain : <math>1.5 \times 10^6</math> (<math>10^{6.2}</math>) TCID<sub>50</sub></p> <p>b) Maryland Strain : <math>6.8 \times 10^5</math> (<math>10^{5.8}</math>) TCID<sub>50</sub></p> <p>c) Del. Variant 1084A Strain: <math>7.5 \times 10^3</math> (<math>10^{3.9}</math>) EID<sub>50</sub></p> <p>d) Del. Variant 1084E Strain: <math>1.0 \times 10^2</math> (<math>10^{2.0}</math>) EID<sub>50</sub></p> <p><b>Newcastle Disease Virus:</b> <math>5.0 \times 10^7</math> (<math>10^{7.7}</math>) EID<sub>50</sub></p> <p><b>Infectious Bronchitis Virus,</b></p> <p>a) Mass. Type : <math>7.8 \times 10^6</math> (<math>10^{6.9}</math>) EID<sub>50</sub></p> <p>b) Ark. Type : <math>8.8 \times 10^6</math> (<math>10^{6.9}</math>) EID<sub>50</sub></p> <p><b>Reovirus</b></p> <p>a) 1733 Strain : <math>6.3 \times 10^5</math> (<math>10^{5.8}</math>) TCID<sub>50</sub></p> <p>b) S1133 Strain : <math>2.0 \times 10^6</math> (<math>10^{6.3}</math>) TCID<sub>50</sub></p>	To Develop immunity against bursal disease newcastle disease, bronchitis and reo virus infection in poultry.	USA	Abfgi`b Kiv hBtZ ci'i /	Abfgi`tbi mgwi k Kiv nBj /

3/ tgmm̄qvi d̄ḡm̄D̄UK'ij m̄ij t KZR. Ait̄e`b KZ. K̄p̄C̄vK m̄KU h̄v t

(1) j v̄b̄c 500 m̄KU t Lansoprazole INN 15 mg Ges Naproxen Sodium 500 mg Ges (2) j v̄b̄c 250 m̄KU t Lansoprazole INN 15 mg Ges Naproxen Sodium 250 mg Jla mbqSY Kugui MZ 28-12-2005Bs Zwi tL Abfgz 232 Zg mfviq m̄etePbvi Rb Dc t̄wZ nBtj Kugui m̄ḡnZ m̄m MY Ait̄j vPbvi ceR K̄p̄C̄vK `m̄ui t̄t̄t̄ Abfgi`b Kiv nBt̄e m̄Kb̄ GB m̄et̄k̄l̄ AM̄Yi gZvgZ M̄b̄Y c̄q̄vRb euj qv gZvgZ c̄v̄b K̄t̄b /

এই প্রেক্ষিতে উল্লেখিত কবিগ্যাক দুইটি অনুমোদনের কোন প্রয়োজনীয়তা আছে কিনা এই বিষয়ে নিম্নের বিশেষজ্ঞ চিকিৎসকগণের  
m̄KU nBt̄Z gZvgZ M̄b̄Y Kiv nq /

(1) Aa'icK (M̄t̄) gḡy gr̄k̄u` Ait̄ḡ, Gḡm̄eGm, GḡW, m̄GBPm̄, ciicKZ̄s̄i l̄ ij fvi ēm̄a m̄et̄k̄l̄ A, Aa'icK i  
m̄fim̄q c̄v̄b, XvKv tḡm̄t̄Kj Kt̄j R I nm̄ciVzj, XvKv /

(2) Wt̄ t̄cb P̄`ai, Gḡm̄eGm (XvKv), Gd̄m̄ucGm (tḡm̄mb), GḡW (M̄t̄-t̄), tḡm̄mb, ciicKZ̄s̄i l̄ ij fvi t̄i m̄  
m̄et̄k̄l̄ A, mnKvix Aa'icK, XvKv tḡm̄t̄Kj Kt̄j R I nm̄ciVzj, XvKv /

Dcm̄ D̄3 m̄et̄k̄l̄ AM̄Yi gZvgZmn K̄p̄C̄vK m̄p̄u m̄KZ im̄xvS- M̄b̄Yi Rb Dc t̄cb Kiv nBtj m̄-m̄i Z Ait̄j vPbvi K̄i qv c̄B gZvgZ  
ht̄ó Z\_ euj Ges Dch̄y f̄te c̄ḡY b̄q m̄earq c̄Z̄v̄b KZR.D̄3 Ait̄e`b KZ.c̄ mḡni t̄t̄t̄ im̄xvS- Dcb̄Z n̄l qv m̄e  
b̄q m̄earq c̄Z̄v̄b Ait̄e`b v̄b̄ḡy K̄i evi mḡwi k M̄pxi nq /

Dcm̄ D̄3 m̄et̄k̄l̄ AM̄Yi gZvgZmn K̄p̄C̄vK m̄p̄u m̄KZ im̄xvS- M̄b̄Yi Rb Dc t̄cb Kiv nBtj m̄-m̄i Z Ait̄j vPbvi K̄i qv c̄B gZvgZ  
ht̄ó Z\_ euj Ges Dch̄y f̄te c̄ḡY b̄q m̄earq c̄Z̄v̄b KZR.D̄3 Ait̄e`b KZ.c̄ mḡni t̄t̄t̄ im̄xvS- Dcb̄Z n̄l qv m̄e  
b̄q m̄earq c̄Z̄v̄b Ait̄e`b v̄b̄ḡy K̄i evi mḡwi k M̄pxi nq /

4.1 evsj v̄t̄ k d̄ḡm̄D̄UK'ij B̄t̄uvŪm̄Ḡtm̄mtqkb evR̄ti `j̄t̄iM̄ K̄iYi p̄Krm̄vi J̄lamḡhi mnR I m̄j̄f c̄l̄c̄Z̄i m̄b̄oZ  
K̄i evi j t̄t̄t̄ ibt̄ie t̄c̄l̄vcu eYb̄ ceR Ait̄e`b tck K̄i / Ait̄e`b Abfgi`t̄ K̄iYi p̄Krm̄vi J̄lamḡ c̄l̄c̄Z̄i t̄km̄  
m̄ewfbet̄ k nBt̄Z Āk̄a ḡa t̄ḡ B̄t̄vtc̄tēevsj v̄t̄t̄k̄i evR̄ti c̄lek K̄i t̄j I eZḡt̄b GB m̄j̄hM b̄vB / dt̄j K̄iYi t̄i v̄t̄M  
আক্রম- M̄b̄Yi p̄Krm̄vi Aeb̄Z Nw̄t̄Zt̄Q euj qv Ait̄e`b v̄b̄ `ver Kiv nq /

GB ক্ষেত্রে উল্লেখ্য যে, ক্যাপ্সার চিকিৎসার ওষধসমূহের উৎপাদনকারী প্রতিষ্ঠান আমদানী রেজিস্ট্রেশন ক্ষেত্রে বর্তমান প্রকলিত রেজিস্ট্রেশন প্রক্রিয়া অনুসরণ পূর্বক কেবলমাত্র তালিকাভুজ 24  
p̄leYk) w̄l DbāZ t̄t̄k̄i ḡtā th t̄Kb̄ 01 (GK) w̄l Drm̄ t̄t̄k̄i m̄d̄t̄m̄j m̄w̄l d̄t̄K̄t̄Ui w̄l Ēt̄Z m̄eā t̄ḡZt̄eK Ab̄vB kZ̄p̄ej x

মানবিক কারণে ক্যাপ্সার আক্রম- t̄iM̄t̄ i m̄j̄f p̄Krm̄vi t̄t̄t̄t̄ m̄et̄k̄l̄ m̄etePbvi GB m̄Kj Āt̄iR̄-KZ.c̄ mḡn c̄l̄c̄Z̄i t̄k̄  
ēl̄Z Ab̄vB t̄t̄k̄i nBt̄Z m̄k̄j k̄t̄Z ĀS-eZr̄yj b̄b̄ Ait̄e`b m̄etePbvi Rb m̄-m̄i Z Ait̄j vPbvi ceR GB ḡt̄ḡ  
সুপারিশ গৃহীত হয় যে, পশু চিকিৎসার ওষধের ক্ষেত্রে বর্তমান প্রকলিত রেজিস্ট্রেশন প্রক্রিয়া অনুসরণ পূর্বক কেবলমাত্র তালিকাভুজ 24  
(p̄leYk) w̄l DbāZ t̄t̄k̄i ḡtā th t̄Kb̄ 01 (GK) w̄l Drm̄ t̄t̄k̄i m̄d̄t̄m̄j m̄w̄l d̄t̄K̄t̄Ui w̄l Ēt̄Z m̄eā t̄ḡZt̄eK Ab̄vB kZ̄p̄ej x

ct-Y Kwiqv wetkI wetepbv Avg`vbx tiiRt÷ktbi mfhM cib Kiv hBtZ ci|i | KriYvi PiKrmvi JItai myf gj- I  
cicZv ibiOZKi Ytfe এই শিখিল রেজিস্ট্রেশন পত্রিয়া tKej gyi cieZr06 (Qq) gvm mgqmkgi chSlejer \_mKte |

- 4.2 মেসার্স তেজারত হেলথকেয়ার মার্কেটিং কর্তৃক আমদানীকৃত ও হীন ক্রস ভ্যাকসিন KtcRikb, mD\_ tKwiqv Drcw`Z Hepatitis B-Vaccine (Hepavax Gene) 0.5 ml & 1 ml c` BuK 1996 mrtj Drm t`tki wdtmj mwUdtkU Ges nek, -r- ms vi j vetiUx tu÷ wtcvUf wfiEz cibgKfite mgqK tiiRt÷kb Ges cieZrZ ibqiqZ tiiRt÷kb cib Kiv nq/ GB tiiRt÷ktbi %eaZvi tgqy`Kyj 13-03-2001 DEYnq/ JIa ibqSY KrigUi 11-06-2002 ZwtL Abj0Z 223 Zg mfvq D3 c` BuU tiiRt÷kb beqb I AvMrgtZ Avg`vbx MbiYthwM` kkv,- mXitS-i Rb` Dc`vcb Kiv nBtj ne`-ni Z আলোচনাক্রম tiiRt÷kb beqbmn Avg`vbx Abtgy`b MbiYthwM` bq ejq qv mgwmi k MpxZ nq/

eZgib Avg`vbxKvi K cibZovbu Arite`b KwiqtiQ th, tKej gyi GlaxoSmithKline, Belgium-Gi`Zix Hepatitis B Vaccine evsj vt`tk evRvi RvZ nBtZtQ/ GB JIawt mrvaiY gibyj i KvtiQ e`qeuj ejq qv Arite`bKvix cibZovbu `ver KwiqtiQ/ cibZovbu Aritv RvbiBqjtQ th, Korea Green Cross Vaccine Corporation-GKU Berna Biotech Group-Gi`mBvij vU wfiEz tKvraib Ges wetkji cib 40 wU t`tk D3 f`vKimb evRvi RvZ KwiZtQ/ GB f`vKimbui evsj vt`kmn mrv wetkji Kvixfite WHO(GAVI)-Gi gva`tg mieivn Kiv nBtZtQ/ f`vKimbui t`qit`cibg ermi I cibZ cib ermi ASh-i eyvi tWR cib Kwi evi ibqg AvtQ/ kS`Zimvt`i cteP Avg`vbxKZ. f`vKimbui t`qit`cibgK tWR t`l qvi cti GB f`vKimbui tiiRt÷kb RvUj ZvRvB Z Avg`vbxKvi K KZR.mi eiutni Arite tivMxv eyvi tWR cibZtQ bv/

GgZve`vq D3 f`vKimb c` BuU tiiRt÷kb beqb I Avg`vbx Rb` cibZovbu Arite`b Dc`vcb Kiv nBtj mweR chitjvPb Kwiqv myf gj- I mnR cicZv ibiOZKiYi ktZ`eZgib cibjyZ ci` PiKrmvi JItai t`qit`ne`gyib  
রেজিস্ট্রেশন পত্রিয়ার অনুমতিবাবে তালিকাভৃত<sup>3</sup> 24 (PielyK) wU DbiZ t`tki th tKib 1 (GK) wU Drm t`tki wdtmj mwUdtkU  
wfiEz wia tgvZtEAbtbi kZtEjx c`Y mvtct`t iRt÷kb beqb Kiv hBtZ ci|i ejq qv mgwmi k MpxZ nq/

এই শিখিল পত্রিয়ায় Abvib` Avg`vbxKvi KMYI myf gj- I mnR cicZv ibiOZKiYi ktZ`GB RvZiq f`vKimb tiiRt÷ktbi  
mfhM cieZr06 (Qq) gvm chS- MbiY KwiZ ciwte/

- 4.3 mfq GB gtg`mXitS- MpxZ nq th, cieZr0mfvi Kvh`eeiYtZ Arite`bKZ.c`mgm FDA Abtgy`b I BNF-tZ AS-fj<sup>3</sup>  
সংক্রান্ত- Z\_ mbiKZ KwiZ nBte Ges GB ciw`cibjZ JIa ibqSY KrigUi mfq wetepbv tUKubKij mve-KrigUi mfq  
আবেদনকৃত পদসমূহ মূল্যায়নের ক্ষেত্রে আবেদনকারীগণ কর্তৃক সংশ্লিষ্ট পদসমূহ US-FDA-KZK. Abtgy`b I BNF-G AS-fj<sup>3</sup>  
সংক্রান্ত- Z\_ /i ditiY mgx fite AvenK`Kfite Arite`b cib KwiZ nBte/ GB Z\_ m`/i ditiY h\_h\_fite wbt`R KwiZ  
nBte Ges th tKib Arite`bKZ.c`mgm wetepbv Ges tUKubKij mve KrigUiZ Safety, Usefulness, Efficacy-i Aritv tK  
gj`vqtbj Rb` gtbvibqtbj t`qit` এতদসংক্রান্ত- Z\_ /i ditiY ce`KZ`mmti wetewPZ nBte/ AZGe JIa ibqSY KrigUi  
Ari Zvaxb tUKubKij mve-KrigUi mfq bZb JIa Ges cibjZ JItai bZb gyi` I AvKvi Safety, Usefulness, Efficacy-i  
Aritv tK g`vqY KwiZ Dnv`i US-FDA KZK. Abtgy`b Ges BNF-G AS-fj<sup>3</sup> m`/iKZ ibiOZ I hPvB/eQvBKZ.  
Z\_ /i ditiY (cibjY) e`ZZ tKib iKg wetepbv Rb` gtbvibZ nBte bv/

mfvcwZ gtnv`q Dcw`Z mKj tK ab`er` Avcb Kwiqv mfvi mgwB tNvIYv Ktib/

(Avck W. tgit mweiy ingvb)

cwi Pij K  
JIa cibKimb ciw`Bi  
I  
m`m`-mipE  
JIa ibqSY KrigUi



