

## Jla ibqšY Kugli 09 RjvB 2008 ZwitL AbjōZ 237 Zg mfvi Kih̄eeiYx

স্বাস্থ্য ও পরিবার কল্যাণ মন্ত্রণালয়ের সচিব জনাব এ কে এম জাফর উলগ্দা খান এর সভাপতিত্বে উষধ নিয়ন্ত্রণ কমিটির ২৩৭ Zg mfvi MZ 9 RjvB 2008 ZwitL tej 11:00 MUKVq gšYij tqi mfvi Ktj AbjōZ nq/

mfvi ibqšY সদস্যগণ উপস্থিত ছিলেন (জ্যোতির ক্রমানুসারে নয়) :

- 1/ tgRi tRbvij Gg M R i eYibx, Kbmyj tBuU mclRikqv, evsj vt' k AvgW tdiitmri/
- 2/ Aa'vcK Wt Gg G dtqR, gnvcwi Pij K, " " Awa'Bi, XvKv/
- 3/ Rbve G tK Gg gvbRj" j nK, hM mPe, Rb " " I wek, " " , " " I cwei Kj " Y gšYij q, XvKv/
- 4/ Wt tgvt tgvQitK tnvmb, Pxd tftuvi bvix Awdmvi, ctqI gnvcwi Pij K, ci' mraú' Awa'Bi, XvKv/
- 5/ Aa'vcK Wt gweb Lvb, tKvIva'J, ezeÜztkL gyRe tgWtKj wekje'ij q/
- 6/ Aa'vcK Wt tKmnbj teMg, Wlb, PwKrmv Abj', XvKv wekje'ij q I Aa'vcK, MvBbx I Aeđ÷U wefim, XvKv tgWtKj Ktj R/
- 7/ Aa'vcK Wt bI" b bvni ingyb, dvgmxi wefim, XvKv wekje'ij q/
- 8/ Aa'vcK Wt Gd Gg mmlKx, tgWtmb wefim, XvKv tgWtKj Ktj R, XvKv/
- 9/ Aa'vcK Wt এম এন হুদা, চর্ম ও যৌন রোগ বিশেষজ্ঞ, স্যার সলিমুল্লাহ মেডিকেজ Ktj R, XvKv/
- 10/ Aa'vcK Wt gyañ knx' উল্লাসহ, চর্ম ও যৌন রোগ বিশেষজ্ঞ, ঢাকা মেডিকেল কলেজ, ঢাকা।
- 11/ Aa'vcK Wt wRbvZ Aviv teMg, dvgmxi wefim, XvKv tgWtKj Ktj R/
- 12/ Rbve Gm Gg kwdD%igvb, mfvcwZ, evsj vt' k Jla wki mngwZ, XvKv/
- 13/ Aa'vcK Wt G, tK, Gg, AwRRjy nK, mfvcwZ, evsj vt' k tgWtKj Gtmwmfqkb, XvKv/
- 14/ Aa'vcK Wt ti Rv-Dj Rvij ctqI mfvcwZ, evsj vt' k dvgmxi DvUK'ij tmvmvBvU/
- 15/ Wt tgvtgbjy nK, Dct' ór, evsj vt' k Jla wki mngwZ Ges e'e'vcbr cwi Pij K, tgwmvRbvij dvgmxi DvUK'ij mñij t/
- 16/ Wt tgvt Ave'j i kr', ctZibxa, evsj vt' k dvgmxi KvDñYj /
- 17/ nvKxg tgvt BDmgf nvi " b fBq, BDbvbx wekKI Á, evsj vt' k BDbvbx I AvgteP K terW/
- 18/ weMwqvi tRbvij miKvi Gg G gwZb, cwi Pij K, Jla ckmb cwi 'Bi, XvKvD m'm' mPe/

mfvcwZ gtnw' q DcW-Z mKj tK -MZ RvbwBqy mfvi Kih̄emPbv Ktj b/

mfvi Dc-nwcz weIq, Avtj Pbv I mgwimkmgw ibtgwewZ nBj t

- 1/ weMZ 15 Gicj 2008 ZwitL AbjōZ Jla ibqšY Kugli 236 Zg mfvi Kih̄eeiYx Abjgy' b cñt½/

**Avtj Pbv t**

mfvi Jla ibqšY Kugli 10 Gicj 2007 ZwitL AbjōZ mfvi Kih̄eeiYx cwi Kwi qv we'wi Z Avtj Pbv nq/

**mxtsít**

D3 Kih̄eeiYx cwi Kwi qv Kih̄eeiYxi AbjPQ` bs-6 Gi we'tq MpxZ mxtsít tiiRt÷kb ewZj KZ. Oci' PwKrmvi Jlaò Gi t'j Ògrm' I ci' PwKrmvi Jlaò উল্লেখ করিতে হইবে বলিয়া সংশোধনী গ্রহণ করা হয়। সভায় আলোচনাতে 15 Gicj 2008 ZwitL AbjōZ 236 Zg mfvi Kih̄eeiYx GB mstkvabx mifctqI wboZKiY Kiv nBj /

- 2/ tUKibK'ij mve-Kugli MZ 17 Rjy 2008 ZwitL AbjōZ 54 Zg mfvi Kih̄eeiYx Abjgy' bZb Jla I cñtj Z Jlai bZb AvKuji i tiiRt÷kb mraúK'ngwimkKZ weIqmgn wefePbv cñt½/

**Avtj Pbv t**

mfvi tUKibK'ij -mve Kugli MZ 17 Rjy 2008 ZwitL 54 Zg mfvi Avtj wPZ I Kih̄eeiYx tZ ewYZ -vbxq Drctv' b I Avg'vxi Rb' bZb Jla I cñtj Z Jlai bZb gviv Ges Abjyc ci' PwKrmvi Jlai tiiRt÷kb mraúK'ngwimkK'ij mve-Kugli cñtj E gZigZ/mgwimk mraúK'ngwimk Kiv nq/

**መኅፌት**

መፍቃጭ ተክክለኛውን የሚከተሉት አካላት 54 ዓይንት ሽያጭ መሆኑን የሚገልጻ ተስተካክል ማቋረጥ ይችላል  
በግዢር መኅፌት ስም ነው

## 2. K) Local (New Molecule)

bs	cūzKiiTKi big	Jītai big I TrbiuK big	ብቶ ኮብ	Ate`bKuix cDE BNF or USFDA Reference	tUKubKij me-Kujui 54 Zg mfvii gZigZ	mfvii መኅፌት
01.	Ibn Sina Pharmaceutical Industries Ltd.	a) <b>Ramelteon 8 mg Tablet</b>  Ramelteon INN 8 mg	Insomnia Characterised by difficulty with sleep onset	USFDA	Abtgr`b Kiv hiBtZ c#i	Abtgr`b Kiv nBj
		b) <b>Lafutidine 10 mg Tablet</b>  Lafutidine INN 10 mg	Gastric, duodenal & stomal ulcer, gastric mucosal leissons & Pre-anaesthetic medication		BNF-G AS-fip A_ev USFDA KZK Abtgr`Z bq neaq Ate`b bv gAý Kiv hiBtZ c#i	BNF-G AS-fip A_ev USFDA KZK Abtgr`Z bq neaq Ate`b bv gAý Kiv nBj
		c) <b>Lafutidine 5 mg Tablet</b>  Lafutidine INN 5 mg	-do-		BNF-G AS-fip A_ev USFDA KZK Abtgr`Z bq neaq Ate`b bv gAý Kiv hiBtZ c#i	BNF-G AS-fip A_ev USFDA KZK Abtgr`Z bq neaq Ate`b bv gAý Kiv nBj
02.	Apex Pharma Ltd.	a) <b>Doxepin 75 mg Capsule</b>  Doxepin HCl USP 84.75 mg eq. to 75 mg Doxepin	Psychoneurotic with depression and/or anxiety	USFDA	Abtgr`b Kiv hiBtZ c#i	Abtgr`b Kiv nBj
		b) <b>Doxylamine Succinate 10 mg + Pyridoxine HCl 10 mg + Folic Acid 2.5 mg Tablet</b>  Doxylamine Succinate USP 10 mg Pyridoxine Hydrochloride USP 10 mg Folic Acid USP 2.5 mg	Nausea & Vomiting during pregnancy		BNF-G AS-fip A_ev USFDA KZK Abtgr`Z bq neaq Ate`b bv gAý Kiv hiBtZ c#i	BNF-G AS-fip A_ev USFDA KZK Abtgr`Z bq neaq Ate`b bv gAý Kiv nBj
03.	Renata Ltd.	a) <b>Eletriptan 40 mg Tablet</b>  Eletriptan Hydrobromide INN 48.50 mg eq. to 40 mg of Eletriptan	Acute treatment of migraine	USFDA BNF	Abtgr`b Kiv hiBtZ c#i	Abtgr`b Kiv nBj
04.	ACI Ltd.	a) <b>Cinacalcet 90mg Tablet</b>  Cinacalcet HCl INN 99.191 mg eq. to Cinacalcet 90 mg	Secondary hyperparathyroidism , Patients with chronic kidney disease,Parathyroid cancer.	USFDA BNF	Abtgr`b Kiv hiBtZ c#i	Abtgr`b Kiv nBj
		b) <b>Cinacalcet 60mg Tablet</b>  Cinacalcet HCl INN 66.128 mg eq. to Cinacalcet 60 mg	-do-	USFDA BNF	Abtgr`b Kiv hiBtZ c#i	Abtgr`b Kiv nBj
		c) <b>Cinacalcet 30mg Tablet</b>  Cinacalcet HCl INN 33.064 mg eq. to Cinacalcet 30 mg	-do-	USFDA BNF	Abtgr`b Kiv hiBtZ c#i	Abtgr`b Kiv nBj
		d) <b>Milrinone 1 mg /ml IV Injection</b>  Milrinone Lactate USP 0.143 gm eq. to Milrinone 0.1gm/100ml	Acute heart failure, including low output states, following heart surgery.	USFDA BNF	Abtgr`b Kiv hiBtZ c#i	Abtgr`b Kiv nBj
		e) <b>Galantamine 24mg ER Capsule</b>  Galantamine Hydrobromide ER Pellets Ph. Grade 420 mg (contains Galantamine hydrobromide INN 30.765 mg eq. to 24 mg of Galantamine)	Alzheimer's disease, mild to moderate dementia of the Alzheimer's type	USFDA BNF	Abtgr`b Kiv hiBtZ c#i	Abtgr`b Kiv nBj
		f) <b>Galantamine 16mg ER Capsule</b>  Galantamine Hydrobromide ER Pellets Ph. Grade 280 mg (contains Galantamine hydrobromide INN 20.504 mg eq. to 16 mg of Galantamine)	-do-	USFDA BNF	Abtgr`b Kiv hiBtZ c#i	Abtgr`b Kiv nBj



<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I tRbiwK big</i>	<i>ibī Rbv</i>	<i>Ate`bKvix cōE BNF or USFDA Reference</i>	<i>tUKubK'jy me-KigüUi 54 Zg mfvi gZigZ</i>	<i>mfvi m̄xviši</i>
	ACI Ltd.	s) <b>Galantamine 8mg Film Coated Tablet</b>  Galantamine Hydrobromide INN 10.253 mg eq. to 8mg of Galantamine	Alzheimer's disease.	BNF	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		t) <b>Galantamine 4mg Film Coated Tablet</b>  Galantamine Hydrobromide INN 5.126 mg eq. to 4mg of Galantamine	Alzheimer's disease.	BNF	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		u) <b>Galantamine 4 mg/ml Oral Solution</b>  Galantamine Hydrobromide INN 0.5126 gm eq. to 0.4 gm of Galantamine/100 ml	Alzheimer's disease.	BNF	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		v) <b>Telithromycin 400mg Film Coated Tablet</b>  Telithromycin INN 400mg	Community-acquired pneumonia, chronic bronchitis, Acute sinusitis.	BNF	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		w) <b>Clorazepate 3.75 mg Tablet</b>  Clorazepate Dipotassium USP 3.75 mg	Adjunct to epileptic drugs, symptomatic relief of anxiety	USFDA	<i>Jla ibqSY KigüUi (ilimim) mfvi tUKubK'jy me-KigüUi m̄ m̄ Aa'cK W. t̄iRdj Rij Jla m̄utK'ek` c̄iñv Kiv qv gZigZ/mgwi k c̄iñv Kiv teb /</i>	<i>c̄iqiRb biB meaq Ate`b br gAý Kiv nBj /</i>
		x) <b>Clorazepate 7.5mg Tablet</b>  Clorazepate Dipotassium USP 7.5 mg	-do-	USFDA	<i>Jla ibqSY KigüUi (ilimim) mfvi tUKubK'jy me-KigüUi m̄ m̄ Aa'cK W. t̄iRdj Rij Jla m̄utK'ek` c̄iñv Kiv qv gZigZ/mgwi k c̄iñv Kiv teb /</i>	<i>c̄iqiRb biB meaq Ate`b br gAý Kiv nBj /</i>
		y) <b>Bethanechol 5mg Tablet</b>  Bethanechol Chloride USP 5 mg	Acute postoperative and postpartum nonobstructive urinary retention and neurogenic atony of the urinary bladder with retention.	BNF USFDA	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		z) <b>Bethanechol 50mg Tablet</b>  Bethanechol Chloride USP 50 mg	-do-	BNF USFDA	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		aa) <b>Miglitol 25mg Film Coated Tablet</b>  Miglitol INN 25 mg	Antidiabetes drug as an adjunct to diet to improve glycemic control in patients with NIDDM	BNF USFDA	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		ab) <b>Miglitol 50mg Film Coated Tablet</b>  Miglitol INN 50 mg	-do-	BNF USFDA	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		ac) <b>Miglitol 100mg Film Coated Tablet</b>  Miglitol INN 100 mg	-do-	BNF USFDA	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		ad) <b>Colestipol 1000mg Tablet</b>  Colestipol HCl BP 1000 mg (Based on 100% Potency)	Hyperlipidaemia	USFDA	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>

bs	cōZKvītKi big	Jltai big I tRibwīK big	ibt' Rbv	Afe bKvix cōE BNF or USFDA Reference	tUKibK' yj me-KugJi 54 Zg mfvi gZigZ	mfvi m̄xv̄sī
ACI Ltd.		ae) <b>Cyproterone Acetate 2 mg + Ethynodiol Diacetate 0.035 mg Tablet</b>  Cyproterone Acetate BP 2mg+Ethynodiol Diacetate BP 0.035mg	Alopecia and mild forms of hirsutism, oral contraception in women requiring anti-androgen therapy.	BNF	Abfgv' b Kiv hiBtZ c̄ti	Abfgv' b Kiv nbJ
		af) <b>Desmopressin 0.12mg Sublingual Tablet</b>  Desmopressin Acetate INN 0.12mg	1.Central diabetes insipidus and for establishing renal concentration capacity testing.2.Patient with prolonged bleeding time of unknown etiology	BNF	ieK' ~ ms~vi WMM Bbditgkb Abfgvq JI aJU e~envi m~utK'qZKZv মোড়ক সামগ্রীতে উলেচ্ছা KiitZ nBte GB ktZ® Abfgv' b Kiv hiBtZ c̄ti	ieK' ~ ms~vi WMM Bbditgkb Abfgvq JI aJU e~envi m~utK'qZKZv tgioK mgMñi Mñiq ~úó উলেচ্ছা KiitZ nBte GB ktZ® Abfgv' b Kiv nbJ
		ag) <b>Desmopressin 0.06mg Sublingual Tablet</b>  Desmopressin Acetate INN 0.06mg	-do-	BNF	ieK' ~ ms~vi WMM Bbditgkb Abfgvq JI aJU e~envi m~utK'qZKZv মোড়ক সামগ্রীতে উলেচ্ছা KiitZ nBte GB ktZ® Abfgv' b Kiv hiBtZ c̄ti	ieK' ~ ms~vi WMM Bbditgkb Abfgvq JI aJU e~envi m~utK'qZKZv tgioK mgMñi Mñiq ~úó উলেচ্ছা KiitZ nBte GB ktZ® Abfgv' b Kiv nbJ
		ah) <b>Desmopressin 4 mcg/ml Injection Ampoule</b>  Desmopressin Acetate INN 0.004 gm/100 ml	-do-	BNF	ieK' ~ ms~vi WMM Bbditgkb Abfgvq JI aJU e~envi m~utK'qZKZv মোড়ক সামগ্রীতে উলেচ্ছা KiitZ nBte GB ktZ® Abfgv' b Kiv hiBtZ c̄ti	ieK' ~ ms~vi WMM Bbditgkb Abfgvq JI aJU e~envi m~utK'qZKZv tgioK mgMñi Mñiq ~úó উলেচ্ছা KiitZ nBte GB ktZ® Abfgv' b Kiv nbJ
05.	Kumudini Pharmaceuticals Ltd. ACI Ltd.	a) <b>Bethanechol 10mg Tablet</b>  Bethanechol Chloride USP 10mg	Acute postoperative and postpartum nonobstructive urinary retention and neurogenic atony of the urinary bladder with retention.	BNF	Abfgv' b Kiv hiBtZ c̄ti	Abfgv' b Kiv nbJ
06.	UniMed & UniHealth Manufacturers Ltd.	a) <b>Butamirate 7.5 mg/5ml Syrup</b>  Butamirate Citrate BP 0.150 gm/100ml	Acute cough and the suppression of cough before and after bronchoscope inspection		BNF-G Aš-ñP A_ev USFDA KZK Abfgw' Z bq ñeaq Arte` b bv gAý Kiv hiBtZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abfgw' Z bq ñeaq Arte` b bv gAý Kiv nbJ
07.	Opso Saline Ltd.	a) <b>Sodium Chloride 50 mg/ml Eye Drops</b>  Sodium Chloride BP 5 gm/100 ml	Corneal Oedema, Bullous Keratopathy		BNF-G Aš-ñP A_ev USFDA KZK Abfgw' Z bq ñeaq Arte` b bv gAý Kiv hiBtZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abfgw' Z bq ñeaq Arte` b bv gAý Kiv nbJ
08.	Opsonin Pharma Ltd.	a) <b>Rabeprazole 20 mg/vial</b>  Rabeprazole INN 21.28 mg eq. to Rabeprazole 20 mg/vial	Sequential therapy active duodenal ulcer, gastric ulcer		BNF-G Aš-ñP A_ev USFDA KZK Abfgw' Z bq ñeaq Arte` b bv gAý Kiv hiBtZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abfgw' Z bq ñeaq Arte` b bv gAý Kiv nbJ
09.	Drug International Ltd.	a) <b>Deferiprone 250 mg Capsule</b>  Deferiprone INN 250 mg	Haemosiderosis especially in case of thalassaemia		BNF-G Aš-ñP A_ev USFDA KZK Abfgw' Z bq ñeaq Arte` b bv gAý Kiv hiBtZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abfgw' Z bq ñeaq Arte` b bv gAý Kiv nbJ
		b) <b>Deferiprone 500 mg Capsule</b>  Deferiprone INN 500 mg	-do-	BNF	BNF Abfgvq GB gr̄vq Tablet Form Abfgv' b Kiv hiBtZ c̄ti	BNF Abfgvq GB gr̄vq Tablet Form Abfgv' b Kiv nbJ
10.	Popular Pharmaceuticals Ltd.	a) <b>Pyridostigmine Bromide 60 mg Tablet</b>  Pyridostigmine Bromide BP 60 mg	Myasthenia Gravis	USFDA BNF	Abfgv' b Kiv hiBtZ c̄ti	Abfgv' b Kiv nbJ
		b) <b>Amlodipine 5 mg + Valsartan 160 mg Tablet</b>  Amlodipine Besilate BP 6.93 mg (eq. to 5 mg Amlodipine) + Valsartan USP 160 mg	Hypertension	USFDA BNF	Abfgv' b Kiv hiBtZ c̄ti	Abfgv' b Kiv nbJ

<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I iRbiwK big</i>	<i>ibī Rbv</i>	<i>Ate`bKvix cōE BNF or USFDA Reference</i>	<i>tUKbKij me-Kugui 54 Zg mfvi gZigZ</i>	<i>mfvi mxiši</i>
Popular Pharmaceuticals Ltd.		c) <b>Paracetamol 500mg + Domperidone 10 mg Tablet</b>  Paracetamol BP 500mg + Domperidone Maleate BP 12.73mg eq. to 10mg Domperidone	Symptomatic treatment of migraine, any medical condition with concomitant nausea, vomiting, pain and fever.	BNF	Kir̄tbkb Ac̄q̄Rb̄q̄ meaq̄ Wmm-Gi 233 Zg mfviq MpiZ Ate`b bv gĀȳ Kir̄evi mxiši- enȳ iL̄ hBtZ c̄ti	GB Kir̄tbkb Ac̄q̄Rb̄q̄ meaq̄ Wmm-Gi 233 Zg mfviq MpiZ Ate`b bv gĀȳ Kir̄evi mxiši- enȳ iL̄ hBtZ c̄ti
		d) <b>Amlodipine 5 mg + Perindopril Erbutamide 4 mg Tablet</b>  Amlodipine Besilate BP 6.93 mg eq. to 5 mg Amlodipine + Perindopril Erbutamine INN 4 mg	Hypertension		BNF-G AS-fjP A_ev USFDA KZK Ab̄ḡw Z bq̄ meaq̄ Ate`b bv gĀȳ Kir̄ hBtZ c̄ti	BNF-G AS-fjP A_ev USFDA KZK Ab̄ḡw Z bq̄ meaq̄ Ate`b bv gĀȳ Kir̄ nBj
		e) <b>Rifaxamin 200 mg Tablet</b>  Rifaxamin INN 200 mg	Travelers diarrhoea	USFDA	Mechanism of Action mūtKAvi I Z_ c̄v̄bi Rb̄e jy hBtZ c̄ti	c̄q̄Rb biB meaq̄ Ate`b bv gĀȳ Kir̄ nBj
11. Incepta Pharmaceuticals Ltd.		a) <b>Etanercept 50 mg/ml Subcutaneous pre-filled syringe Injection</b>  Etanercept INN 50 mg/ml	<a href="#">Rheumatoid arthritis, juvenile rheumatoid arthritis</a>	USFDA BNF	Ab̄ḡi`b Kir̄ hBtZ c̄ti	Ab̄ḡi`b Kir̄ nBj
		b) <b>Lyophilized Daptomycin 500 mg Injection</b>  Daptomycin as Lyophilized sterile powder INN 500 mg	Complicated Skin and Skin Structure infections	USFDA BNF	Ab̄ḡi`b Kir̄ hBtZ c̄ti	Ab̄ḡi`b Kir̄ nBj
		c) <b>Dorzolamide 2% Eye Drops</b>  Dorzolamide HCl USP 22.3 mg eq. to Dorzolamide 20 mg/ml	Elevated Intraocular Pressure with open-angle glaucoma or ocular hypertension	USFDA BNF	Ab̄ḡi`b Kir̄ hBtZ c̄ti	Ab̄ḡi`b Kir̄ nBj
		d) <b>Doxepin Hydrochloride 5% Cream</b>  Doxepin Hydrochloride BP 50mg/gm	Management of Moderate pruritus with atopic dermatitis on lichen simplex chronicus	USFDA BNF	Ab̄ḡi`b Kir̄ hBtZ c̄ti	Ab̄ḡi`b Kir̄ nBj
		e) <b>Travoprost 40mcg + Timolol 5mg/ml Eye Drop</b>  Travoprost INN 40mcg + Timolol Maleate BP 6.8 mg eq. to 5 mg of Timolol	Open angle glaucoma, ocular hypertension.	BNF	Ab̄ḡi`b Kir̄ hBtZ c̄ti	Ab̄ḡi`b Kir̄ nBj
		f) <b>Sumatriptan Succinate 85 mg + Naproxen Sodium 500 mg Tablet</b>  Sumatriptan Succinate BP 85 mg + Naproxen Sodium USP 500 mg	Acute treatment of migraine.		BNF-G AS-fjP A_ev USFDA KZK Ab̄ḡw Z bq̄ meaq̄ Ate`b bv gĀȳ Kir̄ hBtZ c̄ti	BNF-G AS-fjP A_ev USFDA KZK Ab̄ḡw Z bq̄ meaq̄ Ate`b bv gĀȳ Kir̄ nBj
		g) <b>Sodium Bicarbonate 133.5 mg+ Sodium Alginate 250 mg + Calcium Carbonate 80 mg / 5 ml suspension</b>  Sodium Bicarbonate BP 2.670 gm+ Sodium Alginate BP 5 gm + Calcium Carbonate BP 1.60gm/100 ml	Heartburn in pregnancy, management of acid indigestion	BNF	c̄q̄Rb biB meaq̄ Ate`b br̄gĀȳ Kir̄ hBtZ c̄ti	c̄q̄Rb biB meaq̄ Ate`b br̄gĀȳ Kir̄ nBj

bs	cōZKvītKi big	Jitai big I tRibwīK big	ibt̄ Rbv	Afe bKvix cōE BNF or USFDA Reference	tUKibK yj me-Kigūli 54 Zg mfvi gZigZ	mfvi m̄x̄s̄l
	Incepta Pharmaceuticals Ltd.	<p><b>h) Sodium Chloride 1.75 gm + Tri-sodium Citrate Dihydrate 1.45 gm + Potassium Chloride 0.75 gm+ Glucose Anhydrous 10.0 gm + Elemental Zinc 10 mg/ sachet</b></p> <p>Sodium Chloride BP 1.75 gm Tri-sodium Citrate Dihydrate BP 1.45gm Potassium Chloride BP 0.75 gm Glucose Anhydrous BP 10.0 gm Zinc Sulphate USP (as monohydrate) 27.44 mg eq. to Elemental Zinc USP 10 mg</p>	Fluid and salt replacement in conditions such as sudden diarrhea and vomiting and severely low concentrations of salts in the blood. (Severe electrolyte depletion)	-	BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv hibZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv nBj
		<p><b>i) Magnesium Oxide 500 mg Tablet</b></p> <p>Magnesium Oxide BP 500 mg</p>	Antacid, osmotic laxative, in case of excessive loss of magnesium		BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv hibZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv nBj
12.	Beacon Pharma Ltd.	<p><b>a) Calcium Polycarbophil 500 mg Tablet</b></p> <p>Calcium Polycarbophil USP 625mg eq. to 500 mg Polycarbophil</p>	Laxative		BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv hibZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv nBj
		<p><b>b) Chlorzoxazone 500 mg Tablet</b></p> <p>Chlorzoxazone USP 500 mg</p>	Painful muscle spasm		ActqRbq næaq ll/mm-Gi 235 Zg mfq MpxZ Afe`b bv gĀy Kiv evi m̄x̄s̄- enj iLv hibZ c̄ti	ActqRbq næaq ll/mm-Gi 235 Zg mfq MpxZ Afe`b bv gĀy Kiv evi m̄x̄s̄- enj iLv nBj
		<p><b>c) Sevelamer Hydrochloride 800mg Tablet</b></p> <p>Sevelamer Hydrochloride INN 800mg</p>	Hyperphosphataemia in Patients with end stage renal disease		BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq Ges ll/mm-Gi 233 Zg mfq MpxZ Afe`b bv gĀy Kiv evi m̄x̄s̄- enj iLv hibZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq Ges ll/mm-Gi 233 Zg mfq MpxZ Afe`b bv gĀy Kiv evi m̄x̄s̄- enj iLv nBj
		<p><b>d) Caffeine 100 mg + Thiamine Hydrochloride 10 mg + Nicotinic Acid 10 mg Tablet</b></p> <p>Caffeine BP 100 mg Thiamine Hydrochloride (Vitamin B<sub>1</sub>) BP 10mg Nicolinic Acid BP 10 mg</p>	For mental fatigue		BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv hibZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv nBj
		<p><b>e) Mecobalamin 500 mcg + Pyridoxine Hydrochloride 10 mg + Folic Acid 5 mgTab.</b></p> <p>Mecobalamin INN 500 mcg Pyridoxine Hydrochloride BP 10mg Folic Acid BP 5 mg</p>	For Hypercysteinemia Treatment of cardiovascular disease, hypertension, depression		BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv hibZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv nBj
		<p><b>f) Atorvastatin 10 mg + Aspirin 75 mg Tab.</b></p> <p>Atorvastatin Calcium Trihydrate INN 10.48 mg eq. to 10.00 mg Atorvastatin Aspirin BP 75 mg</p>	For the prevention of ischemic events, myocardial infarction & stroke		BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv hibZ c̄ti	BNF-G Aš-ñP A_ev USFDA KZK Abtgw Z bq næaq Afe`b bv gĀy Kiv nBj

<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I tRbiwK big</i>	<i>ib̄ Rbv</i>	<i>Ate` bKvix cōE BNF or USFDA Reference</i>	<i>tUKbKjy me-Kugui 54 Zg mfvi gZigZ</i>	<i>mfvi m̄xvi</i>
	Beacon Pharmaceuticals Ltd.	g) <b>Atorvastatin 10 mg + Amlodipine 5 mg Tablet</b>  Atorvastatin Calcium Trihydrate INN 10.48 mg eq. to 10.00 mg Atorvastatin Amlodipine Besilate BP 6.90 mg eq. to 5 mg Amlodipine	For the prevention of ischemic events, myocardial infarction & stroke		BNF-G AS-fjP A_ey USFDA KZK Abtgw' Z bq næaq Ate` b br gÄy Kiv hiBtZ cti	BNF-G AS-fjP A_ey USFDA KZK Abtgw' Z bq næaq Ate` b br gÄy Kiv nBj
13.	Eskayef Bangladesh Ltd.	a) <b>Calcium Acetate 667mg Tablet</b>  Calcium acetate USP 667 mg	Hyperphosphatemia	BNF	<i>Abtgir` b Kiv hiBtZ cti  </i>	<i>Abtgir` b Kiv nBj  </i>
		b) <b>Amlodipine 5mg+Valsartan 80mg Film Coated Tablet</b>  Amlodipine Besilate BP 6.934 mg eq. to Amlodipine 5 mg Valsartan USP 80 mg	Indicated for the treatment of hypertension	USFDA	<i>Abtgir` b Kiv hiBtZ cti  </i>	<i>Abtgir` b Kiv nBj  </i>
		c) <b>Amlodipine 5 mg+Valsartan 160mg Film Coated Tablet</b>  Amlodipine Besilate BP 6.934 mg eq. to Amlodipine BP 5 mg Valsartan USP 160 mg	Indicated for the treatment of hypertension	USFDA	<i>Abtgir` b Kiv hiBtZ cti  </i>	<i>Abtgir` b Kiv nBj  </i>
		d) <b>Amlodipine 10mg +Valsartan 160mg Film Coated Tablet</b>  Amlodipine Besilate BP 13.868 mg eq. to Amlodipine 10 mg Valsartan USP 160 mg	Indicated for the treatment of hypertension	USFDA	<i>Abtgir` b Kiv hiBtZ cti  </i>	<i>Abtgir` b Kiv nBj  </i>
		e) <b>Buprenorphine 2mg +Naloxone 0.5mg Sublingual Tablet</b>  Buprenorphine Hydrochloride BP 2.156mg eq. to Buprenorphine 2 mg Naloxone Hydrochloride BP 0.611 mg eq. to Naloxone 0.5 mg	Indicated for the treatment of opioid dependence.	US FDA	<i>cōqirB biB næaq Ate` b br gÄy Kiv hiBtZ cti  </i>	<i>cōqirB biB næaq Ate` b br gÄy Kiv nBj  </i>
		f) <b>Buprenorphine 8mg+Naloxone 2mg Sublingual Tablet</b>  Buprenorphine Hydrochloride BP 8.624 mg (eq. to Buprenorphine 8 mg +Naloxone Hydrochloride BP 2.443 mg (eq. to Naloxone 2 mg)	Indicated for the treatment of opioid dependence.	USFDA	<i>cōqirB biB næaq Ate` b br gÄy Kiv hiBtZ cti  </i>	<i>cōqirB biB næaq Ate` b br gÄy Kiv nBj  </i>
		g) <b>Paliperidone 3mg Extended Release Tablet</b>  Paliperidone INN 3 mg	Paliperidone is indicated for both Acute (short-term) and maintenance (long-term) treatment of schizophrenia	USFDA	<i>Abtgir` b Kiv hiBtZ cti  </i>	<i>Abtgir` b Kiv nBj  </i>
		h) <b>Paliperidone 6mg Extended Release Tablet</b>  Paliperidone INN 6 mg	-do-	USFDA	<i>Abtgir` b Kiv hiBtZ cti  </i>	<i>Abtgir` b Kiv nBj  </i>
		i) <b>Paliperidone 9mg Extended Release Tablet</b>  Paliperidone INN 9 mg	-do-	USFDA	<i>Abtgir` b Kiv hiBtZ cti  </i>	<i>Abtgir` b Kiv nBj  </i>
		j) <b>Resagiline 1mg Tablet</b>  Resagiline Mesylate INN 1.561 mg eq. to 1 mg of Resagiline	Treatment of the signs and symptoms of idiopathic parkinson's disease	BNF USFDA	<i>Abtgir` b Kiv hiBtZ cti  </i>	<i>Abtgir` b Kiv nBj  </i>

<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I iRbiwK big</i>	<i>ib̄ Rbv</i>	<i>Ate` bKvix cōE BNF or USFDA Reference</i>	<i>tUKubKij me-Kugui 54 Zg mfvi gZigZ</i>	<i>mfvi m̄x̄s̄</i>
13.	Eskayef Bangladesh Ltd.	k) <b>Micronized Colestipol Hydrochloride 1000mg Tablet</b>  Colestipol Hydrochloride BP 1000 mg	Colestipol is used as adjunctive therapy to diet to lower high levels of cholesterol in the blood	USFDA	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		l) <b>Desonide 0.05% Gel</b>  Desonide INN 0.050 gm/100 gm	Desonide gel is indicated for the treatment of mild to moderate atopic dermatitis in patients 3 month of age and older.	USFDA	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		m ) <b>Clobetasol Propionate 0.05% &amp; Salicylic Acid 3.0% Ointment</b>  Clobetasol Propionate BP 0.05% Salicylic Acid BP 3.0%	Psoriasis, chronic atopic dermatitis, eczema	BNF	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
14.	Eskayef Bangladesh Ltd. Aristopharma Ltd.	a) <b>Aliskiren 150mg Tablet</b>  Aliskiren Hemifumarate INN 165.767 mg eq. to 150 mg of Aliskiren	Indicated for the treatment of hypertension	USFDA	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
		b) <b>Aliskiren 300mg Tablet</b>  Aliskiren Hemifumarate INN 331.533 mg eq. to 300 mg of Aliskiren	Indicated for the treatment of hypertension	USFDA	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
15.	Beximco Pharmaceuticals Ltd.	a) <b>Ipratropium Bromide 0.5 mg + Salbutamol (Albuterol Sulphate) 2.5 mg Respiratory Solution</b>  Ipratropium Bromide BP 0.50 mg Salbutamol Sulphate BP (Albuterol Sulphate USP) 3.0 mg eq. to 2.5 mg of Salbutamol (Albuterol)/ml	Management of Bronchospasm	USFDA BNF	<i>Abtgr`b Kiv hiBtZ c̄ti /</i>	<i>Abtgr`b Kiv nBj /</i>
16.	General Pharmaceuticals Ltd.	a) <b>Diphenoxylate Hydrochloride 2.5 mg + Atropine Sulphate 0.025 mg Tablet</b>  Diphenoxylate Hydrochloride USP 2.5 mg Atropine Sulphate USP 0.025 mg	Adjunct therapy in the management of diarrhea	USFDA BNF	<i>c̄qirb biB meaq Ate` b br gĀy Kiv hiBtZ c̄ti /</i>	<i>c̄qirb biB meaq Ate` b br gĀy Kiv nBj /</i>
		b) <b>Diphenoxylate Hydrochloride 2.5 mg + Atropine Sulphate 0.025 mg/5 ml Solution</b>  Diphenoxylate Hydrochloride USP 0.05 gm Atropine Sulphate USP 0.0005gm/100 ml	-do-	USFDA	<i>c̄qirb biB meaq Ate` b br gĀy Kiv hiBtZ c̄ti /</i>	<i>c̄qirb biB meaq Ate` b br gĀy Kiv nBj /</i>
17.	Orion Laboratories Ltd.	a) <b>Tramadol Hydrochloride 37.50 mg + Paracetamol 325 mg Tablet</b>  Tamadol Hydrochloride INN 37.5mg Paracetamol BP 325 mg	Acute Pain	USFDA BNF	<i>c̄qirb biB meaq Ate` b br gĀy Kiv hiBtZ c̄ti /</i>	<i>c̄qirb biB meaq Ate` b br gĀy Kiv nBj /</i>
		b) <b>Loperamide 2 mg + Simethicone 125 mg Film Coated Tablet</b>  Loperamide Hydrochloride USP 2mg Simethicone USP 125 mg	Controls symptoms of diarrhoea symptoms of gas	USFDA BNF	<i>Ac̄qirbq Kirtbkb meaq m̄m-Gi 234 Zg mfvi MpZ Ate` b br gĀy Kiv evi m̄x̄s̄- enj i Lv hiBtZ c̄ti /</i>	<i>Ac̄qirbq Kirtbkb meaq m̄m-Gi 234 Zg mfvi MpZ Ate` b br gĀy Kiv evi m̄x̄s̄- enj i Lv nBj /</i>

bs	cōZKvitKi big	Jitai big I tRbiwK big	ibī Rbv	Ate` bKvix cōE BNF or USFDA Reference	tUKbKjy me-KugUj 54 Zg mfvi gZigZ	mfvi m×iši
	Orion Laboratories Ltd.	<p>c) <b>Metronidazole 400 mg + Diloxanide Euroate 500 mg F/C Tablet</b> Metronidazole BP 400 mg Diloxanide Euroate BP 500 mg</p> <p>d) <b>Idebenone 30 mg Capsule</b> Idebenone INN 30mg</p> <p>e) <b>Idebenone 45 mg Capsule</b> Idebenone INN 45mg</p> <p>f) <b>Itopride Hydrochloride 50 mg Tablet</b> Itopride Hydrochloride INN 50mg</p> <p>g) <b>Chlordiazepoxide Hydrochloride 5.0 mg + Methscopolamine Bromide 2.5mg Capsule</b> Chlordiazepoxide Hydrochloride USP 5.0mg Methscopolamine Bromide USP 2.5mg</p>	Chronic intestinal amoebiasis, liver abscess, giardiasis, trichomonal vaginitis  Cerebral stimulant that can incases brain energy, protects heart and act as a powerful anti oxidant  -do-		<i>ActiqRbxq Kirtbkb neaq iWim-Gi 233 Zg mfvi Mpiz Arte` b bv gĀy Kiv evi m×iš- enj iLv hiBtZ cti /</i> <i>ActiqRbxq neaq iWim-Gi 233 Zg mfvi Mpiz Arte` b bv gĀy Kiv evi m×iš- enj iLv nBj /</i> <i>ActiqRbxq neaq iWim-Gi 233 Zg mfvi Mpiz Arte` b bv gĀy Kiv evi m×iš- enj iLv hiBtZ cti /</i> <i>ActiqRbxq neaq iWim-Gi 233 Zg mfvi Mpiz Arte` b bv gĀy Kiv evi m×iš- enj iLv nBj /</i>	<i>ActiqRbxq Kirtbkb neaq iWim-Gi 233 Zg mfvi Mpiz Arte` b bv gĀy Kiv evi m×iš- enj iLv nBj /</i> <i>ActiqRbxq neaq iWim-Gi 233 Zg mfvi Mpiz Arte` b bv gĀy Kiv evi m×iš- enj iLv nBj /</i> <i>ActiqRbxq neaq iWim-Gi 233 Zg mfvi Mpiz Arte` b bv gĀy Kiv evi m×iš- enj iLv nBj /</i> <i>ActiqRbxq neaq iWim-Gi 233 Zg mfvi Mpiz Arte` b bv gĀy Kiv evi m×iš- enj iLv nBj /</i>
18.	Novo Healthcare & Pharma Ltd.	<p>a) <b>Ambroxol Hydrochloride 15 mg + Cetirizine Hydrochloride 5 mg + Dextromethorphan HBr. 10 mg/5 ml Syrup</b> Ambroxol Hydrochloride BP 0.3 gm Cetirizine Hydrochloride BP 0.1 gm Dextromethorphan Hydrobromide USP 0.2 gm/100 ml</p> <p>b) <b>Ambroxol Hydrochloride 15 mg + Guaiphenesin 50 mg + Chlorpheniramine Maleate 2 mg + Phenylpropanolamine Hydrochloride 12.5 mg + Menthol 1 mg/5 ml Syrup</b> Ambroxol Hydrochloride BP 0.3 gm Guaiphenesin USP 1 gm Chlorpheniramine Maleate BP 0.04 gm Phenyl Propanolamine Hydrochloride 0.25 gm Menthol BP 0.02 gm/100 ml</p> <p>c) <b>Ambroxol Hydrochloride 15 mg + Salbutamol 1 mg/5 ml Syrup</b> Ambroxol Hydrochloride BP 0.3 gm + Salbutamol Sulphate BP 0.048 gm eq. to 0.020 gm of Salbutamol/100 ml</p>	Indoor & outdoor allergy induced asthmatic cough mucopurulent sputum  Rhinitis, bronchitis, sinusitis, cold symptoms  Smokers cough, allergic asthmatic bronchitis	USFDA	<i>cōqRb bB neaq Arte` b bv gĀy Kiv hiBtZ cti /</i> <i>BNF-G AS-fp A_ei USFDA KZK Abtgw Z bq neaq Arte` b bv gĀy Kiv hiBtZ cti /</i> <i>BNF-G AS-fp A_ei USFDA KZK Abtgw Z bq neaq Arte` b bv gĀy Kiv hiBtZ cti /</i> <i>BNF-G AS-fp A_ei USFDA KZK Abtgw Z bq neaq Arte` b bv gĀy Kiv nBj /</i>	<i>cōqRb bB neaq Arte` b bv gĀy Kiv nBj /</i> <i>BNF-G AS-fp A_ei USFDA KZK Abtgw Z bq neaq Arte` b bv gĀy Kiv nBj /</i> <i>BNF-G AS-fp A_ei USFDA KZK Abtgw Z bq neaq Arte` b bv gĀy Kiv nBj /</i>

<i>bs</i>	<i>cōZKviKi big</i>	<i>Jitai big I iRbiK big</i>	<i>ibī Rbv</i>	<i>Ate` bKvix cōE BNF or USFDA Reference</i>	<i>tUKbKij me-Kugui 54 Zg mfvi gZigZ</i>	<i>mfvi mxiši</i>
19.	Navana Pharmaceuticals Ltd.	a) <b>Anagrelide 0.5 mg Capsule</b>  Anagrelide Hydrochloride INN 0.60 mg eq. to 0.5 mg Anagrelide	Treatment of patients with thrombocytopenia secondary to myeloproliferative disorders	BNF USFDA	<i>Abtgr`b Kiv hiBtZ cti /</i>	<i>Abtgr`b Kiv nBj /</i>
		b) <b>Anagrelide 1 mg Capsule</b>  Anagrelide Hydrochloride INN 1.2 mg eq. to 1 mg of Anagrelide	Treatment of patients with thrombocytopenia secondary to myeloproliferative disorders	USFDA	<i>Abtgr`b Kiv hiBtZ cti /</i>	<i>Abtgr`b Kiv nBj /</i>
		c) <b>Bumetanide 0.5 mg Tablet</b>  Bumetanide BP 0.5 mg	Oedema associated with congestive heart failure, hepatic & renal disease		<i>BNF-G Aš-fip A_ei USFDA KZK Abtgr`Z bq meaq Ate` b bv gAý Kiv hiBtZ cti /</i>	<i>BNF-G Aš-fip A_ei USFDA KZK Abtgr`Z bq meaq Ate` b bv gAý Kiv nBj /</i>
		d) <b>Bumetanide 1 mg Tablet</b>  Bumetanide BP 1 mg	Oedema associated with congestive heart failure, hepatic & renal disease	BNF	<i>Abtgr`b Kiv hiBtZ cti /</i>	<i>Abtgr`b Kiv nBj /</i>
		e) <b>Bumetamide 2 mg Tablet</b>  Bumetanide BP 2 mg	Oedema associated with congestive heart failure, hepatic & renal disease		<i>BNF-G Aš-fip A_ei USFDA KZK Abtgr`Z bq meaq Ate` b bv gAý Kiv hiBtZ cti /</i>	<i>BNF-G Aš-fip A_ei USFDA KZK Abtgr`Z bq meaq Ate` b bv gAý Kiv nBj /</i>
		f) <b>Sulfapyrazone 100 mg Tablet</b>  Sulfapyrazone USP 100 mg	Chronic gout arthritis, intermittent gout arthritis	BNF	<i>Abtgr`b Kiv hiBtZ cti /</i>	<i>Abtgr`b Kiv nBj /</i>
		g) <b>Sulfapyrazone 200 mg Tablet</b>  Sulfapyrazone USP 200 mg	Chronic gout arthritis, intermittent gout arthritis	BNF	<i>Abtgr`b Kiv hiBtZ cti /</i>	<i>Abtgr`b Kiv nBj /</i>
		h) <b>Sulfapyrazone 200 mg Capsule</b>  Sulfapyrazone USP 200 mg	Chronic gout arthritis, intermittent gout arthritis		<i>GB Dosage Form AcilqRbq Ges BNF-G Aš-fip A_ei USFDA KZK Abtgr`Z bq meaq Ate` b bv gAý Kiv hiBtZ cti /</i>	<i>GB Dosage Form AcilqRbq Ges BNF-G Aš-fip A_ei USFDA KZK Abtgr`Z bq meaq Ate` b bv gAý Kiv nBj /</i>
		i) <b>Metolazone 0.5 mg Tablet</b>  Metolazone USP 0.50 mg	Hypertension	USFDA	<i>Abtgr`b Kiv hiBtZ cti /</i>	<i>Abtgr`b Kiv nBj /</i>
		j) <b>Doxylamine 10 mg + Pyridoxine Hydrochloride 10 mg Tablet</b>  Doxylamine Succinate BP 14.40 mg eq. to 10 mg of Doxylamine Pyridoxine Hydrochloride BP 10 mg	Nausea and vomiting in pregnancy	USFDA	<i>Kifbkb AcilqRbq meaq Mlmm-Gi 233 Zg mfq MpZ Ate` b bv gAý Kiv evi mxiš- enj i Lv hiBtZ cti /</i>	<i>Kifbkb AcilqRbq meaq Mlmm-Gi 233 Zg mfq MpZ Ate` b bv gAý Kiv evi mxiš- enj i Lv nBj /</i>
20.	Kumudini Pharma Ltd.	a) <b>Buspirone 5 mg Tablet</b>  Buspirone Hydrochloride USP 5.48 mg eq. to 5 mg Buspirone Free Base	Management of anxiety disorder or the short term relief of the symptoms of anxiety	BNF	<i>Abtgr`b Kiv hiBtZ cti /</i>	<i>Abtgr`b Kiv nBj /</i>
		b) <b>Buspirone 10 mg Tablet</b>  Buspirone Hydrochloride USP 10.945 mg eq. to 10 mg of Buspirone Free Base	-do-	BNF	<i>Abtgr`b Kiv hiBtZ cti /</i>	<i>Abtgr`b Kiv nBj /</i>
		c) <b>Bethanechol Chloride 25 mg Tablet</b>  Bethanechol Chloride USP 25 mg	Acute post operative & postpartum non-obstructive urinary retention.	BNF USFDA	<i>Abtgr`b Kiv hiBtZ cti /</i>	<i>Abtgr`b Kiv nBj /</i>
21.	Jayson Pharmaceuticals Ltd.	a) <b>Articaine HCl 40 mg + Epinephrine 10 mcg/ml Dental Cartridge</b>  Articaine Hydrochloride BP 4 gm Epinephrine Bitartrate USP 1.819 mg eq. to Epinephrine 1 mg/100 ml	Anaesthesia		<i>BNF-G Aš-fip A_ei USFDA KZK Abtgr`Z bq meaq Ate` b bv gAý Kiv hiBtZ cti /</i>	<i>BNF-G Aš-fip A_ei USFDA KZK Abtgr`Z bq meaq Ate` b bv gAý Kiv nBj /</i>

bs	cōZKvitKi big	Jitai big I tRbiwK big	ibī Rbv	Ate` bKvix cōE BNF or USFDA Reference	tUKbKjy me-KugUj 54 Zg mfvi gZigZ	mfvi mxiši
22.	Rangs Pharmaceuticals Ltd.	a) <b>Beta-Carotene 15 mg Capsule</b>  Vitamin A (as Beta Carotene) USP NF 25000IU	Beta Carotene is an immune system enhancer and antioxidant		BNF-G AS-fjP A_ei USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv hiBtZ cti	BNF-G AS-fjP A_ei USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv nBj
		b) <b>Coenzyme Q-10 Capsule</b>  Coenzyme-10 USP 120 mg	Parkinson's Disease, angina & heartfailure		BNF-G AS-fjP A_ei USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv hiBtZ cti	BNF-G AS-fjP A_ei USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv nBj
		c) <b>Lecithin 600 mg Capsule</b>  Lecithin USP 600 mg	Cardiovascular health, relief of arthritis, and treatment for gallstones		BNF-G AS-fjP A_ei USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv hiBtZ cti	BNF-G AS-fjP A_ei USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv nBj
		d) <b>Lutein 20 mg Capsule</b>  Lutein USP 20 mg	Use to slow aging, treat cancer, and to prevent cataracts and macular degeneration		BNF-G AS-fjP A_ei USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv hiBtZ cti	BNF-G AS-fjP A_ei USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv nBj
		e) <b>Lycopene 10 mg Capsule</b>  Lycopene USP 10 mg	Help to neutralize harmful free radicals in cells & Anti oxidant		BNF-G AS-fjP A_ei USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv hiBtZ cti	BNF-G AS-fjP A_ei USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv nBj
23.	General Pharmaceuticals Ltd.	a) <b>Colesevelam Hydrochloride 625 mg Tablet</b>  Colesevelam Hydrochloride INN 625 mg	Reduce elevated LDL-C in patients with hyperlipidaemia	USFDA	Abtgw' b Kiv hiBtZ cti	Abtgw' b Kiv nBj
24.	Alco Pharma Ltd.	a) <b>Acetaminophen 325 mg + Diphenhydramine HCl 12.50 mg + Phenylephrine HCl 5 mg Tablet</b>  Acetaminophen USP 325 mg + Diphenhydramine Hydrochloride USP 12.50 mg + Phenylephrine Hydrochloride BP 5 mg	Temporally relieves cold, flu symptom, minor aches and pain	FDA OTC Drug	Kiſtbkb AcqiqRbq neaq Arte` b bv gĀy Kiv hiBtZ cti	Kiſtbkb AcqiqRbq neaq Arte` b bv gĀy Kiv nBj
		b) <b>Ezetimibe 10 mg + Simvastatin 20mg Tablet</b>  Ezetimibe INN 10 mg + Simvastatin BP 20 mg	Primary Hypercholesterolemia & Homozygous familial hypercholesterolemia	USFDA BNF	Kiſtbkb AcqiqRbq neaq MpiZ Arte` b bv gĀy Kiv evi mxiš- enj iLv hiBtZ cti	Kiſtbkb AcqiqRbq neaq MpiZ Arte` b bv gĀy Kiv evi mxiš- enj iLv nBj
		c) <b>Ezetimibe 10 mg + Simvastatin 10mg Tablet</b>  Ezetimibe INN 10 mg + Simvastatin BP 10 mg	Primary Hypercholesterolemia & Homozygous familial hypercholesterolemia	USFDA BNF	Kiſtbkb AcqiqRbq neaq MpiZ Arte` b bv gĀy Kiv evi mxiš- enj iLv hiBtZ cti	Kiſtbkb AcqiqRbq neaq MpiZ Arte` b bv gĀy Kiv evi mxiš- enj iLv nBj
25.	Square Pharmaceuticals Ltd.	a) <b>Liothyronine Sodium 5 mcg Tablet</b>  Liothyronine Sodium BP 5 mcg	Severe hypothyroid states	USFDA	Abtgw' b Kiv hiBtZ cti   Zte Jiau Drcv' tbi Rb' Kvi Libq Dedicated Facilities _WkZ nBte	Jiau Drcv' tbi Rb' Kvi Libq Dedicated Facilities _WkZ nBte GB kZ' Abtgw' b Kiv nBj
		b) <b>Liothyronine Sodium 20 mcg Tablet</b>  Liothyronine Sodium BP 20 mcg	Severe hypothyroid states	BNF	Abtgw' b Kiv hiBtZ cti   Zte Jiau Drcv' tbi Rb' Kvi Libq Dedicated Facilities _WkZ nBte	Jiau Drcv' tbi Rb' Kvi Libq Dedicated Facilities _WkZ nBte GB kZ' Abtgw' b Kiv nBj
		c) <b>Mifepristone 200 mg Tablet</b>  Mifepristone INN 200 mg	Used for the medical termination of intrauterine pregnancy through 49 days of pregnancy	BNF	Ace entii i mafbv inqiqO Ges Mmm-Gi 233 Zg mfiq MpiZ Arte` b bv gĀy Kiv evi mxiš- enj iLv hiBtZ cti	Ace entii i mafbv inqiqO Ges Mmm-Gi 233 Zg mfiq MpiZ Arte` b bv gĀy Kiv evi mxiš- enj iLv nBj
		d) <b>Adapalene 3 mg/gm Gel</b>  Adapalene INN 3 mg/gm	Topical treatment of acne vulgaris	0.1% Cream in BNF 54 USFDA	Abtgw' b Kiv hiBtZ cti	Abtgw' b Kiv nBj

bs	cōZKvitKi big	Jitai big I tRbiwK big	ibī Rbv	Ate` bKvix cōE BNF or USFDA Reference	tUKbKjy me-KujUi 54 Zg mfvi gZigZ	mfvi m×iši
	Square Pharmaceuticals Ltd.	e) <b>Oxiconazole 1% Cream</b>  Oxiconazole INN 1%  Used in the dermal infection tinea pedis, tinea cruris and tinea corporis, tinea vesicolar		BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv hibtZ cti	KujUi m`m Pḡl thšb ti M ieikI Á Aa'icK Gg Gb u'v GB c'li USFDA KZK. Abtgw' b m=utKZ_ "ib Kiq Abtgw' b Kiv nBj	
	f) <b>Oxiconazole 1% Lotion</b>  Oxiconazole INN 1%	-do-		BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv hibtZ cti	KujUi m`m Pḡl thšb ti M ieikI Á Aa'icK Gg Gb u'v GB c'li USFDA KZK. Abtgw' b m=utKZ_ "ib Kiq Abtgw' b Kiv nBj	
	g) <b>Dextran 70 (100%) 0.112 gm + Polyethylene Glycol 1.050 gm + Povidone 1.050 gm + Tetrahydrozoline HCl 0.0525 gm/100ml Ophthalmic Solution</b>  Dextran 70 100% USP 0.112 gm Polyethylene Glycol (Macrogol 400) BP 1.050gm Povidone BP 1.050 gm Tetrahydrozoline Hydrochloride USP 0.0525gm/100 ml	Relief of redness of the eye due to minor eye irritations		BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv hibtZ cti	BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv nBj	
	h) <b>Carbamide 65 mg/ml Ear Drops</b>  Carbamide Peroxide USP 6.5 gm/100 ml	Treatment of Ear Wax build-up by softening, loosening and removing the earwax		BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv hibtZ cti	BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq neaq Arte` b bv gĀy Kiv nBj	
	i) <b>N-Acetylcysteine 100 mg Sachet</b>  Acetyl Cysteine BP 100 mg	Treatment of Respiratory Infections characterized by thick and viscous hypersecretions		BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq Ges Wmm-Gi 233 Zg mfq MpZ Arte` b bv gĀy Kivevi m×iš- enj iLv hibtZ cti	BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq neaq Wmm-Gi 233 Zg mfq MpZ Arte` b bv gĀy Kivevi m×iš- enj iLv nBj	
	j) <b>N-Acetylcysteine 200 mg Sachet</b>  Acetyl Cysteine BP 200 mg	-do-		BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq Ges Wmm-Gi 233 Zg mfq MpZ Arte` b bv gĀy Kivevi m×iš- enj iLv hibtZ cti	BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq neaq Wmm-Gi 233 Zg mfq MpZ Arte` b bv gĀy Kivevi m×iš- enj iLv nBj	
	k) <b>N-Acetylcysteine 600 mg Effervescent Tablet</b>  Acetyl Cysteine BP 600 mg	-do-		BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq Ges Wmm-Gi 233 Zg mfq MpZ Arte` b bv gĀy Kivevi m×iš- enj iLv hibtZ cti	BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq neaq Wmm-Gi 233 Zg mfq MpZ Arte` b bv gĀy Kivevi m×iš- enj iLv nBj	
	l) <b>Ascorbic Acid 1000 mg + Zinc 10mg Effervescent Tablet</b>  Ascorbic Acid BP 1000 mg Zinc Sulphate Monohydrate USP 27.45 mg eq. to 10 mg Elemental Zinc	Maintain body immunity system development		BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq, AcqRbq Krbkb Ges Wmm-Gi 232 Zg mfq MpZ Arte` b bv gĀy Kivevi m×iš- enj iLv hibtZ cti	BNF-G Aś-fjP A_ev USFDA KZK Abtgw' Z bq Ges AcqRbq Krbkb neaq Wmm-Gi 232 Zg mfq MpZ Arte` b bv gĀy Kivevi m×iš- enj iLv nBj	
	m) <b>Loperamide HCl 2 mg + Simethicone 125 mg Chewable Tablet</b>  Loperamide Hydrochloride BP 2 mg Simethicone 100 DC Grade 65% Ph. Gr. 192.308 mg eq. to Simethicone USP 125 mg	Acute and chronic non-specific diarrhoea	USFDA	GB Krbkb AcqRbq Ges Wmm-Gi 232 Zg mfq MpZ Arte` b bv gĀy Kivevi m×iš- enj iLv hibtZ cti	GB Krbkb AcqRbq neaq Wmm-Gi 232 Zg mfq MpZ Arte` b bv gĀy Kivevi m×iš- enj iLv nBj	
	n) <b>Orphenadrine Citrate 100 mg Extended Release Tablet</b>  Orphenadrine Citrate BP 100 mg	Relief of stiffness and pain	USFDA	cōqRb biB neaq Arte` b bv gĀy Kiv hibtZ cti	cōqRb biB neaq Arte` b bv gĀy Kiv nBj	

<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I tRibiK big</i>	<i>ib̄ Rbv</i>	<i>Ate`bKvix cōE BNF or USFDA Reference</i>	<i>tUKbKij me-Kugui 54 Zg mfvi gZigZ</i>	<i>mfvi m̄x̄s̄</i>
26.	Aristopharma Ltd.	a) <b>Betamethasone 0.050% + Salicylic Acid 2% Lotion</b>  Betamethasone Dipropionate USP 0.065 g (eq. to Betamethasone 0.050 g) + Salicylic Acid BP 2 g/100gm	Eczema & Psoriasis	BNF	<i>Ab̄gr`b Kiv hiBtZ c̄ti  </i>	<i>Ab̄gr`b Kiv nBj  </i>
		b) <b>Clindamycin Phosphate 1.20% + Tretinoin 0.025% Topical Gel</b>  Clindamycin Phosphate USP 1.20 gm + Tretinoin USP 0.025 gm/100 gm	Acne	USFDA	<i>Ab̄gr`b Kiv hiBtZ c̄ti  </i>	<i>Ab̄gr`b Kiv nBj  </i>
		c) <b>Imidapril HCl 5 mg Tablet</b>  Imidapril Hydrochloride INN 5 mg	Hypertension	BNF	<i>Ab̄gr`b Kiv hiBtZ c̄ti  </i>	<i>Ab̄gr`b Kiv nBj  </i>
		d) <b>Imidapril HCl 10 mg Tablet</b>  Imidapril Hydrochloride INN 10 mg	Hypertension	BNF	<i>Ab̄gr`b Kiv hiBtZ c̄ti  </i>	<i>Ab̄gr`b Kiv nBj  </i>
27.	Globe Pharmaceuticals Ltd.	a) <b>Rupatadine 10 mg Tablet</b>  Rupatadine INN 10 mg as Rupatadine fumarate	Seasonal & perennial allergic rhinitis		<i>BNF-G AS-<del>AS</del> A_ev USFDA KZK Ab̄grw Z bq neaq Ate`b br gĀy Kiv hiBtZ c̄ti  </i>	<i>BNF-G AS-<del>AS</del> A_ev USFDA KZK Ab̄grw Z bq neaq Ate`b br gĀy Kiv nBj  </i>

## L) Local (New Strength & New Dosage Forms

<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I tRibiK big</i>	<i>ib̄ Rbv</i>	<i>Existing</i>	<i>Ate`bKvix cōE BNF or USFDA Reference</i>	<i>tUKbKij me-Kugui 54Zg mfvi gZigZ</i>	<i>mfvi m̄x̄s̄</i>
01.	Square Pharmaceuticals Ltd. Incepta Pharmaceuticals Ltd. Eskayef Bangladesh Ltd.	a) <b>Atorvastatin 40 mg Tablet</b>  Atorvastatin Calcium INN 41.44mg (eq. to 40 mg Atorvastatin)	For the treatment for reduction of elevated total cholesterol, LDL-cholesterol, apolipoprotein B and triglycerides in patients	Tab: 10mg & 20mg	USFDA	<i>GB gr̄iq c̄qRb biB neaq Ate`b br gĀy Kiv hiBtZ c̄ti  </i>	<i>GB gr̄iq c̄qRb biB neaq Ate`b br gĀy Kiv nBj  </i>
02.	Popular Pharmaceuticals Ltd. Eskayef Bangladesh Ltd.	a) <b>Sulindac 200 mg Tablet</b>  Sulindac BP 200 mg	Rheumatoid Arthritis, osteoarthritis, particular inflammatory	100 mg Tablet	USFDA BNF	<i>GB gr̄iq c̄qRb biB neaq Ate`b br gĀy Kiv hiBtZ c̄ti  </i>	<i>GB gr̄iq c̄qRb biB neaq Ate`b br gĀy Kiv nBj  </i>
03.	Popular Pharmaceuticals Ltd.	a) <b>Calcium Acetate 1000 mg Tablet</b>  Calcium Acetate USP 1000 mg (eq. Anhydrous Calcium Acetate 250 mg)	Hyperphosphataemia	Calcium 250 mg & 500 mg Tablet	BNF	<i>GB gr̄iq c̄qRb biB neaq Ate`b br gĀy Kiv hiBtZ c̄ti  </i>	<i>GB gr̄iq c̄qRb biB neaq Ate`b br gĀy Kiv nBj  </i>
		b) <b>Sodium bicarbonate 600 mg Tablet</b>  Sodium Bicarbonate BP 600mg	Metabolic Acidosis in cardiac arrest, severe renal disease	7.5 gm/100 ml Injection	USFDA BNF	<i>c̄qRb biB neaq Ate`b br gĀy Kiv hiBtZ c̄ti  </i>	<i>c̄qRb biB neaq Ate`b br gĀy Kiv nBj  </i>
		c) <b>Furosemide 80 mg Tablet</b>  Furosemide BP 80 mg	Treatment of oedema associated with congestive heart failure & control of hypertension	40 mg Tablet 20mg/2 ml amp.	USFDA	<i>GB gr̄iq c̄qRb biB neaq Ate`b br gĀy Kiv hiBtZ c̄ti  </i>	<i>GB gr̄iq c̄qRb biB neaq Ate`b br gĀy Kiv nBj  </i>
		d) <b>Furosemide 500 mg Tablet</b>  Furosemide BP 500 mg	-do-	-do-	BNF	<i>GB gr̄iq c̄qRb biB neaq Ate`b br gĀy Kiv hiBtZ c̄ti  </i>	<i>GB gr̄iq c̄qRb biB neaq Ate`b br gĀy Kiv nBj  </i>

<i>bs</i>	<i>cūZKvīKi big</i>	<i>Jl̄ai big I iRīwi K big</i>	<i>ibī Rbv</i>	<i>Existing</i>	<i>Ate`bKvix cōĒ BNF or USFDA Reference</i>	<i>iUKbKij mē- KigUj 54Zg mfvi gZgZ</i>	<i>mfvi mxiš-</i>
	Popular Pharmaceuticals Ltd.	e) <b>Sodium Chloride 600 mg Film Coated Tablet</b>  Sodium Chloride BP 600 mg	Restoration & maintenance of salt & extracellular fluid level	0.9% Sodium Chloride IV Infusion	BNF	<i>cūqRb biB mēaq Ate`b bv gĀy Kiv hBtZ cūi /</i>	<i>cūqRb biB mēaq Ate`b bv gĀy Kiv nBj /</i>
		f) <b>Diltiazem 25 mg/5 ml Injection</b>  Diltiazem Hydrochloride BP 0.50 gm/100 ml	Prophylaxis & treatment of angina, hypertension	30 mg, 60 mg Tab. & 90 mg SR Capsule	USFDA	<i>cūqRb biB mēaq Ate`b bv gĀy Kiv hBtZ cūi /</i>	<i>cūqRb biB mēaq Ate`b bv gĀy Kiv nBj /</i>
		g) <b>Levofloxacin 15 mg/ml Eye Drops</b>  Levofloxacin hemihydrate INN 1.5375 gm (eq. to 1.5 gm Levofloxacin)/100 ml	Corneal ulcer caused by susceptible bacteria	0.5% Eye Drops, 250 mg & 500 mg Tab. 500 mg/100ml IV Infusion	USFDA	<i>Abḡb Kiv hBtZ cūi /</i>	<i>Abḡb Kiv nBj /</i>
04.	Aristopharma Ltd. Popular Pharmaceuticals Ltd. ACI Ltd. Beacon Pharmaceuticals Ltd.	a) <b>Azithromycin 1% Ophthalmic Solution</b>  Azithromycin Dihydrate USP 1.048 gm eq. to 1.0 gm of Azithromycin / 100 ml	Bacterial Conjunctivitis	500mg Tab. & 500 mg Injection	USFDA	<i>Abḡb Kiv hBtZ cūi /</i>	<i>Abḡb Kiv nBj /</i>
05.	Incepta Pharmaceuticals Ltd.	a) <b>Tacrolimus 5 mg /ml Solution injection</b>  Tacrolimus INN 5 mg /ml	Transplant rejection in Liver, Kidney or Heart allograft recipients.	1mg/gm ointment 1 mg, 5 mg & 0.5 mg capsule	USFDA BNF	<i>Abḡb Kiv hBtZ cūi /</i>	<i>Abḡb Kiv nBj /</i>
		b) <b>Budesonide 0.25 mg/ 2ml aqueous suspension for inhalation</b>  Budesonide BP 0.25 mg/ 2ml	Prophylaxis of Asthma	200 mcg aerosol inhalation and powder for inhalation	USFDA BNF (250 mcg/ml)	<i>250 mcg/ml mē Abḡb Kiv hBtZ cūi /</i>	<i>250 mcg/ml mē Abḡb Kiv nBj /</i>
		c) <b>Misoprostol 600 mcg Tablet</b>  Misoprostol BP 600 mcg (as Misoprostol Hydroxy propyl methyl cellulose 60 mg)	Treatment of incomplete abortion	200 mcg tablet		<i>Abḡb Kiv hBtZ cūi / mi Kixmievtni Pm`v AitQ mēaq Abḡb Kiv nBj /</i>	<i>mi Kixmievtni Pm`v AitQ mēaq Abḡb Kiv nBj /</i>
		d) <b>Metronidazole 250 mg/5 ml ml Suspension</b>  Metronidazole Benzoate BP 8.040 gm eq. to Metronidazole BP 5 gm/100 ml	The prevention of Post Operative infections due to anaerobic bacteria.	200 mg/5ml Suspension 200mg & 400mg Tablet		<i>GB gīv cūqRb biB mēaq Ate`b bv gĀy Kiv hBtZ cūi /</i>	<i>GB gīv cūqRb biB mēaq Ate`b bv gĀy Kiv nBj /</i>
		e) <b>Levocetirizine Dihydrochloride 0.5 mg/ml oral Solution</b>  Levocetirizine Dihydrochloride INN 0.050 gm /100 ml	Allergic Rhinitis, Chronic Idiopathic Urticaria	5 mg Tablet	USFDA	<i>Abḡb Kiv hBtZ cūi /</i>	<i>Abḡb Kiv nBj /</i>
		f) <b>Diphenhydramine 2% Cream</b>  Diphenhydramine Hydrochloride BP 2.286 mg eq. to Diphenhydramine 2 mg/gm Cream Cream	Relieve the itching of insect bites, sunburns, bee stings.	10 mg/5 ml Syrup, 50 mg Tab.		<i>BNF-G AS-fī A_eiUSFDA KZR Abḡw Z bq mēaq Ate`b bv gĀy Kiv hBtZ cūi /</i>	<i>BNF-G AS-fī A_eiUSFDA KZR Abḡw Z bq mēaq Ate`b bv gĀy Kiv nBj /</i>
		g) <b>Teicoplanin 400mg Sterile Lyophilized Powder Injection Vial</b>  Teicoplanin INN 400mg Vial with 3 ml water for injection BP for reconstitution	Potentially serious gram positive infections including endocarditis, peritonitis, orthopaedic surgery prophylaxis	200mg Injection	BNF	<i>Abḡb Kiv hBtZ cūi /</i>	<i>Abḡb Kiv nBj /</i>
		h) <b>Folic Acid 0.4 mg+ Iron (as ferrous fumerate) 60mg Tablet</b>  Folic Acid BP 0.4mg & Ferrous Fumarate Ph. Gr. 182.54 mg eq. to Elemental Iron 60 mg	Prophylaxis and treatment of Iron and Folic Acid deficiency, especially during pregnancy and lactation	Folic Acid 0.2 mg+ Iron (as ferrous fumerate) 200mg Tab/Cap. Suspension	UNICEF SUPPLY	<i>Abḡb Kiv hBtZ cūi /</i>	<i>UNICEF Gi Rb Supply Gi cūqRbqZv i inqfū mēaq Abḡb Kiv nBj /</i>

<i>bs</i>	<i>cūZKvīKi big</i>	<i>Jl̄ai big I iRībiK big</i>	<i>ibī Rbv</i>	<i>Existing</i>	<i>Avtē bKvix cōĒ BNF or USFDA Reference</i>	<i>tūKibK'ij mve- Kigūi 54Zg mfvi gZgZ</i>	<i>mfvi mxiš-</i>
	Incepta Pharmaceuticals Ltd.	i) <b>Cholecalciferol 140 mcg + Alendronic Acid 70 mg Tablet</b>  Cholecalciferol (as Vitamin D3) BP 140 mcg + Alendronate Sodium USP 91.37 mg eq. To Alendronic Acid 70 mg	Postmenopausal Osteoporosis	Cholecalciferol 2800 IU + Alendronic acid 70 mg Tab.		BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq neaq Avte'b bv gĀy Kiv hBtZ cīi /	BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq neaq Avte'b bv gĀy Kiv nBj /
06.	Orion Laboratories Ltd.	a) <b>Tiemonium Methyl Sulphate 10mg/5 ml Syrup</b>  Tiemonium Methylsulphate INN 200 mg/100 ml	Acute spasmodic pain in gastro intestinal & biliary disease etc.	Tab. 50mg		cīqRb biB I BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges Wmm-Gi 234 Zg mfviq MpxZ Avte'b bv gĀy Kiv evi mxiš- enj i iLv hBtZ cīi /	cīqRb biB I BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges Wmm-Gi 234 Zg mfviq MpxZ Avte'b bv gĀy Kiv evi mxiš- enj i iLv nBj /
	b) <b>Tiemonium Methyl Sulphate 100 mg Tablet</b>  Tiemonium Methylsulphate INN 100mg	Acute spasmodic pain in gastro intestinal & biliary disease etc		Tab. 50mg		BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges GB grīq cīqRb biB neaq Avte'b bv gĀy Kiv hBtZ cīi /	BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges GB grīq cīqRb biB neaq Avte'b bv gĀy Kiv nBj /
	c) <b>Ceftriaxone 125 mg IM Injection</b>  Ceftriaxone Sodium BP 149.65mg eq. to Ceftriaxone 125 mg with 2 ml ampoule of Lidocaine Hydrochloride 1%	Sepsis, Meningitis abdominal infection of the bones, joints, soft tissues, skin & wound	Inj. 250mg, 500 mg, 1 gm, 2 gm			BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges GB grīq cīqRb biB neaq Avte'b bv gĀy Kiv hBtZ cīi /	BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges GB grīq cīqRb biB neaq Avte'b bv gĀy Kiv nBj /
	d) <b>Zinc Sulphate 5 mg/ml Injection Ampoule</b>  Zinc Sulphate USP 50 mg/10ml	Prevent depletion of endogenous stores	10 mg/5ml syrup, 20 mg tablet			BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges GB grīv cīqRb biB neaq Avte'b bv gĀy Kiv hBtZ cīi /	BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges cīqRb biB neaq Avte'b bv gĀy Kiv nBj /
	e) <b>Desloratadine 1mg/ml Paediatric Drops</b>  Desloratadine INN 0.100gm/100ml	Seasonal allergic rhinitis, Perennial allergic rhinitis chronic idiopathic urticaria	2.5 mg/5 ml syrup			BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges GB grīv cīqRb biB neaq Avte'b bv gĀy Kiv hBtZ cīi /	BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges cīqRb biB neaq Avte'b bv gĀy Kiv nBj /
	f) <b>Cefixime 40mg/1ml Paediatric drops</b>  Cefixime Trihydrate USP 4.480gm (eq. to 4.0 gm of Cefixime)/100ml	Uncomplicated urinary tract infections, Acute otitis media, Pharyngitis and Tonsilitis, Respiratory tract infections (acute bronchitis, acute exacerbation of chronic bronchitis, pneumonia), uncomplicated gonorrhea.	100 mg/5 ml Powder for Suspension			BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges cīqRb biB neaq Avte'b bv gĀy Kiv hBtZ cīi /	BNF-G Aš- <i>fī</i> A_erUSFDA KZR Abfgw` Z bq Ges cīqRb biB neaq Avte'b bv gĀy Kiv nBj /

<i>bs</i>	<i>cūZKvīKi big</i>	<i>Jītai big I iRībi K big</i>	<i>ibī Rbv</i>	<i>Existing</i>	<i>Avtē bKvix cōĒ BNF or USFDA Reference</i>	<i>tūKibK ij mve- KigUj 54Zg mfvi gZgZ</i>	<i>mfvi m×s-</i>
	Orion Laboratories Ltd.	<p>g) <b>Amino Acid Tablet</b></p> <p>L-Alanine 38.6mg USP L-Arginine 44.0 mg USP L-Aspartic 84.0 mg USP L-Cystine 10.6 mg USP L-Glutamic 260.1 mg USP L-Glycine 24.0mg USP L-Histidine 33.3 mg USP L-Isoleucine 66.8 mg USP L-Leucine 116.0 mg USP L-Lysine 168.0 mg USP L-Methionine 36.0 mg USP L-Phenylalanine 25.3 mg USP L-Proline 124.0 mg USP L-Serine 60.0 mg USP L-Threonine 46.6 mg USP L-Tryptophan 14.6 mg USP L-Tyrosine 18.6 mg USP L-Valine 81.3 mg USP</p>	Periods of illness, Injury and Stress when additional amino acids are required by the body for tissue and cell growth and repair.	Amino Acid 5% & 10% Solution		BNF-G Aś- <i>fī</i> A_евUSFDA KZK Abfgw Z bq meaq Avte`b bv gĀy Kiv hBtZ cīti /	BNF-G Aś- <i>fī</i> A_евUSFDA KZK Abfgw Z bq meaq Avte`b bv gĀy Kiv nBj /
07.	Eskayef Bangladesh Ltd.	a) <b>Midazolam HCl 2mg/ml Syrup</b>	<u>Paediatric</u> patients for sedation, anxiolysis and <u>amnesia</u> prior to diagnostic, <u>therapeutic</u> or endoscopic procedures or before induction of <u>anaesthesia</u> .	7.5 mg & 15 mg Tablet		BNF-G Aś- <i>fī</i> A_евUSFDA KZK Abfgw Z bq meaq Avte`b bv gĀy Kiv hBtZ cīti /	BNF-G Aś- <i>fī</i> A_евUSFDA KZK Abfgw Z bq meaq Avte`b bv gĀy Kiv nBj /
		b) <b>Acetclofenac 200mg SR Tablet</b>	Management of pain and Inflammation in Osteoarthritis, Rheumatoid arthritis, and Ankylosing spondylitis	100 mg Tablet	BNF 51	Wmm-Gi 232 Zg mfq MpxZ Avte`b bv gĀy Kiv evi m×s- enj ivLv hBtZ cīti /	cīqRb bīB meaq Wmm-Gi 232 Zg mfq MpxZ Avte`b bv gĀy Kiv evi m×s- enj ivLv nBj /
		c) <b>Glucosamine Sulfate 1.5g/Sachet</b>	Glucosamine is indicated for the treatment of <u>osteoarthritis</u>	500 mg Tablet		BNF-G Aś- <i>fī</i> A_евUSFDA KZK Abfgw Z bq meaq Avte`b bv gĀy Kiv hBtZ cīti /	BNF-G Aś- <i>fī</i> A_евUSFDA KZK Abfgw Z bq meaq Avte`b bv gĀy Kiv nBj /
		d) <b>Ranitidine 75 mg FC Tablet</b>	Relief of heartburn, Acid indigestion, and Sour stomach	150 mg & 300 mg Tab	USFDA	GB gīv cīqRb bīB meaq Avte`b bv gĀy Kiv hBtZ cīti /	GB gīv cīqRb bīB meaq Avte`b bv gĀy Kiv nBj /
08.	Eskayef Bangladesh Ltd. Orion Lab. Ltd. ACI Ltd. Incepta Pharmaceuticals Ltd	a) <b>Cefixime 200mg/5ml Powder for Suspension</b>	RTI, UTI, Otitis Media, AECB, MDR typhoid fever.	100mg/5 ml Powder for Suspension	USFDA	GB gīv cīqRb bīB meaq Avte`b bv gĀy Kiv hBtZ cīti /	GB gīv cīqRb bīB meaq Avte`b bv gĀy Kiv nBj /
09.	Square Pharmaceuticals Ltd.	a) <b>Aciclovir 200 mg/5ml Suspension</b>	For the Acute Treatment of Herpes Zoster, Initial episodes and the management of Genital Herpes, Cold Sore & Chicken pox.	Tab.: 200 mg & 400 mg and Cream : 5%	USFDA BNF	Abfgv`b Kiv hBtZ cīti /	Abfgv`b Kiv nBj /

<i>bs</i>	<i>cūZKvīKi big</i>	<i>Jītai big I iRībiK big</i>	<i>ibī Rbv</i>	<i>Existing</i>	<i>Avtē bKvix cōĒ BNF or USFDA Reference</i>	<i>ūKibK ij mve- Kigūi 54Zg mfvi gZgZ</i>	<i>mfvi mxiš-</i>
	Square Pharmaceuticals Ltd.	b) <b>Paracetamol 250 mg/5ml Suspension</b>  Paracetamol BP 5 gm/100 ml Suspension	For the treatment of mild to moderate pain, including headache, migraine, neuralgia, toothache, sore throat, period pains aches and pains. For the reduction of fever and to be used as an adjunctive treatment to relieve symptoms of cold and flu.	Suspension : 120mg/5ml	BNF	GB gīl v cūqīRb bīB Ges wūmūm-Gi 235 Zg mfīq MpxZ Avte` b bv gĀy Kii evi mxiš- enj iLv hiBz cūi /	GB gīl v cūqīRb bīB Ges wūmūm-Gi 235 Zg mfīq MpxZ Avte` b bv gĀy Kii evi mxiš- enj iLv nBj /
		c) <b>Fluconazole 200 mg Capsule</b>  Fluconazole USP 200 mg	Treatment of Invasive candidal Infections, Cryptococcal Infections & Prevention of Fungal Infections	Cap: 50 mg & 150 mg	BNF	GB gīl v cūqīRb bīB neaq Avte` b bgāy Kiv hiBz cūi /	eZgīb PgīiM wūKrmīq 200 igMīt gīl q Fluconazole e'eni nq Ges Jiau Ketoconazole / Terbinafine BZ wī Jītai Zjbrq Kg gj / Less Toxic neaq Abtgv b Kiv nBj /
		d) <b>Iron 100 mg/ml Injection Ampoule</b>  Iron (II) Hydroxide Polymeltose Complex INN 159 mg (eq. to Iron 100 mg)/ml	Treatment of Iron deficiency anaemia.	Elemental Iron 50 mg/5ml Syrup		BNF-G Aš-ñp A_er USFDA KZK Abtgw Z bq neaq Avte` b bv gĀy Kiv hiBz cūi /	BNF-G Aš-ñp A_er USFDA KZK Abtgw Z bq neaq Avte` b bv gĀy Kiv nBj /
		e) <b>Nitazoxanide 200 mg Tablet</b>  Nitazoxanide INN 200 mg	Treatment of diarrhoea	500 mg Tablet		BNF-G Aš-ñp A_er USFDA KZK Abtgw Z bq neaq Avte` b bv gĀy Kiv hiBz cūi /	cūqīRb bīB Ges BNF-G Aš-ñp A_er USFDA KZK Abtgw Z bq neaq Avte` b bv gĀy Kiv nBj /
10.	Beacon Pharmaceuticals Ltd. Square Pharmaceuticals Ltd.	a) <b>Clopidogrel 300 mg Film Coated Tablet</b>  Clopidogrel Bisulfate USP 391.20 mg (eq. to 300 mg Clopidogrel)	Recent MI, Recent Stroke or Established Peripheral Arterial Disease, Acute Coronary Syndrome.	Tablet : 75 mg	USFDA	GB gīl v cūqīRb bīB neaq Avte` b bgāy Kiv hiBz cūi /	GB gīl v cūqīRb bīB neaq Avte` b bgāy Kiv nBj /
11.	Square Pharmaceuticals Ltd. Popular Pharmaceuticals Ltd.	a) <b>Nitroglycerin 4 mg/gm Ointment</b>  Diluent Nitroglycerin 5% in Propylene Glycol USP 80 mg/gm	Anal fissure; prophylaxis & treatment of angina; left ventricular failure	Tab. & Cap. : 2.6 mg & 6.4 mg Inj. : 50mg/10ml & 400 mcg Metered Dose Spray	BNF USFDA	Abtgv b Kiv hiBz cūi /	Abtgv b Kiv nBj /
12.	Renata Ltd. Orion Laboratories Ltd.	a) <b>Azithromycin 600 mg Tablet</b>  Azithromycin Dihydrate USP 628.93 mg (eq. to 600 mg of Azithromycin Base)	Acute bacterial exacerbations of Chronic Obstructive Pulmonary Disease, Pharyngitis (tonsillitis)	Tab. : 250mg & 500mg	USFDA	wūmūm-Gi 235 Zg mfīq MpxZ Avte` b bgāy Kii evi mxiš- enj iLv hiBz cūi /	GB gīl v cūqīRb bīB neaq wūmūm- Gi 235 Zg mfīq MpxZ Avte` b bv gĀy Kii evi mxiš- enj iLv nBj /
13.	Renata Ltd.	a) <b>Azithromycin Powder for Suspension 1 gm/Sachet</b>  Azithromycin Dihydrate USP 1048.22 gm (eq. to 1000 mg Azithromycin Base)	-do-	-do-	-do-	Abtgv b Kiv hiBz cūi /	Abtgv b Kiv nBj /

<i>bs</i>	<i>cūZKvīKi big</i>	<i>Jl̄ai big I iRībi K big</i>	<i>ibī Rbv</i>	<i>Existing</i>	<i>Avtē bKvix cōE BNF or USFDA Reference</i>	<i>tūKibK ij mve- Kigūi 54Zg mfvi gZgZ</i>	<i>mfvi mxiS-</i>
14.	ACI Ltd.	a) <b>Olmesartan 10 mg F/C Tablet</b>  Olmesartan Medoxomil INN 10 mg	Hypertension, It can be used alone or in combination with other antihypertensive agents.	20 mg & 40 mg Tab.	BNF	<i>Abīgrīb Kiv hiBtZ cīti /</i>	<i>Abīgrīb Kiv nBj /</i>
		b) <b>Naproxen 750 mg SR Tablet</b>  Naproxen BP 750 mg	Rheumatoid arthritis, Osteoarthritis, Ankylosing spondylitis and other Musculoskeletal disorders..	250 mg & 500 mg Tab,	BNF	<i>cīqīRb biB Ges iWmm-Gi 233 Zg mfviq MpxZ Avtē b bv gĀy Kiv evi mxiS- enj iLr hiBtZ cīti /</i>	<i>cīqīRb biB mxiq iWmm-Gi 233 Zg mfviq MpxZ Avtē b bv gĀy Kiv evi mxiS- enj iLr nBj /</i>
		c) <b>Naproxen 1000 mg SR Tablet</b>  Naproxen BP 1000 mg	Rheumatoid arthritis, Osteoarthritis, Ankylosing spondylitis and other musculoskeletal disorders..	-do-	BNF	<i>cīqīRb biB Ges iWmm-Gi 232 Zg mfviq MpxZ Avtē b bv gĀy Kiv evi mxiS- enj iLr hiBtZ cīti /</i>	<i>cīqīRb biB mxiq iWmm-Gi 232 Zg mfviq MpxZ Avtē b bv gĀy Kiv evi mxiS- enj iLr nBj /</i>
		d) <b>Levothyroxine 0.088mg Tablet</b>  Levothyroxine Sodium BP 0.091 mg (eq. to 0.088mg of Levothyroxine)	Hypothyroidism.	50 mcg Tab.		<i>BNF-G Aś-fī A_ev USFDA KZR Abīgrī Z bq mxiq Avtē b bv gĀy Kiv hiBtZ cīti /</i>	<i>GB grīv cīqīRb biB Ges BNF-G Aś-fī A_ev USFDA KZR. Abīgrī Z bq mxiq Avtē b bv gĀy Kiv nBj /</i>
		e) <b>Levothyroxine 0.025mg Tablet</b>  Levothyroxine Sodium BP 0.026 mg (eq. to 0.025mg of Levothyroxine)	Hypothyroidism.	50 mcg Tab.	BNF	<i>Abīgrīb Kiv hiBtZ cīti / Zte Kri Lbiq JlāiU Drcv tbi Rb Dedicated e-e ~v _KtZ nBtē GB KtZ Abīgrīb Kiv nBj /</i>	<i>Kri Lbiq JlāiU Drcv tbi Rb Dedicated e-e ~v _KtZ nBtē GB KtZ Abīgrīb Kiv nBj /</i>
		f) <b>Rosiglitazone 8mg Tablet</b>  Rosiglitazone Maleate 10.6 mg eq. to Rosiglitazone INN 8 mg	Type 2 diabetes mellitus(non-insulin dependent diabetes mellitus)	2 mg & 4 mg Tablet	BNF USFDA	<i>GB grīv cīqīRb biB mxiq Avtē b bv gĀy Kiv hiBtZ cīti /</i>	<i>GB grīv cīqīRb biB mxiq Avtē b bv gĀy Kiv nBj /</i>
		g) <b>Isosorbide Mononitrate 60 mg SR Capsule</b>  Isosorbide Mononitrate SR Pellets Ph Grade 400 mg Eq. to Isosorbide Mononitrate BP 60 mg	Angina pectoris	50 mg SR Capsule	USFDA BNF	<i>GB grīv cīqīRb biB mxiq Avtē b bv gĀy Kiv hiBtZ cīti /</i>	<i>GB grīv cīqīRb biB mxiq Avtē b bv gĀy Kiv nBj /</i>
		h) <b>Levetiracetam 1000 mg Tablet</b>  Levetiracetam INN 1000 mg	Antiepileptic agent.	100 mg/ml Suspension	USFDA BNF	<i>Abīgrīb Kiv hiBtZ cīti /</i>	<i>Abīgrīb Kiv nBj /</i>
		i) <b>Levetiracetam 750 mg Tablet</b>  Levetiracetam INN 750 mg	Antiepileptic agent.	100 mg/ml Suspension	USFDA BNF	<i>Abīgrīb Kiv hiBtZ cīti /</i>	<i>Abīgrīb Kiv nBj /</i>
15.	Aristopharma Ltd.	a) <b>Ofloxacin 0.3% Eye Drops</b>  Ofloxacin USP 0.300 gm/100ml	Bacterial conjunctivitis	200 mg & 400 mg Tablet	USFDA BNF	<i>Abīgrīb Kiv hiBtZ cīti /</i>	<i>Abīgrīb Kiv nBj /</i>
		b) <b>Etodolac 400 mg Tablet</b>  Etodolac BP 400 mg	Osteoarthritis, Rheumatoid Arthritis, Juvenile Rheumatoid Arthritis	300 mg Capsule	USFDA	<i>GB grīv cīqīRb biB mxiq Avtē b bv gĀy Kiv hiBtZ cīti /</i>	<i>GB grīv cīqīRb biB mxiq Avtē b bv gĀy Kiv nBj /</i>
16.	ACI Ltd. Novartis Bangladesh Ltd.	a) <b>Levetiracetam 250 mg Tablet</b>  Levetiracetam INN 250 mg	Antiepileptic agent.	100 mg/ml Suspension	USFDA BNF	<i>Abīgrīb Kiv hiBtZ cīti /</i>	<i>Abīgrīb Kiv nBj /</i>
17.	ACI Ltd. Novartis Bangladesh Ltd. Eskayef Bangladesh Ltd.	a) <b>Levetiracetam 500 mg Tablet</b>  Levetiracetam INN 500 mg	Antiepileptic agent.	100 mg/ml Suspension	USFDA BNF	<i>Abīgrīb Kiv hiBtZ cīti /</i>	<i>Abīgrīb Kiv hiBtZ cīti /</i>

<i>bs</i>	<i>cūZKvīKi big</i>	<i>Jītai big I iRībiK big</i>	<i>ibī Rbv</i>	<i>Existing</i>	<i>Avtē bKvix cōĒ BNF or USFDA Reference</i>	<i>tUKbKijj mve- KigUj 54Zg mfvi gZgZ</i>	<i>mfvi mxiš-</i>
18.	General Pharmaceuticals Ltd.	a) <b>Azithromycin 100 mg Oradispersible Coated Tablet</b>  Azithromycin Dihydrate (Coated) USP 104.806 mg (eq. to Azithromycin 100 mg)	URTI, LRTI, Skin & Structure infection	500 mg & 250 mg Tablet & Capsule		<i>GB gīl v cūqīRb bīB neaq Avte'b bī gāy Kiv hīBīZ cītī /</i>	<i>GB gīl v cūqīRb bīB neaq Avte'b bī gāy Kiv nBj /</i>
19.	Kumudini Pharma Ltd.	a) <b>Bisoprolol Fumarate 10 mg Tablet</b>  Bisoprolol Fumarate USP 10mg	Hypertension, Angina pectoris and Cardiac arrhythmias	2.5 mg & 5 mg Tablet		<i>GB gīl v cūqīRb bīB Ges BNF-G Aś-fīp A_ev USFDA KZR. Abtgw Z bq neaq Avte'b bī gāy Kiv hīBīZ cītī /</i>	<i>GB gīl v cūqīRb bīB Ges BNF-G Aś-fīp A_ev USFDA KZR. Abtgw Z bq neaq Avte'b bī gāy Kiv nBj /</i>
20.	UniMed & UniHealth Manufacturers Ltd.	a) <b>Clotrimazole 2% Cream</b>  Clotrimazole BP 2 gm/100 gm	Topical treatment of Vulvovaginal Candidiasis	1% Cream	USFDA BNF	<i>Abtgw b Kiv hīBīZ cītī /</i>	<i>Abtgw b Kiv nBj /</i>
21.	Reckitt Benckiser (Bangladesh) Ltd.	a) <b>Chloroxylenol 2.4% Hygiene Liquid</b>  Chloroxylenol (Para-chloro-Meta-Xylenol) BP 2.4 gm/100ml	Antiseptic disinfectant	4.8 % antiseptic liquid		<i>Abtgw b Kiv hīBīZ cītī /</i>	<i>nimciZitj e enih® Ges emn K Disinfectant neaq Abtgw b Kiv nBj /</i>
22.	Hoechst Marion Roussel Ltd.	a) <b>Clobazam 5 mg Tablet</b>  Clobazem BP 5 mg	Acute & chronic anxiety states	10 mg Tablet		<i>GB gīl v cūqīRb bīB Ges BNF-G Aś-fīp A_ev USFDA KZR. Abtgw Z bq neaq Avte'b bī gāy Kiv hīBīZ cītī /</i>	<i>GB gīl v cūqīRb bīB Ges BNF-G Aś-fīp A_ev USFDA KZR. Abtgw Z bq neaq Avte'b bī gāy Kiv nBj /</i>
23.	Jayson Pharmaceuticals Ltd.	a) <b>Anhydrous Lidocaine HCl 20 mg + Epinephrine 12.5 mcg/ml Dental Cartridge</b>  Lidocaine Hydrochloride USP 2.133 gm eq. to Anhydrous Lidocaine HCl 2 gm + Epinephrine Bitartrate USP 2.274 mg eq. to Epinephrine (Adrenaline) 1.25 mg/100 ml	Anaesthesia	20 mg + 18 mcg/ml, 20 mg + 20 mcg/ml , 20 mg + 5 mcg/ml Inj.		<i>GB gīl v cūqīRb bīB Ges BNF-G Aś-fīp A_ev USFDA KZR. Abtgw Z bq neaq Avte'b bī gāy Kiv hīBīZ cītī /</i>	<i>GB gīl v cūqīRb bīB Ges BNF-G Aś-fīp A_ev USFDA KZR. Abtgw Z bq neaq Avte'b bī gāy Kiv nBj /</i>
24.	Nuvista Pharma Ltd.	a) <b>Estriol 2 mg Tablet</b>  Estriol USP 2 mg	Hormone replacement therapy	1 mg Tablet		<i>GB gīl v cūqīRb bīB Ges BNF-G Aś-fīp A_ev USFDA KZR. Abtgw Z bq neaq Avte'b bī gāy Kiv hīBīZ cītī /</i>	<i>GB gīl v cūqīRb bīB Ges BNF-G Aś-fīp A_ev USFDA KZR. Abtgw Z bq neaq Avte'b bī gāy Kiv nBj /</i>
25.	Popular Infusion Ltd.	a) <b>Amino Acid 5.4% Infusion</b>  L-Histidine USP 0.25 g L-Isoleucine USP 0.56 g L-Leucine USP 0.88 g L-Lysine (as Lysine Acetate) USP 0.64 g L-Methionine USP 0.88 g L-Phenylalanine USP 0.88 g L-Threonine USP 0.40 g L-Tryptophan USP 0.20 g L-Valine USP 0.64 g L-Cystine BP 0.014 g/100 ml	Nutritional support for Uremic patients.	5% & 10% Amino Acid	USFDA	<i>GB gīl v cūqīRb bīB neaq Avte'b bī gāy Kiv hīBīZ cītī /</i>	<i>GB gīl v cūqīRb bīB neaq Avte'b bī gāy Kiv nBj /</i>

<i>bs</i>	<i>cūZKvīKi big</i>	<i>Jl̄ai big I fRbwiK big</i>	<i>ibf Rbv</i>	<i>Existing</i>	<i>Avt`bKvix cōĒ BNF or USFDA Reference</i>	<i>tUKbKij mve- KigUj 54Zg mfvi gZgZ</i>	<i>mfvi m̄x̄s-</i>
	Popular Infusion Ltd.	b) <b>Amino Acid 6% Infusion</b>  L-Isoleucine USP 0.49 g L-Leucine USP 0.84 g L-Lysine (as Lysine Acetate) USP 0.49 g L-Methionine USP 0.20 g L-Phenylalanine USP 0.29 g L-Threonine USP 0.29 g L-Tryptophan USP 0.12 g L-Valine USP 0.47 g L-Cystine BP 0.014 g L-Histidine USP 0.29 g L-Tyrosine USP 0.14 g L-Alanine USP 0.32 g L-Arginine USP 0.73 g L-Proline USP 0.41 g L-Serine USP 0.23 g Glycine (Aminocetic Acid) USP 0.22 g L-Aspartic Acid USP 0.19 g L-Glutamic Acid BP 0.30 g Taurine USP 0.015 g / 100 ml	Nutritional support for uremic patients.	5% & 10% Amino Acid	USFDA	GB ḡīv c̄l̄q̄Rb b̄l̄B m̄eq̄ Avt̄`b b̄r̄ ḡȳ Kiv̄ h̄iB̄Z c̄t̄ī /	GB ḡīv c̄l̄q̄Rb b̄l̄B m̄eq̄ Avt̄`b b̄r̄ ḡȳ Kiv̄ nBj̄ /
	Popular Infusion Ltd.	c) <b>Amino Acid 8% Infusion</b>  L-Isoleucine USP 0.90 g L-Leucine USP 1.10 g L-Lysine (as L-Lysine Acetate) BP 0.61 g L-Methionine USP 0.10 g L-Phenylalanine USP 0.10 g L-Threonine USP 0.45 g L-Tryptophan USP 0.066 g L-Valine USP 0.84 g L-Alanine USP 0.77 g L-Arginine USP 0.60 g L-Histidine USP 0.24 g L-Proline USP 0.80 g L-Serine USP 0.50 g Glycine (Aminocetic Acid) USP 0.90 g L-Cystine BP 0.014 g/100 ml  d) <b>Sodium Chloride 0.45% Infusion IV</b>  Sodium Chloride (Pyrogen Free) BP 0.45 gm/ 100 ml	Nutritional support for uremic patients.	5% & 10% Amino Acid	USFDA	GB ḡīv c̄l̄q̄Rb b̄l̄B m̄eq̄ Avt̄`b b̄r̄ ḡȳ Kiv̄ h̄iB̄Z c̄t̄ī /	GB ḡīv c̄l̄q̄Rb b̄l̄B m̄eq̄ Avt̄`b b̄r̄ ḡȳ Kiv̄ nBj̄ /

<i>bs</i>	<i>cūZKvitKi big</i>	<i>Jitai big I fRbiwK big</i>	<i>ibt Rbv</i>	<i>Existing</i>	<i>Avt bKvix cōE BNF or USFDA Reference</i>	<i>tUKibK'ij me- Kigilji 54Zg mfvi gZgZ</i>	<i>mfvi mxiš-</i>
26.	Square Pharmaceuticals Ltd., Gazipur	a) <b>Salbutamol 2.5 mg + Ipratropium 500 mcg Nebule</b>  Salbutamol Sulphate BP 3 mg (eq. to 2.5 mg Salbutamol) + Ipratropium Bromide BP 520 mcg (eq. to 500 mcg Ipratropium)/2.5 ml	Chronic Obstructive Pulmonary disease	Salbutamol 20 mg + Ipratropium 4mg/200 Actuation Inhalation	BNF	<i>Abjgr`b Kiv hiBz cti /</i>	<i>Abjgr`b Kiv nBj /</i>
27.	Drug International Ltd.	a) <b>Prednisolone 15 mg/5ml Oral Liquid</b>  Prednisolone USP 0.300gm/100 ml	Rheumatic Fever, Arthritis, Chorea minor, Severe Rheymati carditis	Prednisolone 5mg/ 5 ml Solution		<i>GB gilv ctiqRb biBz Ges BNF-G Aś-fip A_er USFDA KZR. Abjgw Z bq neaq Avt`b bv gAy Kiv hiBz cti /</i>	<i>GB gilv ctiqRb biBz Ges BNF-G Aś-fip A_er USFDA KZR. Abjgw Z bq neaq Avt`b bv gAy Kiv nBj /</i>

## **M) Import (New Molecule)**

<i>bs</i>	<i>cūZKvitKi big</i>	<i>Jitai big I fRbiwK big</i>	<i>ibt Rbv</i>	<i>Jia bwZ 2005 Abjgx DbiZ 7 (mZ) Jitki FSC</i>	<i>tUKibK'ij me-Kigilji 54Zg mfvi gZgZ</i>	<i>mfvi mxiš-</i>
01.	Glaxo SmithKline Australia Pty. Ltd., Australia  (Glaxo SmithKline Bangladesh Ltd.)	a) <b>Relenza Rotadisk 5 mg Inhalation Powder</b>  Zanamivir INN 5 mg/unit dose	Treatment of both influenza A & B in adults and children	Australia	<i>Abjgr`b Kiv hiBz cti /</i>	<i>Abjgr`b Kiv nBj /</i>
02.	Novartis Pharma AG, Switzerland  (Novartis Bangladesh Ltd.)	a) <b>Xolair 75 mg Powder and 2 ml Solvent for Solution for Injection</b>  Omalizumab INN 75 mg/Unit	Indicated for adult and adolescents with moderate to severe persistent asthma whose symptoms are inadequately controlled with inhaled corticosteroid	Switzerland	<i>Abjgr`b Kiv hiBz cti /</i>	<i>Abjgr`b Kiv nBj /</i>
		b) <b>Xolair 150 mg Powder and 2 ml Solvent for Solution for Injection</b>  Omalizumab INN 150 mg	-do-	Switzerland	<i>Abjgr`b Kiv hiBz cti /</i>	<i>Abjgr`b Kiv nBj /</i>
		c) <b>Tasigna 200 mg Hard Capsule</b>  Nilotinib Hydrochloride Monohydrate 220.60 mg (eq. to 200 mg of Nilotinib base anhydrous)	Chronic phase and accelerated phase philadiellphia chromosome positive chronic myologenous leukaemia	Switzerland	<i>Abjgr`b Kiv hiBz cti /</i>	<i>Abjgr`b Kiv nBj /</i>
		d) <b>Enablex 7.5 mg Prolonged Release Tablet</b>  Darifenacin Hydrochloride 8.929 mg (eq. to 7.5 mg of Darifenacin)	Treatment of overactive bladder	Switzerland	<i>Abjgr`b Kiv hiBz cti /</i>	<i>Abjgr`b Kiv nBj /</i>
		e) <b>Enablex 15 mg Prolonged Release Tabelt</b>  Darifenacin Hydrochloride 17.858 mg (eq. to 15 mg of Darifenacin)	-do-	Switzerland	<i>Abjgr`b Kiv hiBz cti /</i>	<i>Abjgr`b Kiv nBj /</i>

<i>bs</i>	<i>cūZKvīKi big</i>	<i>Jītai big I fRbwK big</i>	<i>ibt`Rbv</i>	<i>Jla bwZ 2005 Ablyqz Dbz 7 (mz) Mīt`ki FSC</i>	<i>tUKbK yj me-Kgnli 54Zg mfvi gZgZ</i>	<i>mfvi wmxvS-</i>
	Novartis Pharma AG, Switzerland  (Novartis Bangladesh Ltd.)	f) <b>Certican 0.25 mg Tablet</b>  Everolimus INN 0.25 mg  Indicated for the Prophylax of organ rejection in adult patients at low to moderate immunological risk and allogenic renal or cardiac transplant		Switzerland	<i>Abgī`b Kiv hBtZ cīti  </i>	<i>Abgī`b Kiv nBj  </i>
		g) <b>Certican 0.5 mg Tablet</b>  Everolimus INN 0.50 mg  -do-		Switzerland	<i>Abgī`b Kiv hBtZ cīti  </i>	<i>Abgī`b Kiv nBj  </i>
		h) <b>Certican 0.75 mg Tablet</b>  Everolimus INN 0.75 mg  -do-		Switzerland	<i>Abgī`b Kiv hBtZ cīti  </i>	<i>Abgī`b Kiv nBj  </i>
		i) <b>Certican 1 mg Tablet</b>  Everolimus INN 1 mg  -do-		Switzerland	<i>Abgī`b Kiv hBtZ cīti  </i>	<i>Abgī`b Kiv nBj  </i>
		j) <b>Exforge 5/80 mg Tablet</b>  Amlodipine besilate BP 6.94 mg corresponds to 5 mg Amlodipine free base + Valsartan USP 80 mg  Hypertension		Switzerland	<i>t`tk Drcv`tbi mjhM AvtQ neaq Avg`ibxi Avt`b bv gĀy Kiv hBtZ cīti  </i>	<i>t`tk Drcv`tbi mjhM AvtQ neaq Avg`ibxi Avt`b bv gĀy Kiv nBj  </i>
		k) <b>Exforge 5/160 mg Tablet</b>  Amlodipine besilate BP 6.94 mg corresponds to 5 mg Amlodipine free base + Valsartan USP 160 mg  Hypertension		Switzerland	<i>t`tk Drcv`tbi mjhM AvtQ neaq Avg`ibxi Avt`b bv gĀy Kiv hBtZ cīti  </i>	<i>t`tk Drcv`tbi mjhM AvtQ neaq Avg`ibxi Avt`b bv gĀy Kiv nBj  </i>
		l) <b>Exforge 10/160 mg Tablet</b>  Amlodipine besilate BP 13.87 mg corresponds to 10 mg Amlodipine free base + Valsartan USP 160 mg  Hypertension		Switzerland	<i>t`tk Drcv`tbi mjhM AvtQ neaq Avg`ibxi Avt`b bv gĀy Kiv hBtZ cīti  </i>	<i>t`tk Drcv`tbi mjhM AvtQ neaq Avg`ibxi Avt`b bv gĀy Kiv nBj  </i>
		m) <b>Rasilez 150 mg Film Coated Tablet</b>  Aliskiren hemifumarate INN 165.75 mg (eq. to 150 mg Aliskiren base)  Treatment of Essential hypertension		Switzerland	<i>t`tk Drcv`tbi mjhM AvtQ neaq Avg`ibxi Avt`b bv gĀy Kiv hBtZ cīti  </i>	<i>t`tk Drcv`tbi mjhM AvtQ neaq Avg`ibxi Avt`b bv gĀy Kiv nBj  </i>
		n) <b>Rasilez 300 mg Film Coated Tablet</b>  Aliskiren hemifumarate INN 331.50 mg (eq. to 300 mg Aliskiren base)  Treatment of Essential hypertension		Switzerland	<i>t`tk Drcv`tbi mjhM AvtQ neaq Avg`ibxi Avt`b bv gĀy Kiv hBtZ cīti  </i>	<i>t`tk Drcv`tbi mjhM AvtQ neaq Avg`ibxi Avt`b bv gĀy Kiv nBj  </i>
		o) <b>Asunra Dispersible 100mg Tablet</b>  Deferasirox 100 mg  Treatment of chronic Iron Overload due to blood transfusion		Switzerland	<i>Abgī`b Kiv hBtZ cīti  </i>	<i>Abgī`b Kiv nBj  </i>
		p) <b>Asunra Dispersible 400mg Tablet</b>  Deferasirox INN 400 mg  -do-		Switzerland	<i>Abgī`b Kiv hBtZ cīti  </i>	<i>Abgī`b Kiv nBj  </i>
		q) <b>Sandostatin 0.05 mg Ampoule</b>  Octreotide INN 0.05 mg/Amp  Symptomatic control and Reduction of growth hormone		Switzerland	<i>Abgī`b Kiv hBtZ cīti  </i>	<i>Abgī`b Kiv nBj  </i>
		r) <b>Sandostatin 0.1 mg Ampoule</b>  Octreotide INN 0.1 mg/Amp  -do-		Switzerland	<i>Abgī`b Kiv hBtZ cīti  </i>	<i>Abgī`b Kiv nBj  </i>

<i>bs</i>	<i>cōZKvīKi big</i>	<i>Jītai big I fRtbwK big</i>	<i>ibt`Rbv</i>	<i>Jla bwZ 2005 Ablyqx Dbz 7 (mz) n̄ t̄ tki FSC</i>	<i>tUkbK yj me-KgnUi 54Zg mfvi gZgZ</i>	<i>mfvi w̄m×iš-</i>
03.	Lilly France, France (International Agencies (BD) Ltd.)	a) <b>Humalog Mix-25 100 IU/ml suspension for Injection in 3 ml Cartridge</b>  Insulin Lispro (rDNA Origin) 100IU (3.5 mg)/ml (25% insulin lispro & 75% Insulin Lispro protamine suspension)	Diabetes mellitus insulin dependent	France	<i>cōqirb bñB weaq Aig`ibxi Ait̄e`b bv gÄy Kiv hBtZ c̄ti  </i>	<i>cōqirb bñB weaq Aig`ibxi Ait̄e`b bv gÄy Kiv nBj  </i>
		b) <b>Humalog Mix-50 100 IU/ml suspension of Injection in 3 ml Cartridge</b>  Insulin Lispro (rDNA Origin) 100IU (3.5 mg)/ml (50% insulin lispro & 50% Insulin Lispro protamine suspension)	-do-	France	<i>cōqirb bñB weaq Aig`ibxi Ait̄e`b bv gÄy Kiv hBtZ c̄ti  </i>	<i>cōqirb bñB weaq Aig`ibxi Ait̄e`b bv gÄy Kiv nBj  </i>
04.	Serumwerk Bernburg AG, Germany  (Tajarat Healthcare Marketing)	a) <b>Vitafusal Solution for Infusion</b>  Poly (0-2-hydroxy-ethyl) starch (Molar substitution 0.42 Mean Molecular weight 130.000 Dalton) Ph. Eur 60 gm Sodium Chloride Ph. Eur. 6 gm Potassium Chloride Ph. Eu. 0.40 gm Calcium Chloride Dihydrate Ph. Eu. 0.134 gm magnesium Chloride Hexahydrate Ph. Eu. 0.2 gm & Sodium Acetate Trihydrate Ph. Eu. 3.7 gm/1000 ml	Treatment and Propylasix of hypovolaemia and shock	Germany	<i>Abigr`b Kiv hBtZ c̄ti  </i>	<i>Abigr`b Kiv nBj  </i>
05.	Novo Nordisk A/S, Denmark  (Transcom Distribution Co., Ltd.)	a) <b>Novo Seven 1.2 mg (60 KIU) Powder &amp; Solvent for Solution for Injection</b>  Eptacog Alfa (activated) INN 1.2 mg/vial (Human recombinant coagulation FVIIa) corresponds to 60 KIU/vial (1 KIU equal 1000 IU)	Treatment of bleeding episodes and for the prevention of bleeding	Denmark Switzerland	<i>Abigr`b Kiv hBtZ c̄ti  </i>	<i>Abigr`b Kiv nBj  </i>
	Novo Nordisk A/S, Denmark  (Transcom Distribution Co., Ltd.)	b) <b>Novo Seven 2.4 mg (120 KIU) per ml vial Powder &amp; Solvent for Solution for Injection</b>  Eptacog Alfa (activated) INN 2.4 mg/vial (Human recombinant coagulation FVIIa) corresponds to 120 KIU/vial (1 KIU equal 1000 IU)	-do-	Denmark Switzerland	<i>Abigr`b Kiv hBtZ c̄ti  </i>	<i>Abigr`b Kiv nBj  </i>
		c) <b>Novo Seven 4.8 mg/vial (240 KIU/ml) Powder and solvent for solution for injection</b>  Eptacog Alfa (activated) INN 4.8 mg/vial (Human recombinant coagulation FVIIa) corresponds to 240 KIU/vial (1 KIU equal 1000 IU)	-do-	Denmark Switzerland	<i>Abigr`b Kiv hBtZ c̄ti  </i>	<i>Abigr`b Kiv nBj  </i>

<i>bs</i>	<i>cūZKvīKi big</i>	<i>Jītai big I fRtbwK big</i>	<i>ibt`Rbv</i>	<i>Jla bwZ 2005 Ablyqxs Dbz 7 (mZ) Mīt`ki FSC</i>	<i>tUKbK yj me-Kgnti 54Zg mfvi gZgZ</i>	<i>mfvi mnxvS-</i>
06.	LTS Lohmann Therapie System, Germany  (Novartis Bangladesh Ltd.)	a) <b>Exelon transdermal Patch 5cm<sup>2</sup></b>  Rivastigmine INN 9 mg/5 cm <sup>2</sup> patch	Mild to moderately severe dementia of the Alzheimer's disease	Germany	<i>Abgr`b Kiv hBtZ cītī /</i>	<i>Abgr`b Kiv nBj /</i>
		b) <b>Exelon transdermal Patch 10cm<sup>2</sup></b>  Rivastigmine INN 18 mg/10 cm <sup>2</sup> patch	-do-	Germany	<i>Abgr`b Kiv hBtZ cītī /</i>	<i>Abgr`b Kiv nBj /</i>
07.	Laboratories Panpharma, France  (City Overseas Ltd.)	a) <b>Pan-Cefazolin 0.5 gm Powder for Injection in Vial</b>  Cefazolin Sodium 0.524 gm corresponding to Cefazolin 0.5 gm/vial	Anti-bacterial	France	<i>cīqRb bīB neaq Aig`bxi Aitē`b bv gĀy Kiv hBtZ cītī /</i>	<i>cīqRb bīB neaq Aig`bxi Aitē`b bv gĀy Kiv nBj /</i>
		b) <b>Pan-Cefazolin 1 gm Powder for Injection in Vial</b>  Cefazolin Sodium 1.048 gm corresponding to Cefazolin 1 gm/Vial	-do-	France	<i>cīqRb bīB neaq Aig`bxi Aitē`b bv gĀy Kiv hBtZ cītī /</i>	<i>cīqRb bīB neaq Aig`bxi Aitē`b bv gĀy Kiv nBj /</i>
		c) <b>Pan-Cefamandole 750 mg Powder for Injection in Vial</b>  Cefamandole Nafate 879.5 mg corresponding to Cefamandole 750mg/Vial	-do-	France	<i>cīqRb bīB neaq Aitē`b bv gĀy Kiv hBtZ cītī /</i>	<i>cīqRb bīB neaq Aitē`b bv gĀy Kiv nBj /</i>
08.	Lilly France SAS, France (International Agencies Bd. Ltd.)	a) <b>Alimta 500 mg Powder for Concentrate for Solution for Injection</b>  Pemetrexed 25 mg/ml	Multitarget anticancer antifolate agent	France	<i>Abgr`b Kiv hBtZ cītī /</i>	<i>Abgr`b Kiv nBj /</i>
09.	GlaxoSmithKline Biological SA, Belgium  (GlaxoSmithKline Bangladesh Ltd.)	a) <b>Infanrix Hexa Vaccine</b>  Diphtheria Toxoid min 30 IU Tetanus Toxoid min 40 IU Pertussis Toxoid 20 mcg Filamentous hemagglutinin 25 mcg Pertactin (69 kDa Outer membrane protein 8 mcg r-DNA Hepatitis B-Surface Antigen (HBsAg) 10 mcg Inactivated Polio Virus (IPC) Type-I 40 DU Inactivated Polio Virus (IPC) Type-2 8 DU Inactivated Polio Virus (IPC) Type-3 32 DU	Indicated for the primary & booster vaccination of infants against Diphtheria, Tetanus, Pertussis, Hepatitis-B, Polio myelitis and Haemophilus influenzae type-B	Belgium  European Medicine Evaluation Agencies (EMEA)	<i>Abgr`b Kiv hBtZ cītī /</i>	<i>Abgr`b Kiv nBj /</i>
		b) <b>Cervarix Vaccine</b>  Human Papillomavirus Type-16 L1 Protein 20 mcg Human Papillomavirus Type-18 1 Protein 20 mcg	Prevention of cervical cancer	-do-	<i>Abgr`b Kiv hBtZ cītī /</i>	<i>Abgr`b Kiv nBj /</i>
10.	Lyomark Pharma GmbH, Germany  (International Agencies Bd. Ltd.)	a) <b>Alveofact Powder &amp; Solvent</b>  Phospholipids 50 mg/dose	Preventive use in premature neonates with a high risk of respiratory distress syndrome	Germany	<i>Abgr`b Kiv hBtZ cītī /</i>	<i>Abgr`b Kiv nBj /</i>
11.	Aventis Pharma Dagenham, UK  (Aventis Ltd.)	a) <b>Eloxatin 5 mg/ml powder for solution for infusion in a vial</b>  Oxaliplatin INN 50 mg in 10 ml solution for infusion	Treatment of certain disease of the rectum and colon	UK	<i>Abgr`b Kiv hBtZ cītī /</i>	<i>Abgr`b Kiv nBj /</i>

<i>bs</i>	<i>cūZKuitKi bug</i>	<i>Jitai big I fRbiwK bug</i>	<i>ibt` Rbv</i>	<i>Jia bwZ 2005 Ablyqz Dbz 7 (muz) dlt` tki FSC</i>	<i>tUKubK yj me-Kynti 54Zg mfvi gZgZ</i>	<i>mfvi mxiS-</i>
12.	Mallinckrodt Inc., USA  (Advance Medical Technology)	a) <b>Optimark 0.5 mmol/ml in Syringe injection</b>  Gadoversetamide 330.9 mg (0.5 mmol/ml)	Indicated for use with magnetic resonance imaging in patient with abnormal blood brain barrier or abnormal vascularity of the brain, spine and associated tissues.	USA	<i>Abig`b Kiv hBtZ cti /</i>	<i>Abig`b Kiv nBj /</i>
13.	Tyco Healthcare, Canada  (Advance Medical Technology)	a) <b>Inj. Optiray 300 (64%) Solution</b>  Ioversol 636 mg/ml  b) <b>Inj. Optiray 320 (68%) Solution</b>  Ioversol 678 mg/ml  c) <b>Inj. Optiray 350 (74%) Solution</b>  Ioversol 741 mg/ml	X-ray contrast media and cardio-angiography	Canada Other County UK	<i>Abig`b Kiv hBtZ cti /</i>	<i>Abig`b Kiv nBj /</i>
14.	Alcon Coaverer NV, Belgium  (Globex Marketing Co. Ltd.)	a) <b>DuoTrav Eye Drops 2.5ml bottle</b>  Travoprost 0.04 mg + Timolol Maleate 6.8 mg (eq. to 5 mg Timolol)/ml	Decrease of intraocular pressure in patients with openangle glaucoma or ocular hypertension	Belgium European Medicine Evaluation Agencies (EMEA)	<i>Abig`b Kiv hBtZ cti /</i>	<i>Abig`b Kiv nBj /</i>

## **I) Import (New Strength/New Dosage Form)**

<i>bs</i>	<i>cūZKuitKi bug</i>	<i>Jitai big I fRbiwK bug</i>	<i>ibt` Rbv</i>	Existing	<i>Jia bwZ 2005 Ablyqz Dbz 7 (muz) dlt` tki FSC</i>	<i>tUKubK yj me-Kynti 54Zg mfvi gZgZ</i>	<i>mfvi mxiS-</i>
01.	Lesse Laboratories Servier, France  (Transcom Distribution Co. Ltd.)	a) <b>Coversyl 10 mg Tablet</b>  Perindopril arginin INN 10 mg	Arterial hypertension, coronary artery disease	Existing : 2 mg, 4 mg & 8 mg Tablet	France	<i>GB gIV cIqIRb bIV neaq Avg`bxi Aite`b br gAij Kiv hBtZ cti /</i>	<i>GB gIV cIqIRb bIV neaq Avg`bxi Aite`b br gAij Kiv nBj /</i>
		b) <b>Coversyl 5 mg Tablet</b>  Perindopril arginin INN 5 mg	-do-	-do-	France	<i>GB gIV cIqIRb bIV neaq Avg`bxi Aite`b br gAij Kiv hBtZ cti /</i>	<i>GB gIV cIqIRb bIV neaq Avg`bxi Aite`b br gAij Kiv nBj /</i>
02.	Novartis Pharma AG, Switzerland  (Novartis Bangladesh Ltd.)	e) <b>Diovan 320 mg Tablet</b>  Valsartan USP 320 mg	Treatment of Essential hypertension	Existing : 40 mg, 60 mg, 80 mg, & 160 mg Tablet	Switzerland	<i>GB gIV cIqIRb bIV neaq Avg`bxi Aite`b br gAij Kiv hBtZ cti /</i>	<i>GB gIV cIqIRb bIV neaq Avg`bxi Aite`b br gAij Kiv nBj /</i>
03.	Wyeth Medica, Ireland  (Wyeth-Averst Inc)	a) <b>Premarin 0.3 mg Tablet</b>  Conjugated Estrogen USP 7.18 mg (eq. to 0.308 mg (includes 3% overage)	Hormone replacement therapy for estrogen deficiency symptoms in menopausal and postmenopausal women	Existing : 0.625 mg Tablet	Ireland Australia	<i>GB gIV cIqIRb bIV neaq Avg`bxi Aite`b br gAij Kiv hBtZ cti /</i>	<i>GB gIV cIqIRb bIV neaq Avg`bxi Aite`b br gAij Kiv nBj /</i>
04.	Alcon Laboratories Inc., USA.  (Globex Marketing Co. Ltd.)	a) <b>Pataday 0.2% Ophthalmic Solution</b>  Olopatadine Hydrochloride 0.222%	Allergic Conjunctivitis	1% Ophthalmic Solution	USA	<i>cIqIRb bIV neaq Aite`b br gAij Kiv hBtZ cti /</i>	<i>cIqIRb bIV neaq Aite`b br gAij Kiv nBj /</i>

*O) LOCAL (Veterinary)*

<i>bs</i>	<i>cōZKviKi big</i>	<i>JItai big I tRtbwK big</i>	<i>ibt`Rbv</i>	<i>tUKibK'jy me-KugZi 54Zg mfvi gZgZ</i>	<i>mfvi wmxvS-</i>
01.	Novartis (Bangladesh) Ltd.	a) <b>Chlortetracycline HCl 45 gm Powder (Vet)</b>  Chlortetracycline HCl BP (Vet) 45 gm/100 gm	Effectively used against many of the micro-organism including both gram positive and gram negative bacteria responsible for serious problem in poultry and livestock	Jla ibqSY KigU (dWmim) Gi mfiq cī māu' Aia' Bti i cōZiba Z_mn gZigZ/mgwi k cōib Kil teb/	Poultry iktf Decontamination / tiM bivtg e'ck e'eni nq Ges Toxicity / Side- effect Kg ejq qv cī māu' Aia' Bti i cōZiba i mgwi tk mfiZ Abtgv' b Ki v nBj /

*P) IMPORT (Veterinary)*

<i>bs</i>	<i>cōZKviKi big</i>	<i>JItai big I tRtbwK big</i>	<i>ibt`Rbv</i>	<i>wdmij muQitKU (FSC &amp; Others)</i>	<i>tUKibK'jy me-KugZi 54Zg mfvi gZgZ</i>	<i>mfvi wmxvS-</i>
01.	Biomunne Corporation, USA (Univet Ltd.)	a) <b>Vectormune FP-LT Vaccine</b>  Fowl Pox laryngotracheitis virus USP ≥ 10 <sup>2.7</sup> TCID <sub>50</sub> /dose 0.01 ml	Live vaccine for wing web immunization against fowl pox and laryngotracheitis viruses	USA	Abtgv' b Ki v hiBtZ cīt i /	Abtgv' b Ki v nBj /
		b) <b>Vectormune FP-LT+AE Vaccine</b>  Avian encephalomyelitis virus USP ≥ 10 <sup>2.7</sup> TCID <sub>50</sub> + Fowl Pox laryngotracheitis Virus USP ≥ 10 <sup>2.7</sup> TCID <sub>50</sub> /0.01 ml dose	Recommended for use in chickens 8 weeks of age as an aid in the prevention of laryngotracheitis, fowl pox and avian encephalomyelitis.	USA	Abtgv' b Ki v hiBtZ cīt i /	Abtgv' b Ki v nBj /
		c) <b>Tremormune Vaccine (Vet)</b>  Avian encephalomyelitis virus USP ≥ 10 <sup>2.7</sup> TCID <sub>50</sub> /dose 0.01 ml	Prevention of avian encephalomyelitis virus	USA	Abtgv' b Ki v hiBtZ cīt i /	Abtgv' b Ki v nBj /
		d) <b>Circomune-W Vaccine (Vet)</b>  Chicken anemia Virus USP ≥ 10 <sup>6.2</sup> TCID <sub>50</sub> /dose 7.6 ml	Prevention of chicken infections anaemia	USA	cīqRb biB neaq Aite` b br gĀy Ki v hiBtZ cīt i /	cīqRb biB neaq Aite` b br gĀy Ki v nBj /
02.	Ewabo Chemikalien GmbH, Germany (Univet Ltd.)	a) <b>Ewabo Oxykol Powder Concentrate</b>  Peracetic acid 100 gm + Benzalkonium Chloride 80 gm/Kg	Broad spectrum disinfectant	Germany	Abtgv' b Ki v hiBtZ cīt i /	Abtgv' b Ki v nBj /
		b) <b>Ewabo Quatovet Soluble Liquid Concentrate</b>  Benzalkonium Chloride 250 gm/Lit	Disinfectant	Germany	Abtgv' b Ki v hiBtZ cīt i /	Abtgv' b Ki v nBj /
03.	Ceva Phylaxia, Veterinary Biological Co., Hungary (ACI Ltd.)	a) <b>Cevac Corymune 7-K Vaccine</b>  Newcastle disease virus strain 'NDV SZ' Lasota Induced min, Serology titer of 6 log 2 HI2 with 1 dose , 4 logs HI3 with 1/50 dose or min 50 PD50+ Infections Brobethylitis virus strain 'M-41', BP induced min serology titer of 610g2 HI6 + Egg Drop syndrome 76' strai B8/78 induced min, serology titer of 7 log2 HI + Avibac terium paragallinarum serotype-A minimum 7 log 10 CFU 8 before inactivation + Avibacterium Paragallinarum serotype-B Minimum 7 Log 10 CFU before inactivation + Avibacterium Paragallinarum Serotype-C Minimum 7 Log 10 CFU before inactivation + Salmonella enteritidis induced min 5 Log2 MAT9/0.50 ml dose	Immunization against Newcastle disease infections bronchitis coryza in poultry.	Hungary	cīqRb biB neaq Aite` b br gĀy Ki v hiBtZ cīt i /	cīqRb biB neaq Aite` b br gĀy Ki v nBj /

<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I iRtbwK big</i>	<i>ibt Rbv</i>	<i>oldmj muUdtkU (FSC &amp; Others)</i>	<i>tUKubKij me-Kgjdi 54Zg mfvi gZigZ</i>	<i>mfvi mxiš-</i>
	Ceva Phylaxia, Veterinary Biological Co., Hungary (ACI Ltd.)	b) <b>Cevac Corymune 4K Vaccine</b>  Avibacterium Paragallinarum Serotype-A minimum 7 log 10 CFU before inactivation Avibacterium paregallinarum serotype-B minimum 7 log 10 CFU before inactivation. Avibacterium paragallinarum serotype-C minimum 7 log 10 CFU before inactivated salmonella enteritidis induced min, 4.0 log 2 HAT 2	For active immunization against coryza & salmonellosis	Hungary	<i>Abfgi`b Kiv hBtZ citi/</i>	<i>Abfgi`b Kiv nBj /</i>
		c) <b>Flu-KEM Vaccine</b>  Avian influenza virus Type-A Subtype H5N <sub>2</sub> 10 <sup>8.4</sup> to 10 <sup>8.7</sup> EID <sub>50</sub> /0.5 ml dose	For active immunization against avian influenza in poultry	Hungary	<i>c̄qRb biB meaq Afe`b br gĀy Kiv hBtZ citi/</i>	<i>c̄qRb biB meaq Afe`b br gĀy Kiv nBj /</i>
04.	L.G. Life Sciences Ltd., Korea (R.S. Impex)	a) <b>Boostin-S Injection</b>  Recombinant bovine somatotropin 500 mg Vitamin E Acetate (INN) 1200 mg Lecithin (NF) 300 mg/2 gm syringe	For increase of milk production during lactating period	Korea	<i>Abfgi`b Kiv hBtZ citi/</i>	<i>Abfgi`b Kiv nBj /</i>
		b) <b>Bostin 250 mg Injection</b>  Recombinant bivine somatotropin (rbST) 250 mg Vitamin E Acetate (INN) 1450 mg Lecithin (NF) 300 mg/2gm Syringe	-do-	Korea	<i>Abfgi`b Kiv hBtZ citi/</i>	<i>Abfgi`b Kiv nBj /</i>
05.	Komipharm International Co., Ltd., Korea (Rafique Medicine)	a) <b>Viasol Solution</b>  Vitamin A 6000000 IU Vitamin D <sub>3</sub> 1200000 IU Vitamin E 6000 IU Vitamin K <sub>3</sub> 400 mg Thiamine HCl 1 gm Riboflavin 1 gm Pyridoxine HCl 400 mg Cyanocobalamin 1000 mcg Ascorbic Acid 1000 mg Nicotinamide 7000 mg Cal-pantothenate 5000 mg Folic Acid 100 mg DL-Methionine 10000 mg L-Lysin 10000 mg Cholone Bitrate 50000mg/Litre	Vitamin deficiencies	Korea	<i>t'ik Drcr ibi mele Zv hiPb Kti GB Jia Aig`bxi Abfgi`b eiciti ci'meu` Aia`Btii c̄zibna m̄m̄m̄-i mfq gZigZ/mgwi k c̄ib Kuteb/</i>	<i>Jiau t'ik Drcr b Kiv m̄e meaq Aig`bxi Afe`b br gĀy Kiv nBj /</i>
		b) <b>Komicoccin Solution</b>  Toltrazuril 25 gm/Litre	Prevention and treatment of poultry against coccidiosis	Korea	<i>Abfgi`b Kiv hBtZ citi/</i>	<i>Abfgi`b Kiv nBj /</i>
		c) <b>Super BBNE-Vaccine (Vet)</b>  Infectious bronchitis virus type M41 .... Min 10 <sup>7.5</sup> EID <sub>50</sub> , Infectious Bronchitis Virus type (IBF: KM91) ... Min 10 <sup>7.5</sup> EID <sub>50</sub> , Newcastle Disease Virus Type ND : Ulster 2C .... Min 10 <sup>9.5</sup> EID <sub>50</sub> , Egg drop syndrome '76 type (EDS'76:K-16).... Min. 10 <sup>8.0</sup> EID <sub>50</sub> Formalin .....Max 0.2% Oil adjuvant ...70%/dose	For the vaccination of health poultry against infectious bronchitis newcastle disease and egg drop syndrome	Korea	<i>c̄qRb biB meaq Afe`b br gĀy Kiv hBtZ citi/</i>	<i>c̄qRb biB meaq Afe`b br gĀy Kiv nBj /</i>

<i>bs</i>	<i>cōZKwītKi big</i>	<i>Jītaī big I iRtbwīK big</i>	<i>ibt Rbv</i>	<i>wdmjj muUdtkU (FSC &amp; Others)</i>	<i>tUKbKij me-Kgndi 54Zg mfvi gZigZ</i>	<i>mfvi mxiš-</i>
	Komipharm International Co., Ltd., Korea (Rafique Medicine)	d) <b>NIB-Vac</b>  Attenuated Newcastle disease virus (strain B1) 40% Suspension of infectious Bronchitis virus (strain KH120) 20% LPGG 40% Streptomycin Sulfate 200 mcg/ml Penicillin 200 Unit/ml	Immunization against Newcastle disease and infectious bronchitis in chickens	Korea	<i>cōqirb biB neaq Aitē`b b̄gAŷ Kiv h̄B̄Z c̄t̄i /</i>	<i>cōqirb biB neaq Aitē`b b̄gAŷ Kiv nBj /</i>
	e) <b>ND Laso-Vac (New Castle Disease Lasota Live Vaccine)</b>  Suspension of Lasota Virus infection 60% SPGA or LPGG 20% Powdered Skim Milk 40% Penicillin 500 IU/ml Streptomycin Sulfate 2 mg/Vaccine	Immunization of New castle disease in chicken	Korea		<i>cōqirb biB neaq Aitē`b b̄gAŷ Kiv h̄B̄Z c̄t̄i /</i>	<i>cōqirb biB neaq Aitē`b b̄gAŷ Kiv nBj /</i>
	f) <b>FP-Vac (Vet)</b>  TCII Fowl Fox virus culture equal to volume of SPGG composition of : NaCl 80 gm KCl 2 gm Na <sub>2</sub> HPO <sub>4</sub> (12H <sub>2</sub> O 20 gm KH <sub>2</sub> PO <sub>4</sub> 2 gm/10000 ml dose	Immunization against fowl pox in chickens and turkeys	Korea		<i>cōqirb biB neaq Aitē`b b̄gAŷ Kiv h̄B̄Z c̄t̄i /</i>	<i>cōqirb biB neaq Aitē`b b̄gAŷ Kiv nBj /</i>
	g) <b>Tylo-Top Inj.(Vet)</b>  Thiamphenicol 200 mg + Tylosin lactate 57.5 mg + Prednisolone Sodium Phosphate 5 mg/ml	Pneumonia for livestock, atrophic rhinitis, diarrhea, blood poisoning: septicemia, MMA Injection (metritis, mastitis, agalactia)	Korea		<i>Ab̄gr̄`b Kiv h̄B̄Z c̄t̄i /</i>	<i>Ab̄gr̄`b Kiv nBj /</i>
	h) <b>Ambrocombi-S Powder (Vet)</b>  Amoxycillin Trihydrate 100 gm + Bromhexin Hydrochloride 20 gm + Vitamin A 500000 IU/Kg	Prevention and treatment of gastrointestinal infection caused by gram positive and gram negative bacteria	Korea		<i>Ab̄gr̄`b Kiv h̄B̄Z c̄t̄i /</i>	<i>Ab̄gr̄`b Kiv nBj /</i>
	i) <b>Negubenzyl Solution (Vet)</b>  Trichlorfon 18 gm + Benzyl Benzoate 250 ml Triethanolamine 5 gm Oleic Acid 20 gm/Litre	Treatment and lice, scabies/demodex folliculorum fleas, ticks and other external parasites	Korea		<i>Ab̄gr̄`b Kiv h̄B̄Z c̄t̄i /</i>	<i>Ab̄gr̄`b Kiv nBj /</i>
	j) <b>Amoxicillin Combi Powder (Vet)</b>  Amoxicillin Trihydrate USP 50 gm Lysozyme Chloride USP 10 gm Guaiifenesin USP 35 gm Coproheptadine Hydrochloride USP 1 gm Vitamin A USP 25000 IU	Respiratory tract and Gastrointestinal tract infection.	Korea		<i>Ab̄gr̄`b Kiv h̄B̄Z c̄t̄i /</i>	<i>Ab̄gr̄`b Kiv nBj /</i>

<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I iRtbwK big</i>	<i>ibt Rbv</i>	<i>oldmij muUdtkU (FSC &amp; Others)</i>	<i>tUKubK yj me-Kygtti 54Zg mfvi gZigZ</i>	<i>mfvi mxiS-</i>
	Komipharm International Co., Ltd., Korea (Rafique Medicine)	k) <b>Komiteomixvita Powder (Vet)</b>  Vitamin A 160000 IU Vitamin B <sub>2</sub> 700 mg Vitamin B <sub>6</sub> 120 mg Vitamin B <sub>12</sub> 1000 mg Vitamin C 1000 mg Vitamin D <sub>3</sub> 300000 IU Vitamin E 300 IU Vitamin K <sub>1</sub> 150 mg Niacin 3400 mg Methionine 15000 mg Calcium Di-Panthothenate 800 mg Folic acid 50 mg Manganese Sulfate 4500 mg Zinc Sulfate 7800 mg Dibasic Potassium Phosphate 350 mg Ferrous Sulfate 150 mg Cupric Sulfate 250 mg/Kg	Vitamin deficiencies	Korea	t`tk Drcv`tbi mæle Zv hpPB Kti GB Jla Aig`ibxi Abtgv`tbi eicfj c' meú` Aia`Bti i cizibia mWmm-i mfvi gZigZ cwb Kviteb/	GB aiYi Jla t`tk Drcv`b mæle meaq Aig`ibxi Ate`b brgÄy KivnBj /
06.	DaOne Chemical Co. Ltd., Korea (Wilts Marketing Co., Ltd.)	a) <b>Coxzuril (Vet) Oral Liquid</b>  Toltrazuril 25 gm/lit	Prevention and treatment of coccidiosis in chicken	Korea	Abtgv`b Kiv hBtZ c#i/	Abtgv`b Kiv nBj /
		b) <b>DaOne PB Cough (Vet) Oral Solid</b>  Phenylbutazone Sodium 50 gm + Bromhexine HCl 10gm/Lit	Treatment of respiratory inflammation or infections disease	Korea	Abtgv`b Kiv hBtZ c#i/	Abtgv`b Kiv nBj /
07.	Special T Products Ltd., UK (Wilts Marketing Co. Ltd.)	a) <b>Dexoject 100 Plus Injection (Vet)</b>  Iron (as Iron Dextran) 100 mg + Vitamin B12 (Cyanocobalamin) 100 mcg/ml	Iron deficiency Anaemia,	UK	Abtgv`b Kiv hBtZ c#i/	Abtgv`b Kiv nBj /
		b) <b>Glosantel 10% Injection (Vet)</b>  Closantel 100 mg/ml	Prophylaxis and treatment of lung worm infections in Claves, cattle, goats, sheep and swine	UK	Abtgv`b Kiv hBtZ c#i/	Abtgv`b Kiv nBj /
08.	Samyang Anipharma Co. Ltd., Korea (Doctor's Agro-Vet Ltd.)	a) <b>Kepalon Ointment (Vet)</b> 7.5gm/Syringe  Cephalantium 269.7 mg/Syringe	Prevention during dry period for dairy cows	Korea	Abtgv`b Kiv hBtZ c#i/	Abtgv`b Kiv nBj /
		b) <b>Vitamin 34 Injection (Vet)</b>  glucose 50 mg Sodium Acetate 2.5 mg Calcium Chloride 0.15 mg Potassium Chloride 0.20 mg Magnesium Sulfate 0.20 mg L-Arginine HCl 0.85 mg Sodium Glutamate 1.36 mg L-Histidine HCl 0.34 mg L-Leucine 1.36 mg dl-Isoleucine 0.68 mg L-Lysine HCl 1.02 mg L-Methionine 0.34 mg dl-Phenylalanine 1.02 mg L-thyprophane 0.34 mg dl-Valine 1.70 mg L-cysteine HCl 0.34 mg Thiamine HCl 0.10 mg Riboflavin (Sodium Phosphate) 0.04 mg Nicotinamide 1.50 mg D-Panthenol 0.05 mg Pyridoxine HCl 0.10 mg Cyanocobalamine 0.05 mcg/ml dose	Treatment of haemorrhage on operation or after operation vomiting, diarrhoea, dehydration & hypoproteinema	Korea	t`tk Drcv`tbi mæle Zv hpPB Kti GB Jla Aig`ibxi Abtgv`tbi eicfj c' meú` Aia`Bti i cizibia mWmm-i mfvi gZigZ cwb Kviteb/	t`tk Drcv`b mæle meaq Aig`ibxi Ate`b brgÄy KivnBj /

<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I iRtbwK big</i>	<i>ibt Rbv</i>	<i>oldmij muUdtkU (FSC &amp; Others)</i>	<i>tUKubK yj me-KugLi 54Zg mfvi gZigZ</i>	<i>mfvi mxiS-</i>
09.	Zagrp Singapore Pte. Ltd. (Bengal Overseas Ltd.)	a) <b>Ultraxide (Vet) Pink Liquid</b>  Glutaral dehydrate (50%) 300 gm quaternary ammonium compound (80%) 100 gm/Lit	Disinfection	Singapore	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`b Kiv nBj /</i>
10.	Shinil Biogen Co. Ltd., Korea (Pharma & Pharm)	a) <b>Pen-M Injection (Vet)</b>  Procaine Penicillin G 200000 IU Dihydrostreptomycin Sulfate 250 mg Chlorpheniramine Maleate 10 mg Dexamethasone Disodium Phosphate 0.5 mg/ml	For the treatment of bacterial infections caused by pathogens susceptible to penicillin and streptomycin, bronchial pneumonia, urogenital infections	Korea	<i>c̄q̄Rb biB neaq Aite`b br gĀy Kiv hBtZ ci i/</i>	<i>c̄q̄Rb biB neaq Aite`b br gĀy Kiv nBj /</i>
11.	KBNP Inc., Korea (Tajarat Animal Care)	a) <b>Himmvac Fowl Pox Vaccine</b>  Fowl Pox virus infection Fluid 30% Stabilizer 70% Penicillin 200 IU/ml Kanamycin 100 mcg/ml Streptomycin 200 mcg/ml	For vaccination of healthy chickens against fowl pox	Korea	<i>c̄q̄Rb biB neaq Aite`b br gĀy Kiv hBtZ ci i/</i>	<i>c̄q̄Rb biB neaq Aite`b br gĀy Kiv nBj /</i>
		b) <b>Himmvac ILT Live vaccine</b>  Infectious Laryngotracheitis virus infected fluid 50% Stabilizer 50% Streptomycin 200 mcg/ml Penicillin 200 IU/ml	For vaccination of healthy chicken against infections laryngotracheitis	Korea	<i>c̄q̄Rb biB neaq Aite`b br gĀy Kiv hBtZ ci i/</i>	<i>c̄q̄Rb biB neaq Aite`b br gĀy Kiv nBj /</i>
12.	Lohmann Animal Health, USA (ACI Ltd.)	a) <b>Avi-Pro 431 ND-IB-BD3-REO Vaccine</b>  <u>Bursal Disease Virus:</u> a) Baxendale strain $10^{6.2}$ TCID <sub>50</sub> b) Maryland strain $10^{5.8}$ TCID <sub>50</sub> c) Del. Variant 1084A strain $10^{3.9}$ EID <sub>50</sub> d) Del. Variant 1084E strain $10^{2.0}$ EID <sub>50</sub>  2. Newcastle disease virus Lasotar strain $10^{7.8}$ EID <sub>50</sub> 3. Infectious Bronchitis virus Mass Type $10^{6.9}$ EID <sub>50</sub> 4. Avian Reovirus: a) 1733 strain $10^{5.8}$ TCID <sub>50</sub> b) S1133 Strain $10^{5.3}$ TCID <sub>50</sub>	To develop immunity against bursal disease, Newcastle disease, bronchitis and reo-virus infection in poultry.	USA	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`b Kiv nBj /</i>
		b) <b>Avi-Pro 108 FC4 Gold Vaccine</b>  Pasteurella Multocida Bacterin Avian Isolate, types 1, 3, 4 & 3 x 4 ... 2.9 x 108 ( $10^{8.5}$ ) CFU for each strain/dose	To develop immunity against fowl cholera bacteria infection in poultry	USA	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`b Kiv nBj /</i>
		c) <b>Avi-Pro 233 ND-PMV3 Vaccine</b>  Newcastle Disease Virus lasota Strain min $10^{8.8}$ EID <sub>50</sub> Avian Paramyxo virus vaccine Type 3 min $10^{7.4}$ EID <sub>50</sub> /dose	To develop immunity against Newcastle disease virus infections in poultry	USA	<i>c̄q̄Rb biB neaq Aite`b br gĀy Kiv hBtZ ci i/</i>	<i>c̄q̄Rb biB neaq Aite`b br gĀy Kiv nBj /</i>
		d) <b>Avian influenza vaccine H5 sub type</b>  Avian influenza vaccine, H5 subtype, killed virus $1.0 \times 10^8$ EID <sub>50</sub> /dose	To develop immunity against avian influenza virus infection in poultry	USA	<i>c̄q̄Rb biB neaq Aite`b br gĀy Kiv hBtZ ci i/</i>	<i>c̄q̄Rb biB neaq Aite`b br gĀy Kiv nBj /</i>
13.	Schering-Plough Animal Health Corporation, USA (Square Pharmaceuticals Ltd)	a) <b>AE+Pox Vaccine Live virus</b>  Avian Encephalomyelitis Virus; 9CFR 113.326; Not less than $10^{2.8}$ EID 50/ Dose at release  Fowl-Pox Virus; 9CFR 113.325; Not less than $10^{2.8}$ EID 50/ Dose at release	Avian Encephalomyelitis and Fowl Pox	USA	<i>Abfgi`b Kiv hBtZ ci i/</i>	<i>Abfgi`b Kiv nBj /</i>

bs	cūZKvi?Ki big	Jltai big I tRtbui K big	Abf`Rbv	wdmju muWdtkU (FSC & Others)	tUKubKijj mve-Kigijj 54Zg mfvi gZigZ	mfvi wmxvS-
Schering-Plough Animal Health Corporation, USA (Square Pharmaceuticals Ltd)	b) <b>Broilerbron-HN-79</b>  Newcastle Virus (B1 Type, LaSota Strain); 9CFR 139.329; Not less than $10^6$ EID <sub>50</sub> / dose at release  Infectious Bronchitis Virus (Mass. Type); 9CFR 139.327; Not less than $10^{3.72}$ EID <sub>50</sub> / dose at release	Newcastle disease and Infectious Bronchitis (Mass type)	USA	Abfgv`b Kiv hBtZ citi /	Abfgv`b Kiv nBj /	
	c) <b>BURSA-VAC® Vaccine Live Virus</b>  Infectious Bursal Disease Virus; Not less than $10^{0.5}$ EID <sub>50</sub> / dose at release	Infectious Bursal Disease	USA	Abfgv`b Kiv hBtZ citi /	Abfgv`b Kiv nBj /	
	d) <b>BURSA VAC® 3 Vaccine</b>  Infectious Bursal Disease Virus; Not less than $10^{3.00}$ EID <sub>50</sub> / dose at release	Infectious Bursal Disease	USA	Abfgv`b Kiv hBtZ citi /	Abfgv`b Kiv nBj /	
	e) <b>Coccivac-B Vaccine</b>  <i>Elmeria acervulina, E. maxima, E. mivati, E. tenella;</i> Live Oocysts, Not less than 200 isolates	Active Immunization of Chicken against Fowl Coccidiosis	USA	c@qRb bIB neaq Ate`b bvgAý Kiv hBtZ citi /	c@qRb bIB neaq Ate`b bvgAý Kiv nBj /	
	f) <b>Coccivac- D Vaccine</b>  <i>Elmeria acervulina, E. Brunetti, E. Hagani, E. Maxima, E. Mivati, E. Necatrix, E. Praecox, E. tenella;</i> Live Oocysts, Outline of production; 200-600 Isolates (Not less than 200 isolates)	Active Immunization of Chicken against Fowl Coccidiosis	USA	Abfgv`b Kiv hBtZ citi /	Abfgv`b Kiv nBj /	
	g) <b>F VAX-MG Vaccine</b>  <i>Mycoplasma gallisepticum</i> Culture fluids; Quantity per 1000 dose vial- 0.0075 ml/ dose, $10^6$ CCU/dose; per 2500 dose vial- 0.003 ml/ dose, $10^6$ CCU; per 5000 dose vial- 0.0015 ml/ dose, 6 log 10 ccu per 10,000 dose vial- 0.00075 ml/dose, $10^6$ CCU (color change unit)	Mycoplasma gallisepticum infections	USA	Abfgv`b Kiv hBtZ citi /	Abfgv`b Kiv nBj /	
	h) <b>LT-IVAX Vaccine</b>  Fowl Laryngotracheitis Virus Culture fluids; Quantity per 500 dose vial- 0.003 ml/ dose, $10^{2.9}$ TCID50/dose; per 1000 dose vial- 0.0015 ml/ dose, $10^{2.9}$ TCID50	Active Immunization of Chicken against Fowl Laryngotracheitis	USA	Abfgv`b Kiv hBtZ citi /	Abfgv`b Kiv nBj /	
	i) <b>Newcastle N-63 Vaccine</b>  Newcastle Virus (B1 Type, LaSota Strain); 9CFR 133.329; Not less than $10^{6.0}$ EID <sub>50</sub> / dose at release	Active Immunization of Chicken against Newcastle Disease	USA	Abfgv`b Kiv hBtZ citi /	Abfgv`b Kiv nBj /	

<i>bs</i>	<i>cōZKvitKi big</i>	<i>Jitai big I iRtbwK big</i>	<i>ibt Rbv</i>	<i>oldmij muUdtkU (FSC &amp; Others)</i>	<i>tUKubKij me-Kugli 54Zg mfvigZ</i>	<i>mfvimxviS-</i>
	Schering-Plough Animal Health Corporation, USA (Square Pharmaceuticals Ltd)	j) <b>POLYBRON® N-63 Vaccine</b>  Newcastle Virus (B1 Type, LaSota Strain); Not less than 10 <sup>6</sup> EID <sub>50</sub> / dose at release  Infectious Bronchitis Virus (Mass. & Conn. Type); Not less than 10 <sup>3.77</sup> EID <sub>50</sub> / dose at release	Newcastle disease and Infectious Bronchitis	USA	<i>Abtgir`b Kir hiBtZ citi/</i>	<i>Abtgir`b Kir nBj /</i>
14.	Norbrook Laboratories Limited; Northern Ireland, UK (Square Pharmaceuticals Ltd)	a) <b>Calciject 40 CM Solution for Injection</b>  Calcium Gluconate 33.3% Boric Acid 6.84% Magnesium Hypophosphite hexahydrate 5% w/v	Hypocalcaemia in Cattle where increased blood Magnesium levels required	UK	<i>Abtgir`b Kir hiBtZ citi/</i>	<i>f`tk `ibiqfite Drcr`b m=ē neaq Avg`bxi Afe`b bv gAÿ Kir nBj /</i>
	b) <b>Calciject LV Solution for Injection</b>  Calcium Gluconate 38.85% w/v Boric Acid 7.34% Magnesium Chloride hexahydrate 6.5% Calcium Hydroxide 1.32%	Hyocalcaemia	UK	<i>Abtgir`b Kir hiBtZ citi/</i>	<i>f`tk `ibiqfite Drcr`b m=ē neaq Avg`bxi Afe`b bv gAÿ Kir nBj /</i>	
	c) <b>Intravit 12 Solution for Injection</b>  Cyanocobalamin Ph.Eur, 500mcg/ml	Vitamin B12 deficiency	UK	<i>Abtgir`b Kir hiBtZ citi/</i>	<i>f`tk `ibiqfite Drcr`b m=ē neaq Avg`bxi Afe`b bv gAÿ Kir nBj /</i>	
	d) <b>Multiject IMM</b>  Each 5 g syringe contains Procaine Penicillin 2% Streptomycin Sulphate 2% Neomycin Sulphate 2% Prednisolone 0.2% in a milk dispersible mineral oil base of liquid & soft white paraffin in 7 ml Syringe	Treatment of acute and sub-acute Mastitis in milking cows accompanied by pain and Inflammation.	UK	<i>c̄qirb bB neaq Afe`b bv gAÿ Kir hiBtZ citi/</i>	<i>c̄qirb bB neaq Afe`b bv gAÿ Kir nBj /</i>	
	e) <b>Noroprost Solution for Injection</b>  [ Prostaglandin F2 α (PGF2α) ], 5mg/ml	To control the life span of the corpus luteum cows	UK	<i>Abtgir`b Kir hiBtZ citi/</i>	<i>Abtgir`b Kir nBj /</i>	
15.	Dow Chemical International Pvt. Ltd. USA (Square Pharmaceuticals Ltd)	a) <b>Glutex GQ1 Solution</b>  Glutaraldehyde 14% N-alkyldimethyl benzyl ammonium chloride 2.5 % as Sanitizer	Sanitizer	USA	<i>Abtgir`b Kir hiBtZ citi/</i>	<i>Abtgir`b Kir nBj /</i>
16.	V.M.D. Animal Health Ltd., Hungary (Organic Pharma Ltd., Agrovet Division)	a) <b>VMD Tiamulin 50 S Powder</b>  Tiamulin Hydrogen fumarate 500 gm/Kg	Prevention of respiratory tract disease caused by mycoplasma infection in poultry and animal	Hungary	<i>Abtgir`b Kir hiBtZ citi/</i>	<i>Abtgir`b Kir nBj /</i>
	b) <b>Promycin Bolus</b>  Colistin Sulphate 3,000,000 IU	Gastro-intestinal infections caused by most gram-negative bacteria	Hungary	<i>Abtgir`b Kir hiBtZ citi/</i>	<i>Abtgir`b Kir nBj /</i>	
	c) <b>D4+ Disinfectant</b>  Alkyldimethyl benzylammonium Chloride 61.5 gm Formaldehyde 84.4 gm Glutaraldehyde 58 gm Glyoxal 19.8 gm Isopropyl Alcohol 37.6 gm/Litre	Disinfection	Hungary	<i>Abtgir`b Kir hiBtZ citi/</i>	<i>Abtgir`b Kir nBj /</i>	

<i>bs</i>	<i>cōZKvitKi big</i>	<i>JItai big I iRtbwK big</i>	<i>ibt Rbv</i>	<i>wdmj muditKU (FSC &amp; Others)</i>	<i>tUKubKij me-Kiguli 54Zg mfvi gZigZ</i>	<i>mfvi mxvS-</i>
17.	Intervet International BV, The Netherlands (Bengal Overseas)	a) <b>Nobilis Influenza H 5 Vaccine</b>  Avian Influenza Type-A Subtype H5N2 including ≥ 3.32 10g2 H1 Unit/Dose	Active immunization of healthy poultry	The Netherlands	<i>cōqiqRb biB neaq Ait'e`b bi gAij Ki v hBiZ cti /</i>	<i>cōqiqRb biB neaq Ait'e`b bi gAij Ki v nbj /</i>
		b) <b>Nobilis Influenza H5 + ND Vaccine</b>  Inactivated Avian Influenza virus, type-A, Sub-type H5N2 including ≥ 3.32 Log2 HI Unit/Dose + Inactivated Newcastle Disease Virus including ≥ 4.0 10g2 HI unit/1.50 of a dose containing 50 PD <sub>50</sub> -unit per dose	Active immunization of healthy poultry as an aid in the prevention of avian influenza type-A Sub-type H5 and Newcastle disease.	The Netherlands	<i>cōqiqRb biB neaq Ait'e`b bi gAij Ki v hBiZ cti /</i>	<i>cōqiqRb biB neaq Ait'e`b bi gAij Ki v nbj /</i>

### 3/ *mea t*

<i>bs</i>	<i>Avtj vP' melq</i>	<i>tUKubKij me- Kiguli 54Zg mfvi gZigZ</i>	<i>mfvi mxvS-</i>
3.1	<p><u><i>mf-n I ciivei Kj w gšIYj tqi mYK bsDRbmj-n'D1/JIaD08/2008/288 ZwiL t 01/6/2008 tgvZteK Avg`vbKZ JItai tiRt-kb cht% Avtj vPbv/</i></u></p> <p>RvZq JIa bniZD2005 Gi AbjQ`-5(N) Abjwqk we`tk cōZKZ. tKibl JIa t`tk Avg`vbx Kii tZ nBtj Dn Aš-Zt ct`l 07(mZ) Dbz t`tki (hjivo, hjivR, mBvij vU Rvgfb, dW, Rvcib I At-ij qv) 01(mZ) nbeÜbKZ. A_ 07(mZ) Dbz t`tki Aš-Zt ct`l 01(GK) w t`tki evRvi RvZ nl qui mct`l wd tmj mwUdtkU vKv AvelK/ 2005 mvtj D3 JIa bniZ cKwKZ nl qui euvb ce®nBtZ tek KQyvet`kx JIa Avg`vbx Rb t`tki nbeÜZ nq I Avg`vbx Kiv nBZ/ JIa bniZD2005 cKwKZ nl qui ce®nBtZ nbeÜbKZ. D3 JIamgti gta thMyi 07(mZ) w Dbz t`tki 01 (GK) wZI nbeÜb bvB A_ evRvi RvZ Kiv nq bv Ggb AtbK JItai cte® nbeÜb beiqb Kii qv GLbI Avg`vbx Kiv nBtZq/</p> <p>GB Ae`nvi ciitcmtZ JIa bniZD2005 Gi Avtj vtk 05(cB) ermi ci ci beiqb ce® nbeÜbKZ. JIamgti thMyi 07(mZ) w Dctiv3 Dbz t`tki GKwZI evRvi RvZ nq bv A_ nbeÜZ bq tm,ij eZgvtb t`tk Avg`vbx Abfgv`b ctvb ev nbeÜb beiqb Kiv hjvhj nBtE nKbv I GB aitYi JItai Avg`vbx tiRt-kb emZj Kiv nBtE nKbv tm melq Avtj vPbv Kiv nq/</p>	<p>JIa nbašY Kiguli mfvi GB e`cvit we`-vniZ Avtj vPbv Kiv qv mxvS- গহপের জন্য সর্বসমতক্রমে mgwii k Kiv nbj /</p>	<p>1/ Avg`vbx Rb nbeÜYKZ. th mKj JIa RvZq JIa bniZ 2005 Gi AbjQ`-5(N) Abjwqk Dbz t`k 7 (mZ) w gta tKibl tZI nbeÜbKZ. bq A_ GB Dbz 7 (mZ) w t`tki evRvi RvZKtYi mct`l wd tmj mwUdtkU bvB tmB mKj JItai t`tki we`-vniZ আলোচনাক্রমে নিম্নোক্ত সিদ্ধান্ত- MhY Kiv nbj t</p> <p>K/ সংশ্লিষ্ট Avg`vbx Kvi KMYtK 3 (vZb) gvtmi gta Dbz 7 (mZ) w t`tki Aš-Zt ct`l th tKib 1 (GK) w Dbz t`tki evRvi RvZKtYi mct`l wd tmj mwUdtkU ctvb e`-nBtj JIa,ij i Avg`vbx tiRt-kb emZj ej qv MY nBtE/</p> <p>L/ D3 nbañiZ 3 (vZb) gvm mgfqi gta Dbz 7 (mZ) w t`tki gta th tKib 1 (GK) w Dbz t`tki wd tmj mwUdtkU ctvb e`-nBtj JIa,ij i Avg`vbx tiRt-kb emZj ej qv MY nBtE/</p> <p>M/ GB 3 (vZb) gvm mgq mgvi gta D3 JIa,ij i Avg`vbx ce®tfgv`b ctvb t`tki 07 (mZ) w Dbz t`tki gta Aš-Zt ct`l th tKib 1 (GK) w Dbz t`tki wd tmj mwUdtkU `wLj Kii tZ nBtE/ Ab`-vq H mKj JItai Avg`vbx ce®tfgv`b t`tki nBtE bv/</p> <p>2/ tgmm®nj _tKqvi gvtKls KZR. Avg`vbx KZ. I ধীন অস কর্ণোরেশন, দক্ষিণ কোরিয়া কর্তৃক উৎপাদিত Hepatitis B Vaccine (Hepavax Gene) 0.5 ml and 1 ml) c` 2wI t`tki mif gj, mnR ctc`Zv I eyvi tWR ctvb Rb JIa nbašY Kiguli 10-04-2007 ZwiZ AbjZ 235 Zg mfvi mgvqK tiRt-kb nbgqZKtYi mntj Avg`vbx Abfgv`b t`tki th mxvS- MhY Kiv nbqWqj ZwnVl mfvi gZigZ JItai t`tki 07 (mZ) w</p> <p>GB t`tki Dcti ewZ Avg`vbx Rb nbeÜYKZ. th mKj JIa RvZq JIa bniZ 2005 Gi AbjQ`-5(N) Abjwqk Dbz t`k 7 (mZ) w gta tKibl tZI nbeÜbKZ. bq A_ GB Dbz 7 (mZ) w t`tki evRvi RvZKtYi mct`l wd tmj mwUdtkU bvB tmB mKj JItai t`tki MpxZ GKB mxvS- ctvb nBtE (Avtj vP' melq mea 3.1 - mfvi mxvS- -eK - 1) /</p>

bs	<i>Avtj ip' weIq</i>	<i>#UKibK'ij mve-KigUj 54Zg mfvi gZigZ</i>	<i>mfvi m'mxvS-</i>
3.2	<p><i>-r' I cwievi Kj iY gšYij tqi m'kiK bsDRb -r'D1/JlaD14/2008/247 ZwiL</i>            ০৭/৫/২০০৮ মোতাবেক ত্বকে ব্যবহার ক্রীম,  <b><i>A tqEtgE I tj kib RvZiq JIta PwZKviK tKigK'ij e'envi c'ot'z Avtj pby/</i></b></p> <p><i>gšYij tqi m'kiK mshy Aa'icK Wt</i> মোঃ শহীদুলগ্রাহ, প্রধান,  <i>-ab I m'W, XvKv tgWtKj Ktj R I nmcvZij I m'm</i>,  <i>Jla qbSY KigUj c' tgvZteK USFDAbi eivZ w'q</i>            Topical Tacrolimus and Pimecrolimus <i>RvZiq Dci'vb kixti GK c'kvi K'vYi</i> (T-cell Lymphoma)            সৃষ্টি করে বিলিয়া উলেখ্য করা হইয়াছে।</p> <p><i>GQvorl, Jla c'ZKvix c'Zotbi Drcw'Z th mKj</i>            বহিত্বকে ব্যবহার্য ক্রীম/অয়েক্টমেট/লোক্তি Hydroquinone  <i>Ges th PwZKviK Dci'vb e'envi Kiv nq Zvni gibe kixti</i>  <i>wefbamgm'i h_v tD Leukoderma, redness &amp; itching,</i>  <i>ochronosis m'po Kwi tZtQ ejij qvI</i> উলেখ্য রহিয়াছে।</p> <p><i>th mKj Tacrolimus, Pimecrolimus Ges</i>            Hydroquinone <i>wekó ewntZtK e'envi Jla eZgtb t'tk</i>  <i>Avg'rb I Drcv'b nBtZtQ Zvnit' i Zvij Kiv mfvi Dc'rb</i>  <i>ceR Avtj pby Kiv nq/</i></p>	<p><i>mfviq we -vviZ</i>            আলোচনাক্রমে নিম্নে বর্ণিত  <i>we'ki ÁMY mgstq KigUj MVtbi</i>  <i>Avtj wPZ weIq gZigZ</i>  <i>c'vbi Rb' GkUj KigUj</i>  <i>MVtbi mgwii k Kiv nBj t</i></p> <ol style="list-style-type: none"> <li><i>Aa'icK Gg Gb u'v, wefviMq c'vib, Pg' thsb tivM wefviM, m'vi</i>            সলিমলগ্রাহ মেডিকেল  <i>Ktj R nmcvZij, igUtdW'XvKv/</i></li> <li><i>Aa'icK tj t KtYp Wt</i>  <i>tgit Ave'jy I nve, Pg' I thsb tivM wefviM,</i>  <i>e'zeÜztkL g'Re</i>  <i>tgWtKj wekje'ij q</i>  <i>I nmcvZij, XvKv/</i></li> <li><i>Wt G tgwgb, mnthiMx</i>  <i>Aa'icK, Pg' thsb tivM we'ki Á, XvKv</i>  <i>tgWtKj Ktj R nmcvZij, XvKv/</i></li> </ol> <p><i>D' KigU e'vZ Jlamgr PwZKi c'k'পতিক্রিয়</i>  <i>cyLbgyLifc we'peb Kwi qv ti'rt-kb enij ivlv</i>            সংক্রান্ত- <i>weIq c'q'Rbq mgwii k c'vib Kwi teb/</i></p>	<p>সংশ্লিষ্ট <i>weIq gZigZ M'kiK Rb' wbgæ e'vZ</i>  <i>we'ki ÁMY mgstq KigUj MVtbi m'mxvS-</i>            সর্বসম্মতিক্রমে গৃহীত হয়।</p> <p><i>AveraqK t Aa'icK Gg Gb u'v, wefviMq c'vib,</i>  <i>Pg' thsb tivM wefviM, m'vi</i>            সলিমলগ্রাহ মেডিকেল কলেজ হাসপাতাল,  <i>igUtdW'XvKv/</i></p> <p><i>m'm' t 1/ tjt KtYp Wt tgit Ave'jy I nve,</i>  <i>mnthiMx Aa'icK, Pg' thsb tivM wefviM, e'zeÜztkL g'Re</i>  <i>tgWtKj wekje'ij q I nmcvZij, XvKv/</i></p> <p><i>2/ Wt G tgwgb, mnthiMx Aa'icK, Pg'</i>  <i>I thsb tivM wefviM, XvKv tgWtKj</i>  <i>Ktj R nmcvZij, XvKv/</i></p> <p><i>m'm'-m'Pe t m'q' w'q'Rjy i kr', Jla ZEjeavqK,</i>  <i>Jla c'kmb c'v' Bi, XvKv/</i></p> <p><i>D' KigU e'vZ Jlamgr PwZKi c'k'পতিক্রিয়</i>  <i>cyLbgyLifc we'peb Kwi qv ti'rt-kb enij ivlv</i>            সংক্রান্ত- <i>weIq c'q'Rbq mgwii k c'vib Kwi teb/</i></p>

*mfviw'Z gtni' q Dc'w'Z mKj tK ab'er' Avcb Kwi qv mfvi Kvh'qmgw'Z tNvI Yv Ktib/*

*we'vwqvi tRbvij miKvi Gg G g'zb*  
*c'v'p'j K*  
*Jla c'kmb c'v' Bi*  
*/*  
*m'm'-m'Pe*  
*Jla qbSY KigUj/*

এ কে এম জাফর উল্শতা খান

*miPe*

*-r' I cwievi Kj iY gšYij q*  
*/*  
*mfviw'Z*  
*Jla qbSY KigUj/*

43/ *Jla ibqšy Kigui 09 RjwB 2008 ZwitL AbgZ 237 Zg mfvi KhreeiYx m`q Abgv`b I  
-Mti i Rb tck KivnBj |*

*vetMwqvi tRbviij miKvi Gg G gwzb  
cwi Puj K  
Jla ckwmb cwi `Bi |*